MR&S News Index—1967

This is an Index to the news columns of **MR&S** for Volume 7, 1967. An index to the technical papers appears on p. 564

Number	Month of Issue	Pages
1	January	1–44
2	February	45–94
3	March	95–136
4	April	137–182
5	May	183–234
6	June	235–290
7	July	291–330
8	August	331–374
9	September	375–442
10	October	443–476
11	November	477–516
12	December	517–582

A

Abernethy, R. F., receives award of merit, 413
Adhesives, structural adhesives bonding (book review of), 181
Allen, M. H., receives award of merit, 413
American Ceramic Society: Engineering properties of selected ceramic materials (book review of), October, 12A
American Institute of Timber Construction: Timber construction manual (book review of), 373
American Society for Metals: Recrystallization, grain growth and textures (book review of), 134
Amspacher, V. E., receives award of merit, 413
Amstutz, J. E., receives honorary membership, 407
Analysis, instrument and chemical analysis aspects of electron microanalysis and macroanalysis (book review of), 92
Analysis of the new metals—titanium, zirconium, hafnium, niobium, tantalum, tungsten, and their alloys (book review of), 233
An atomistic approach to the nature and properties of materials (book review of), 561
Apparatus exhibit, 550
Archibald, P. A., receives award of merit, 413
Associate Committee on the National Building Code: Canadian standards in building codes (book review of), 134
ASTM, its importance to free enterprise, 404
ASTM Board of directors, highlights of May 1967 Meeting, 318; highlights of September 1967 Meeting, 543
ASTM districts, Central New York–St. Lawrence, 325, 558; Chicago, 431; Delta, 39; Hawaii, 430; Middle Atlantic, 39, 87, 431, 558; Mississippi, 558; New England, 40; New York, 38, 132, 322; Northern California, 39; Northern Plains, 87; North Texas, 280; Ohio Valley, 86; Philadelphia, 86, 280; Pittsburgh, 87, 325; Rocky Mountain, 325; Southern California, Northwest, Southwest, Delta, 86; Western New York–Ontario, 558
ASTM grants, honors, and awards, award to executives, 409; awards of merit, 413; Bagley, B. G., receives ASTM doctoral fellowship, 173; Dudley Medal, 409; grants-in-aid announced, 467; Hauber, J. R., receives ASTM doctoral fellowship, 470; Hogentogler award, 411; honorary memberships, 407; long-time members honored, 471; Lundell-Bright award, 411; Marra, A. A., receives 1967 ASTM adhesives award, 228; Platt, M. M., receives Harold DeWitt Smith Medal, 469; Tallon, G. R., receives Max Hecht award, 131; Templin award, 412; Thompson award, 411; Tour award, 412; Velzy, C. R., receives C-4 award, 90; Voss award, 412
ASTM Lecture on Outstanding Research by Henry Eyring, 28
ASTM national meetings, 67th annual meeting, provisional program, 214; 70th annual meeting, 403; annual meeting preview, 124; annual meeting sessions probe materials frontiers, 420; national symposium on adhesion of materials in space environments, 76; national symposium on titanium alloys, 85; Winter Meeting, 546; Winter Meeting highlights, 1967, 28, 163
ASTM national officers elected, 362
ASTM national officers nominated, 223
ASTM Photographic exhibit, 551
ASTM staff, Beebe, A. D., manager, data processing department, 325; Cavanaugh, W. T., appointed director of field operations, 509; Etris, S. F., becomes editor, 512; Hulse, W. F., joins ASTM technical staff, 227; Kearney, J. P., joins ASTM's diffraction data department, 472; Messick, Julian, Jr., assistant manager of diffraction data department, 429; Mowbray, A. O., appointed manager of newly created ASTM news bureau, 512
ASTM standards, oldest standard succumbs at age 66, 267
ASTM technical committee officers, 1966 conference, 84
ASTM technical committees, absorption spectroscopy, 132; adhesives, 176; asbestos-cement products, 277, 428; carbon paper, inked ribbon, and similar image producing products, 37, 427; casein and similar protein materials, 427; cement, 132, 428; chemical-resistant nonmetallic materials, 227; coal and coke, 508; concrete and concrete aggregates, 131, 428; corrosion of metals, 464; deterioration of nonmetallic materials, 176, 400; electrical insulating liquids and gases, 428; electrical insulating materials, 227; fatigue, 277; flexible barrier materials, 37; fracture testing of metals, 117; hazard potential of chemicals, 425; metallic coated iron and steel products, 277; methods of testing, 177, 276, 354; mortars for unit masonry, 277; naval stores, 277; nondestructive testing, 276; paint, varnish, lacquer, and related materials, 171; peats, mosses, humus, and related products, 131, 426; petroleum products and lubricants, 276; plastics, 428; radioisotopes and radiation effects, 32; refractories, 277; resilient floor coverings, 470; rubber, 426; sensory evaluation of materials and products, 326, 427; skid resistance, 428; soaps and other detergents, 511; space simulation, 30, 510; steel, 554; temperature measurement, 176; thermal insulating materials, 555

B

Bagley, B. G., receives ASTM doctoral fellowship, 173
Baker, R. A., receives award of merit, 44
Baker, W. O., presents Marburg Lecture, 172; receives award to executives, 409
Banerjee, B. R. (book review): Specimen preparation for electron metallography, 232
Barkman, E. F., receives Tour award, 412
Bicking, C. A. (book review): The design and analysis of scientific experiments, 373
Bloem, D. L., receives award of merit, 414
Bloem, D. L., receives Thompson award, 411
Bodnar, M. J.: Structural adhesives bonding (book review of), 181
Bollen, R. E., receives award of merit, 415
Bradley Stoughton: "mankind was my business" (book review of), December, 14A
Brammar, I. S., and Dewey, M. A. P.: Specimen preparation for electron metallography (book review of), 232
Brown, F. M., Hall, H. J., and Kosar, J.: Photographic systems for engineers (book review of), 435
Burke, J. J., Reed, N. L., and Weiss, V.: Strengthening mechanisms, metals and ceramics (book review of), 134
Burns, Robert (letter), 509
Burns, R. (book review): Science in the twentieth century, 133

C

Canadian Standards in building codes (book review of), 134
Caum, J. W. (book review): Bradley Stoughton: "mankind was my business," December, 14A
Christian, J. L. (book review): Composite materials, 436
Clason, W. E.: Dictionary of metallurgy (book review of), 283
Composite Materials (book review of), 436
The Construction Specifications Institute: CSI manual of practice (book review of), 283
Consumer Standards, New York district forum, 322
Continuing numerical data projects (book review of), 283
Cooper, M. D., receives Lundell-Bright award, 411
Cordovi, M. A., receives award of merit, 415
Correlation equations for statistical computations (book review of), 42
CSI manual of practice (book review of), 283

D

DeLollis, N. J. (book review): Structural adhesives bonding, 181
DePuy, G. W.: *see* Wallace, G. B., and DePuy, G. W.
Dewey, M. A. P.: *see* Brammar, I. S., and Dewey, M. A. P.
Dictionary of metallurgy (book review of), 283
Dietz, A. G. H. (book review): Strengthening mechanisms, metals and ceramics, 134
Doan, G. E.: Bradley Stoughton: "mankind was my business" (book review of), December, 14A
Dolan, T. J. (book review): Engineering materials, selection and value analysis, 43
Duncan, A. J. (book review): Correlation equations for statistical computations, 42
Dunsby, J. A., receives Dudley medal, 409

MR&S News Index—1967

This is an Index to the news columns of **MR&S** for Volume 7, 1967. An index to the technical papers appears on p. 564

Number	Month of Issue	Pages
1	January	1–44
2	February	45–94
3	March	95–136
4	April	137–182
5	May	183–234
6	June	235–290
7	July	291–330
8	August	331–374
9	September	375–442
10	October	443–476
11	November	477–516
12	December	517–582

A

Abernethy, R. F., receives award of merit, 413
Adhesives, structural adhesives bonding (book review of), 181
Allen, M. H., receives award of merit, 413
American Ceramic Society: Engineering properties of selected ceramic materials (book review of), October, 12A
American Institute of Timber Construction: Timber construction manual (book review of), 373
American Society for Metals: Recrystallization, grain growth and textures (book review of), 134
Amspacher, V. E., receives award of merit, 413
Amstutz, J. E., receives honorary membership, 407
Analysis, instrument and chemical analysis aspects of electron microanalysis and macroanalysis (book review of), 92
Analysis of the new metals—titanium, zirconium, hafnium, niobium, tantalum, tungsten, and their alloys (book review of), 233
An atomistic approach to the nature and properties of materials (book review of), 561
Apparatus exhibit, 550
Archibald, P. A., receives award of merit, 413
Associate Committee on the National Building Code: Canadian standards in building codes (book review of), 134
ASTM, its importance to free enterprise, 404
ASTM Board of directors, highlights of May 1967 Meeting, 318; highlights of September 1967 Meeting, 543
ASTM districts, Central New York–St. Lawrence, 325, 558; Chicago, 431; Delta, 39; Hawaii, 430; Middle Atlantic, 39, 87, 431, 558; Mississippi, 558; New England, 40; New York, 38, 132, 322; Northern California, 39; Northern Plains, 87; North Texas, 280; Ohio Valley, 86; Philadelphia, 86, 280; Pittsburgh, 87, 325; Rocky Mountain, 325; Southern California, Northwest, Southwest, Delta, 86; Western New York–Ontario, 558
ASTM grants, honors, and awards, award to executives, 409; awards of merit, 413; Bagley, B. G., receives ASTM doctoral fellowship, 173; Dudley Medal, 409; grants-in-aid announced, 467; Hauber, J. R., receives ASTM doctoral fellowship, 470; Hogentogler award, 411; honorary memberships, 407; long-time members honored, 471; Lundell-Bright award, 411; Marra, A. A., receives 1967 ASTM adhesives award, 228; Platt, M. M., receives Harold DeWitt Smith Medal, 469; Tallon, G. R., receives Max Hecht award, 131; Templin award, 412; Thompson award, 411; Tour award, 412; Velzy, C. R., receives C-4 award, 90; Voss award, 412
ASTM Lecture on Outstanding Research by Henry Eyring, 28
ASTM national meetings, 67th annual meeting, provisional program, 214; 70th annual meeting, 403; annual meeting preview, 124; annual meeting sessions probe materials frontiers, 420; national symposium on adhesion of materials in space environments, 76; national symposium on titanium alloys, 85; Winter Meeting, 546; Winter Meeting highlights, 1967, 28, 163
ASTM national officers elected, 362
ASTM national officers nominated, 223
ASTM Photographic exhibit, 551
ASTM staff, Beebe, A. D., manager, data processing department, 325; Cavanaugh, W. T., appointed director of field operations, 509; Etris, S. F., becomes editor, 512; Hulse, W. F., joins ASTM technical staff, 227; Kearney, J. P., joins ASTM's diffraction data department, 472; Messick, Julian, Jr., assistant manager of diffraction data department, 429; Mowbray, A. O., appointed manager of newly created ASTM news bureau, 512
ASTM standards, oldest standard succumbs at age 66, 267
ASTM technical committee officers, 1966 conference, 84
ASTM technical committees, absorption spectroscopy, 132; adhesives, 176; asbestos-cement products, 277, 428; carbon paper, inked ribbon, and similar image producing products, 37, 427; casein and similar protein materials, 427; cement, 132, 428; chemical-resistant nonmetallic materials, 227; coal and coke, 508; concrete and concrete aggregates, 131, 428; corrosion of metals, 464; deterioration of nonmetallic materials, 176, 400; electrical insulating liquids and gases, 428; electrical insulating materials, 227; fatigue, 277; flexible barrier materials, 37; fracture testing of metals, 117; hazard potential of chemicals, 425; metallic coated iron and steel products, 277; methods of testing, 177, 276, 354; mortars for unit masonry, 277; naval stores, 277; nondestructive testing, 276; paint, varnish, lacquer, and related materials, 171; peats, mosses, humus, and related products, 131, 426; petroleum products and lubricants, 276; plastics, 428; radioisotopes and radiation effects, 32; refractories, 277; resilient floor coverings, 470; rubber, 426; sensory evaluation of materials and products, 326, 427; skid resistance, 428; soaps and other detergents, 511; space simulation, 30, 510; steel, 554; temperature measurement, 176; thermal insulating materials, 555

B

Bagley, B. G., receives ASTM doctoral fellowship, 173
Baker, R. A., receives award of merit, 44
Baker, W. O., presents Marburg Lecture, 172; receives award to executives, 409
Banerjee, B. R. (book review): Specimen preparation for electron metallography, 232
Barkman, E. F., receives Tour award, 412
Bicking, C. A. (book review): The design and analysis of scientific experiments, 373
Bloem, D. L., receives award of merit, 414
Bloem, D. L., receives Thompson award, 411
Bodnar, M. J.: Structural adhesives bonding (book review of), 181
Bollen, R. E., receives award of merit, 415
Bradley Stoughton: "mankind was my business" (book review of), December, 14A
Brammar, I. S., and Dewey, M. A. P.: Specimen preparation for electron metallography (book review of), 232
Brown, F. M., Hall, H. J., and Kosar, J.: Photographic systems for engineers (book review of), 435
Burke, J. J., Reed, N. L., and Weiss, V.: Strengthening mechanisms, metals and ceramics (book review of), 134
Burns, Robert (letter), 509
Burns, R. (book review): Science in the twentieth century, 133

C

Canadian Standards in building codes (book review of), 134
Caum, J. W. (book review): Bradley Stoughton: "mankind was my business," December, 14A
Christian, J. L. (book review): Composite materials, 436
Clason, W. E.: Dictionary of metallurgy (book review of), 283
Composite Materials (book review of), 436
The Construction Specifications Institute: CSI manual of practice (book review of), 283
Consumer Standards, New York district forum, 322
Continuing numerical data projects (book review of), 283
Cooper, M. D., receives Lundell-Bright award, 411
Cordovi, M. A., receives award of merit, 415
Correlation equations for statistical computations (book review of), 42
CSI manual of practice (book review of), 283

D

DeLollis, N. J. (book review): Structural adhesives bonding, 181
DePuy, G. W.: *see* Wallace, G. B., and DePuy, G. W.
Dewey, M. A. P.: *see* Brammar, I. S., and Dewey, M. A. P.
Dictionary of metallurgy (book review of), 283
Dietz, A. G. H. (book review): Strengthening mechanisms, metals and ceramics, 134
Doan, G. E.: Bradley Stoughton: "mankind was my business" (book review of), December, 14A
Dolan, T. J. (book review): Engineering materials, selection and value analysis, 43
Duncan, A. J. (book review): Correlation equations for statistical computations, 42
Dunsby, J. A., receives Dudley medal, 409

Duvall, W. I.: *see* Obert, L., and Duvall, W. I.

E

Eckel, J. T. (letter), 433
Electric contacts, theory and application (book review of), November, 11A
Electronics and magnetic behavior of materials (book review of), 435
Elion, H. A.: Instrument and chemical analysis aspects of electron microanalysis and macroanalysis (book review of), 92
Ellinger, G. A., receives award of merit, 415
Elwell, W. T., and Wood, D. F.: Analysis of the new metals—titanium, zirconium, hafnium, niobium, tantalum, tungsten, and their alloys (book review of), 233
Enge, H.: Introduction to nuclear physics (book review of), 232
Engineering materials, selection and value analysis (book review of), 43
Engineering properties of selected ceramic materials (book review of), October, 12A
Etris, Samuel F. (book review): Engineering properties of selected ceramic materials, October, 12A
Experimental methods of materials research (book review of), 561
Eyring, Henry, delivers Lecture on Outstanding Research, 28

F

Fay, M. J.: *see* Mallet, G. R., Fay, M. J., and Mueller, W. M.

G

Gaal, P. S. (letter), 433
Gardner-Sward Handbook presented to ASTM, 171
Gilbert, L. C. (book review): Canadian standards in building codes, 134; Timber construction manual, 373
Gillett Lecture presented by W. L. Williams, 172
Greeley, S. A., receives award of merit, 415
Guatemala, Mexico hosts for COPANT, UPADI meetings, 78

H

Hall, H. J.: *see* Brown, F. M., Hall, H. J., and Kosar, J.
Hanrahan F. J., receives Voss award, 412
Hansen, E. F. (book review): Electronic and magnetic behavior of materials, 435
Harkins, J. E. (letter), 509
Hausner, H. H., Johnson, P. K., and Roll, K. H.: Perspectives in powder metallurgy: 2—vibratory compacting, principles and methods (book review of), October, 12A
Heberle Juergen, receives grant-in-aid, 467
Heinrich, K. F. J. (book review): Instrument and chemical analysis aspects of electron microanalysis and macroanalysis, 92
Herman, Herbert: Experimental methods of materials research (book review of), 561
Hickerson, J. F., receives award of merit, 416
High temperature thermophysical properties of high temperature solid materials (book review of), 437
Holm, Ragnar: Electric contacts—theory and application (book review of), November, 11A
Hulse, W. F., joins ASTM technical staff, 227

I

Illing, A. M., receives award of merit, 416
Instrument Society of America: Standards and practices for instrumentation (book review of), 180
International Atomic Energy Agency: Radioisotope instruments in industry and geophysics (book review of), 92
Introduction to nuclear physics (book review of), 232
Irwin, G. R., receives award of merit, 416

J

Jennings, W. H., receives award of merit, 416
Johnson, P. K.: *see* Hausner, H. H., Johnson, P. K., and Roll, K. H.
Jones, R. C. (book review): An atomistic approach to the nature and properties of materials, 561

K

Kennedy, T. B., receives award of merit, 417
Kosar, J.: *see* Brown, F. M., Kosar, J., and Hall, H. J.
Kummer, H. W.: Unified theory of rubber and tire friction (book review of), 232

L

LeFevre, G. H., receives award of merit, 417
Lenel, F. V. (book review): Physical chemistry for metallurgists, 437
Lippincott, E. R., receives grant-in-aid, 467
Logan, H.: The stress-corrosion of metals (book review of), 181
Lutz, W. H., receives award of merit, 417
Lyon, W. S. (book review): Radioisotope instruments in industry and geophysics, 92

M

Mackowiak, J.: Physical chemistry for metallurgists (book review of), 437
Magnetic behavior, electronic and magnetic behavior of materials (book review of), 435
Mallet, G. R., Fay, M. J., and Mueller, W. M.: Advances in x-ray analysis (book review of), 180
Mannweiler G. B., receives award of merit, 418
Marburg Lecture presented by W. O. Baker, 172
Marra, A. A., receives 1967 ASTM adhesives award, 228
Maynor, H. W., Jr., receives grant-in-aid, 468
Metallurgy, physical chemistry for metallurgists (book review of), 437
Metals, the stress-corrosion of metals (book review of), 181
Mitropol'skii, A. K.: Correlation equations for statistical computations (book review of), 42
Mueller, W. M.: *see* Mallet, G. R., Mueller, W. M., and Fay, M. J.

N

Newman, S. B. (book review): Photographic systems for engineers, 435
Nussbaum, Allen: Electronic and magnetic behavior of materials (book review of), 435

O

Obert, L., and Duvall, W. I.: Rock mechanics and the design of structures in rock (book review of), 435
Occasione, J. F., receives award of merit, 418
Office of Critical Tables, National Academy of Sciences—National Research Council: Continuing numerical data projects (book review of), 283
O'Leary, L. A., receives award of merit, 418
Otto, George (book review): Perspectives in powder metallurgy: 2—vibratory compacting, principles and methods, October, 12A

P

Pask, J. A.: An atomistic approach to the nature and properties of materials (book review of), 561
Pears, C. D., receives Templin award, 412
Peng, K. C.: The design and analysis of scientific experiments, (book review of), 373
Perspectives in powder metallurgy: 2—vibratory compacting, principles and methods (book review of), October, 12A
Peterson, R. E., receives honorary membership, 407
Pettibone, H. C., receives Hogentogler award, 411
Photography, photographic systems for engineers (book review of), 435
Physical chemistry for metallurgists (book review of), 437
Plantema, F. F.: Sandwich construction: the bending and buckling of sandwich beams, plates, and shells (book review of), 283
Pollution, engineers, colleges needed in urban crisis, 128
Pope, C. L., receives award of merit, 419

R

Radioisotope instruments in industry and geophysics (book review of), 92
Raring, R. H. (book review): The stress-corrosion of metals, 181
Recrystallization, grain growth and textures (book review of), 134
Redmond, A. F. (book review): Introduction to nuclear physics, 232
Reed, N. L.: *see* Burke, J. J., Reed, N. L., and Weiss, V.
Repp, D. L. (letter), 473
Robey, R. F., receives award of merit, 419
Rock mechanics and the design of structures in rock (book review of), 435
Roll, K. H.: *see* Hausner, H. H., Roll, K. H., and Johnson, P. K.

S

Sandwich Construction: the bending and buckling of sandwich beams, plates, and shells (book review of), 283
Schiefer, H. F., receives award of merit, 419
Science in the twentieth century (book review of), 133
Scientific experiments, the design and analysis of (book review of), 373
Search for Significant Structures, Lecture on Outstanding Research presented by Henry Eyring, 28
Sharp, H. J.: Engineering materials, selection and value analysis (book review of), 43
Shobert, E. I., II (book review): Electric contacts—theory and application, November, 11A
Slonaker, R. E., Jr., receives grant-in-aid, 468
Space Simulation Conference, Joint ASTM-AIAA-IES, 30
Specimen preparation for electron metallography (book review of), 232
Standardization, group visits soviet union to study standardization program, 366
Standards and practices for instrumentation (book review of), 180
Statistical techniques for collaborative tests (book review of), 561
Stickley, G. W., receives award of merit, 419
Stiehler, R. D. (book review): Unified theory of rubber and tire friction, 232
Strengthening mechanisms, metals and ceramics (book review of), 134

T

Tallon, G. R., receives Max Hecht award, 131
Taton, Rene: Science in the twentieth century (book review of), 133
Thermophysical properties of high temperature solid materials (book review of), 437
Timber construction manual (book review of), 373
Touloukian, Y. S.: Thermophysical properties of high temperature solid materials (book review of), 437

U

Unified theory of rubber and tire friction (book review of), 232

V

Velzy, C. R., receives C-4 award, 90
Vigo, S. (book review): Analysis of the new metals—titanium, zirconium, hafnium, niobium, tantalum, tungsten, and their alloys, 233

W

Wallace G. B., and DePuy, G. W. (book review): Rock mechanics and the design of structures in rock, 435
Weiss, V.: *see* Burke, J. J., Weiss, V., and Reed, N. L.
Weissman, S. (book review): Advances in x-ray analysis 180
Weissmann, Sigmund (book review): Experimental methods of materials research, 561
Williams, C. E., receives honorary membership, 407
Williams, W. L., presents Gillett Lecture, 172
Wood, D. F.: *see* Elwell, W. T., and Wood, D. F.
Wyman, L. L., receives honorary membership, 407

X

X-ray Analysis, advances in (book review of), 180

Y

Youden, W. J.: Statistical techniques for collaborative tests (book review of), 561
Yurenka, S. (book review): Sandwich construction: the bending and buckling of sandwich beams, plates, and shells, 283

Z

Zastrzebski, Z. D., receives grant-in-aid, 468

Combined Index to ASTM Technical Papers—1967

This is an index to all papers published by ASTM during 1967 in **MR&S,** in the **Journal of Materials,** and in **Special Technical Publications.** The following abbreviations are used.

MR&S—Materials Research & Standards
JOM—Journal of Materials
STP—Special Technical Publication

A

Abbott, N. J.: *see* Butterworth, G. A. M., and Abbott, N. J.
Abrasion, erosion of metals by solid particles (Finnie, Wolak, and Kabil), *JOM*, September, 682
simulated martian sand and dust storms and effects on spacecraft coatings (Dyhouse), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Absorption, an accurate laboratory test for determining the absorption of aggregates (Hughes and Bahramian), *MR&S*, January, 18
Acceptance, inter-industry transference of test technology (Bleich), *STP 423*
Achter, M. R.: Effect of environment on fatigue cracks, *STP 415*, (discussion), *STP 415*
Activation energy, creep in potassium as a function of temperature and pressure (Kohler and Ruoff), *JOM*, March, 20
Adams, P. F., and Galambos, T. V.: Testing techniques to study the inelastic behavior of steel members, *STP 419*
Adams, R. F.: *see* Tuthill, L. H., and Adams, R. F.
Adhesion
adhesion of lunar soil simulated by rock comminuted in vacuum (Blum, Roehrig, and Hordon), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
cavitation erosion performance and related properties of cured sheet elastomeric coating systems (Lichtman), *JOM*, September, 638
Adhesives, evaluating adhesives for hydrofoils (Lehman and Trepel), *MR&S*, September, 383
Adsit, N. R.: Electroforming to make composite materials, *STP 427*
Aerospace
inter-industry transference of test technology (Bleich), *STP 423*
see also Simulation
Aggregates
an accurate laboratory test for determining the absorption of aggregates (Hughes and Bahramian), *MR&S*, January, 18
basic chemistry of reactions of aggregates in portland-cement concrete (Hansen), *JOM*, June, 408
for radiation shielding concrete (Davis), *MR&S*, November, 494
how aggregate particle shape influences concrete mixing water requirements and strength (Wills), *JOM*, December, 843
importance of petrographic analysis and special tests not usually required in judging quality of concrete sand (Davis, Mielenz, and Polivka), *JOM*, September, 461
improved particle index test for the evaluation of geometric characteristics of aggregates (Huang), *JOM*, March, 81
Aging of gypsum plaster (Kuntze), *MR&S*, August, 350
Aircraft, limitations of fatigue-crack research in the design of flight vehicle structures (Christensen and Harmon), *STP 415*
Air entrainment, the protected paste volume concept using new air-void measurement and distribution techniques (Larson, Cady, and Malloy), *JOM*, March, 202
Albert, M. P.: *see* May, W. R., Albert, M. P., Hudson, R. B., and Cropper, W. V.
Alexander, J. A., and Stuhrke, W. E.: Effect of temperature on mechanical properties of boron electrodeposited nickel composites, *STP 427*
Alexander, S. H.: *see* Tator, K., and Alexander, S. H.
Alkali-aggregate reactions, basic chemistry of reactions of aggregates in portland-cement concrete (Hansen), *JOM*, June, 408
Allnutt, R. B.: Relation between testing and performance of structures for deep sea vehicles, *STP 423*
Aluminizing, protection of nickel-base alloy against sulfur corrosion by pack aluminizing (Llewelyn), *STP 421*
Aluminum alloys
crack propagation in clad 7079-T6 aluminum alloy sheet under constant and random amplitude fatigue loading (Swanson, Cicci, and Hoppe), *STP 415*
environmental factors affecting the stress corrosion cracking behavior of an aluminum-zinc-magnesium alloy (Romans and Craig), *STP 425*
evaluation of various techniques for stress corrosion testing welded aluminum alloys (Shumaker, Kelsey, Sprowls, and Williamson), *STP 425*
fracture toughness of aluminum alloy plate from tension tests of large center-slotted panels (Kaufman), *JOM*, December, 889
influence of environment on crack propagation characteristics of high-strength aluminum alloys (Mulherin), *STP 425*
influence of stress and temperature on short-transverse stress corrosion cracking of an Al-4.2Zn-2.5Mg alloy (Helfrich), *STP 425*
microstructures at the tips of growing fatigue cracks in aluminum alloys (Grosskreutz and Shaw), *STP 415*
role of theoretical stress-concentration factor in evaluating notch toughness (Kaufman), *MR&S*, May, 189
porcelain enamel on aluminum (Hubbell), *MR&S*, July, 291
a quantitative stress corrosion test for Al-Zn-Mg alloy plate (Rosenthal and Pritchard) *STP 425*
stress corrosion testing of 7079-T6 aluminum alloy in various environments (Lifka and Sprowls), *STP 425*
surface bubble formation during fatigue of an aluminum alloy (Eeles and Thurston), *MR&S*, May, 193
Aluminum-magnesium alloys, a rapid stress corrosion test for aluminum-magnesium alloys (Craig and Romans), *STP 425*
Aluminum oxide
room and elevated temperature strength of α-Al_2O_3 whiskers and their structural characteristics (Mehan and Feingold), *JOM*, June, 239
structure and properties of aluminum oxide whiskers (Regester, Gorsuch, and Girifalco), *MR&S*, May, 203
tension testing alumina whiskers (Kelsey and Krock), *JOM*, March, 146
Analog simulator, for evaluating materials subjected to the standard ASTM fire curve (Krokosky), *JOM*, December, 801
Anday, M. C.: *see* Gardner, R. P., Anday, M. C., Roberts, K. F., and Hughes C. S.
Anderson, W. E. (discussion), *STP 415*
API density, diesel power, economy, and API gravity (Lindeman, Lawerence, and Wagner), *STP 413*
Aquifers, pumping test methods for determining aquifer characteristics (Lang), *STP 417*
Armstrong, R. I. (discussion), *STP 408*
Armstrong, R. L.: *see* Smith, A., Armstrong, R. L., and Kent, R. P.
Ashe, W. A. (discussion), *STP 414*
Asphalt
critical appraisal of proposal to grade paving asphalts by viscosity at 140 F (McLeod), *STP 424*
hardening by gaseous oxidants: the relationship between softening point and chemical change as measured by infrared spectroscopy (Campbell and Wright), *JOM*, September, 581
laboratory methods for grading setting qualities of paving asphalts (Santucci and Schmidt), *STP 424*
motivation for and implementation of grading asphalt cement by viscosity at 140 F (Hawthorne), *STP 424*
the philosophy of using viscosity for grading asphalt cements (Welborn), *STP 424*
rupture of built-up roofing components (Martin), *STP 409*
strength-thickness relations of solid-asphalt-solid systems (Majidzadeh and Herrin), *STP 409*
taped joints for roof insulation (Richards), *STP 409*
texas highway department's experience with viscosity grading of paving asphalts (Chaffin), *STP 424*
viscosity effects on stress-strain and volume change characteristics of asphaltic mix-

tures (Gandhi and Gallaway), *JOM*, March, 27
Aulabaugh, S. J.: *see* Baumann, G. F., Aulabaugh, S. J., and Steingiser, Samuel
Autoclaves, circulating autoclave system for stress corrosion cracking studies (Staehle), *STP 425*

B

Bahramiam, B.: *see* Hughes, B. P., and Bahramiam, B.
Bailey, S. C.: *see* Horton, W. H., and Bailey, S. C.
Baker, J. G.: *see* Ju, F. D., Baker, J. G., and Yao, J. T. P.
Baker, W. O.: Solid state science and materials development, *JOM*, December, 915
Baptist, O. C.: Permeability and capiliarity in petroleum reservoir engineering, *STP 417*
Barnard, D. P., and Fleming, R. H.: The effect of evaporative cooling in saddle fuel tanks on diesel engine operation, *STP 413*
Bartocci, R. S.: Behavior of high-temperature coatings for gas turbine engines, *STP 421*
Bartosic, A. J.: *see* Karig, F. J., and Bartosic, A. J.
Baumann, G. F., Aulabaugh, S. J., and Steingiser, Samuel: Investigation of urethane foam formation by motion-picture photography, *STP 414*
Beachem, C. D., and Brown, B. F.: Comparison of three precracked specimens for evaluating the susceptibility of high-strength steel to stress corrosion cracking, *STP 425*
Beams
  deflection and failure of steel-supported floors and beams in fire (Harmathy), *STP 422*
  test method for buckling of large transversely loaded beams (Hechtman), *STP 419*
Bean, L., and Chaiken, B.: Use of ultraviolet spectroscopy to detect adulteration of traffic paint vehicles, *MR&S*, February, 65
Beckwith, D. J., and Marriott, J. B.: Water jet impact damage in a cobalt-chromium-tungsten alloy, *STP 408*
Beeston, J. M.: Gas release and compression properties in beryllium irradiated at 600 and 750 C, *STP 426*
Begley, J. A.: *see* Lombardo, J. J., Begley, J. A., and Dixon, C. E.
Behun, M. F.: *see* Smith, G. V., and Behun, M. F.
Belcher, P. R., Bird, R. J., and Wilson, R. W.: "Black plague" corrosion of aircraft turbine blades, *STP 421*
Beltran, A. N.:
  see Bergman, P. A., Beltran, A. N., and Sims, C. L.
  see Seybolt, A. U., and Beltran, A. N.
Bement, A. L.:
  Effects of minor constituents on irradiation damage to austenitic stainless steels, *STP 418*
  see Irvin, J. E., and Bement, A. L.
  see Hoagland, R. G., Bement, A. L., and Rowe, R. G.
Benjamin, I. A., and Bono, J. A.:
  Wind-resistance tests of roof shingles and roof assemblies, *STP 409*
  (discussion), *STP 422*
Bennett, C. P.: The effect of explosive forming on fatigue properties, *MR&S*, July, 305
Bergman, P. A., Sims, C. L., and Beltran, A. N.: Development of hot-corrosion-resistant alloys for marine gas turbine service, *STP 421*
  see Hardt, R. W., Bergman, P. A., and Gambino, J. R.
Bergquist, L. E.: Measurement of contamination in vacuum chambers, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Berke, L.: *see* Carlson, R. L., Berke, L., and Schneider, B. R.
Bernstein, L.: Quantitative assessment of irrigation water quality, *STP 416*
Bertolette, W. D., and Marvel, H. D.: Survey of roadside diesel fuel filterability, *STP 413*
Beryllium, gas release and compression properties in beryllium irradiated at 600 and 750 C (Beeston), *STP 426*
Biaxial stress, cumulative damage under biaxial fatigue stress (Blatherwick and Viste), *MR&S*, August, 331
Bibliography on permeability and capillarity testing of rock and soil materials (Johnson and Richter), *STP 417*
Bicking, Charles A.: The sampling of bulk materials, *MR&S*, March 95
Bioassay, measurement of water quality with the pacific oyster embryo bioassay (Woelke), *STP 416*
Bird, R. J.: *see* Belcher, P. R., Bird, R. J., and Wilson, R. W.
Birkebak, R. C.: *see* Wood, B. E., Birkebak, R. C., Smith, A. M., and McCullough, B. A.
Bitumens
  effects of temperature and humidity on linear dimensions of roofing felt laminates (Long), *STP 409*
  load-strain properties and splitting of roof membranes (Jones), *STP 409*
  progress in the development of a thermal-shock-resistance factor for bituminous built-up roofing membranes (Cullen and Boone), *STP 409*
  tear tests for fluid-applied roofing membranes at joint in roof deck (Koike), *STP 409*
Bituminous cements, motivation for and implementation of grading asphalt cement by viscosity at 140 F (Hawthorne), *STP 424*
Bituminous materials
  rupture of built-up roofing components (Martin), *STP 409*
  viscosity effects on stress-strain and volume change characteristics of asphaltic mixtures (Gandhi and Gallaway), *JOM*, March, 27
Black, I. A., Glaser, P. E., and Perkins, P.: A double-guarded cold-plate thermal-conductivity apparatus, *STP 411*
Black, I. A., Wechsler, A. E., Glaser, P. E., and Fountain, J. A.: An improved guarded–cold cold-plate thermal-conductivity apparatus, *STP 411*
Black Plague, "black plague" corrosion of aircraft turbine blades (Belcher, Bird, and Wilson), *STP 421*
Blair, E. A.: Cell structure and physical properties of elastomeric cellular plastics, *STP 414*
Blake, F.: *see* Pruger, T. A., Blake, F., and Valley, J. A.
Blass, J. J., and Findley, W. N.: The influence of the intermediate principal stress on fatigue under triaxial stresses, *MR&S*, June, 254
Blatherwick, A. A., and Viste, N. D.: Cumulative damage under biaxial fatigue stress, *MR&S*, August, 331
Bleich, Stephen: Inter-industry transference of test technology, *STP 423*
Bletzacker, R. W.: Fire resistance of protected steel beam floor and roof assemblies as affected by structural restraint, *STP 422*
Bluhm, J. I.: The effect of nonlinear Hertzian deformations and gage length on the measurement of elastic energy release rate, *JOM*, March, 227
Blum, P., Roehrig, J. R., and Hordon, M. J.: Adhesion of lunar soil simulated by rock comminuted in vacuum, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Boblenz, T. L., Fisher, J. M., Rolfe, S. J., and Gross, J. H.: Reversed-axial-load testing of high-strength steels, *STP 419*
Bodig, Jozsef: Modified hardness tester for wood, *MR&S, October*, 450
Bohm, H., Dienst, W., Hauck, H., and Laue, H. J.: Irradiation effects on the mechanical properties of vanadium-base alloys, *STP 426*
Boll, K. G.: *see* Donachie, M. J., Jr., Boll, K. G., Sprague, R. A., Russell, R. N., and Bradley, E. F.
Bolts, stress corrosion cracking of high-strength bolting (Lin, Laurilliard, and Hood), *STP 425*
Bond, A. P., Marshall, J. D., and Dundas, H. J.: Resistance of ferritic stainless steels to stress corrosion cracking, *STP 425*
Bono, J. A.: *see* Benjamin, I. A., and Bono, J. A.
Boone, T. H.: *see* Cullen, W. C., and Boone, T. H.
Bornstein, N. S. (discussion), *STP 421*
Boron
  effect of temperature on mechanical properties of boron electrodeposited nickel composites (Alexander and Stuhrke), *STP 427*
  electroforming fibers to make composite materials (Adsit), *STP 427*
Botty, M. C.: *see* Gedney, J. I., Botty, M. C., and Thomas, E. J.
Boyce, J. F.
  (discussion), *STP 418*
  (discussion), *STP 425*
Bradley, E. F.: *see* Donachie, M. J., Jr., Bradley, E. F., Sprague, R. A., Russell, R. N., and Boll, K. G.
Brandt, F. A. (discussion), *STP 426*
Brass
  low-temperature (295 to 4 K) mechanical properties of selected copper alloys (Reed and Mikesell) *JOM*, June, 370
  influence of temper on the fatigue strength of cartridge brass (allow 260) sheet (Tyler), *MR&S*, February, 59
Bremanis, E., Deering, J. R., Meade, C. F., and Keyworth, D. A.: Elimination of nitrogen and chloride interferences in the iodometric determination of sulfur as sulfur dioxide, *MR&S*, October, 459
Breuch, R. A.: *see* Douglas, N. J., Breuch, R. A., McCargo, M., and Starkey, R. E.
Brinell hardness number, accuracy of Brinell impact tests (Galvin), *MR&S*, August, 346
Brittle fracture, the effect of inclusions on the brittle fracture of hot-rolled steel (Bucher), *JOM*, June 432
Broadwell, R. G.: *see* Hatch, A. J., Broadwell, R. G., and Partridge, J. M.
Bronze, low-temperature (295 to 4 K) mechanical properties of selected copper alloys (Reed and Mikesell), *JOM*, June, 370
Brotherson, D. E. (discussion), *STP 409*
Brown, B. F.: *see* Beachem, C. D., and Brown, B. F.
Brown, C. B., and Mostaghel, N.: Modulus and strength of reinforced matrices: critical values of inclusion concentration, *JOM*, March, 120
Brown, W. F., Jr.:
  Fracture testing and ASTM, *MR&S*, March, 117
  see Sprawley, J. E., Brown, W. F., Jr., and Jones, M. H.
  and Srawley, J. E.:
    Plane strain crack toughness testing of high strength metallic materials, *STP 410*
Bucher, J. H.:
  The effect of inclusions on the brittle fracture of hot-rolled steel, *JOM*, June, 432
  see Grozier, J. D., and Bucher, J. H.
Buckling
  determination of plastic buckling load for axially compressed plates from experimental data (Yoshiki and Fujita), *STP 419*
  effect of end conditions on buckling of cylindrical shells under axial compression impact (Coppa), *STP 419*
  experimental investigation of the buckling of plates with residual stresses (Nishino, Ueda, and Tall), *STP 419*
  influence of specimen design and test procedure on results of buckling tests of shell structures (Peterson), *STP 419*
  influence of test machine rigidity on the buckling load of shells (Horton and Bailey), *STP 419*
  test method for buckling of large transversely loaded beams (Hechtman), *STP 419*
Buildings, performance concept in building (Legget and Hutcheon), *STP 423*
Building fires
  measurement and control of smoke in building fires (Silversides), *STP 422*
  restraint in fire tests of concrete floors and roofs (Selvaggio and Carlson), *STP 422*
  smoke contribution factor in fire hazard classification of building materials (Shern), *STP 422*
  Built-up roofing components, rupture of fabrics (Martin), *STP 409*
Bulk sampling
  contributions of ASTM to the statistical aspects of the sampling of bulk materials (Duncan), *MR&S*, November, 477
  the sampling of bulk materials (Bicking), *MR&S*, March, 95
Burke, A. G., III: *see* Hertzler, R. G., and Burke, A. G., III
Bush, S. H. (discussion), *STP 418*
Bushings, bushing friction in triaxial shear testing (Olson and Campbell), *MR&S*, February, 45
Butcher, E. G. (discussions), *STP 422*
Butcher, F. E.: Going metric—Britain's first steps, *MR&S*, August, 357
Butterfield, W. L.: *see* Donegan, J. W., and Butterfield, W. L.
Butterworth, G. A. M., and Abbott, N. J.: Mechanical testing of polymeric fibrous materials, *JOM*, September, 487

C

Cady, P. D.: *see* Larson, T. D., Cady, P. D., and Malloy, J. J.

Calibration, results of an ionization gauge calibrated in three systems (Camarillo), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*

Callaway, J. R.: Introduction, *STP 413*

Calorific value, diesel power, economy, and API gravity (Lindeman, Lawerence, and Wagner), *STP 413*

Calorimeter, a simple multilayer insulation calorimeter (DeHaan), *STP 411*

Camarillo, R. G.: Results of an ionization gauge calibrated in three systems, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*

Campbell, H. C. (discussion), *STP 418*

Campbell, L. M.: *see* Olson, R. E., and Campbell, L. M.

Campbell, P. G., and Wright, J. R.: Asphalt hardening by gaseous oxidants: the relationship between softening point and chemical change as measured by infrared spectroscopy, *JOM*, September, 581

Campbell, R. F.: Dependence of diamond pyramid hardness number on experimental variables, *MR&S*, October, 443

Capillarity
- abnormalities in hydraulic flow through fine-grained soils (Mitchell and Younger), *STP 417*
- air and water permeability of compacted soils (Matyas), *STP 417*
- hydraulic properties of disturbed and undisturbed soils (Laliberte and Corey), *STP 417*
- permeability and capillarity in petroleum reservoir engineering (Baptist), *STP 417*
- selected bibliography on permeability and capillarity testing of rock and soil materials (Johnson and Richter), *STP 417*

Carbide tools, the effect of the titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), *JOM*, September, 625

Carbon dioxide, the spectral reflectance of water and carbon dioxide cryodeposits from .36 to 1.15 microns (Wood, Smith, McCullough, and Birkebak), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*

Carlson, C. C.:
- Introduction, *STP 422*
- *see* Selvaggio, S. L., and Carlson, C. C.

Carlson, R. L., Schneider, B. R., and Berke, L.: Electroforming thin shells for experimental studies, *MR&S*, May, 183

Carpenter, G. J. C.:
- *see* Rowcliffe, A. F., Carpenter, G. J. C., Merrick, H. F., and Nicholson, R. B. (discussion), *STP 426*

Carter, J. W.: *see* Williams, J. A., and Carter, J. W.

Castagna, M., Ferro, A., Rossi, F. S., and Sebille, J.: Effect of nitrogen on the mechanical properties of neutron-irradiated pure iron, *STP 426*

Cast iron, the effect of the titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), *JOM*, September, 625

Cavitation
- accelerated cavitation damage of steels and super-alloys in sodium and mercury (Young and Johnston), *STP 408*
- correlation of cavitation damage with other material and fluid properties (Garcia, Hammitt, and Nystrom), *STP 408*
- erosion performance and related properties of cured sheet elastomeric coating systems (Lichtman), JOM, September, 638
- experience with a 20-kc cavitation erosion test (Hobbs), *STP 408*
- material destruction due to liquid impact (Hoff, Langbein, and Rieger), *STP 408*
- on the time dependence of the rate of erosion due to impingement or cavitation (Heymann), *STP 408*
- scale-effect investigation of cavitation erosion using the energy parameter (Shalnev, Varga, and Sebestven), *STP 408*
- a test rig for studying impingement and cavitation damage (Ripken), *STP 408*
- the concept of erosion strength (Thiruvengadam), *STP 408*
- water jet impact damage in a cobalt-chromium-tungsten alloy (Beckwith and Marriott), *STP 408*

Cecil, L. K.: Municipal water from western rivers, *STP 416*

Cellular plastics
- cell structure and physical properties of elastomeric cellular plastics (Blair), *STP 414*
- chord-length distribution indicator for cell size in plastic foams (Edinborgh), *STP 414*
- investigation of urethane foam formation by motion-picture photography (Baumann, Aulabaugh, and Steingiser), *STP 414*
- the microscopical examination of molded and extruded polystyrene foams (Ingram, Cobbs, and Couchot), *STP 414*
- morphologies of cellular materials (Harding), *STP 414*
- the preparation of rigid foams for microscopical examination (Gedney, Botty, and Thomas), *STP 414*
- a resinographic study of a rigid, thermosetting foam (Wright), *STP 414*

Cement
- analysis of drying shrinkage data for portland-cement mortar and concrete (Stockett, Schneider, and Mardulier), *JOM*, December, 829
- basic chemistry of reactions of aggregates in portland-cement concrete (Hansen), *JOM*, June, 408
- false set of cement as influenced by hydroxylated carboxylic-acid-type admixture (Goetz), *MR&S*, June, 246

Cemented carbides, the effect of the titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), *JOM*, September, 625

Cement lime putty, the effect of mechanical activation on properties of mortars (Soroka and Korin), *MR&S*, January, 11

Chaffin, C. W.: Texas highway department's experience with viscosity grading of paving asphalts, *STP 424*

Chaiken, B.: *see* Bean, L., and Chaiken, B.

Chamberlain W. P. (discussion), *JOM*, September, 482

Chan, C. K., and Duncan, J. M.: A new device for measuring volume changes and pressures in triaxial tests on soils, *MR&S*, July, 312

Chandrasekhara, K.: *see* Iyengar. K. T. Sundara Raja, and Chandrasekhara, K.

Christensen, R. H., and Harmon, M. B.: Limitations of fatigue-crack research in the design of flight vehicle structures, *STP 415*

Christian, J. L.: Introduction, *STP 427*

Cicci, F.: *see* Swanson, S. R., Cicci, F., and Hoppe, W.

Civil engineering, a graduate program for engineers in building materials (Hansen), *MR&S*, July, 314

Clark, C. C.: Introduction, *STP 421*

Clark, L. V., and Stephens, D. G.: Simulation and scaling of low-gravity slosh frequencies and damping, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*

Clarke, F. E.: What do we really know about stream quality criteria and standards?, *STP 416*

Claudson, T. T.:
- Effects of neutron irradiation on the elevated temperature mechanical properties of nickel-base and refractory metal alloys, *STP 426*
- (discussion), *STP 426*

Clay, time-dependent consolidation of a sensitive clay (Jarrett), *MR&S*, July, 300

Climatology, weather patterns and diesel fuel performance (Rescorla), *STP 413*

Coatings
- behavior of high-temperature coatings for gas turbine engines (Bartocci), *STP 421*
- cavitation erosion performance and related properties of cured sheet elastomeric coating systems (Lichtman), *JOM*, September, 638
- hot corrosion behavior of coated and uncoated super-alloys (Graham, Gadd, and Quigg), *STP 421*
- simulated martian sand and dust storms and effects on spacecraft coatings (Dyhouse), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
- solar wind-plus-ultraviolet exposure studies on spacecraft thermal control coatings using in-situ optical property measurement techniques (Douglas, Breuch, McCargo, and Starkey), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*

Cobalt alloys
- development of hot-corrosion-resistant alloys for marine gas turbine service (Bergman, Sims, and Beltran), *STP 421*
- high temperature sulfur-oxygen corrosion of nickel and cobalt (Seybolt and Beltran), *STP 421*
- marine hot corrosion mechanism studies (Hardt, Gambino, and Bergman), *STP 421*
- sulfidation of hot section alloys in gas turbine engines (Donachie, Sprague, Russell, Bolt, and Bradley), *STP 421*
- water jet impact damage in a cobalt-chromium-tungsten alloy (Beckwith and Marriott), *STP 408*

Cobbs, R. R.: *see* Ingram, A. R., Cobbs, R. R., and Couchot, L. C.

Cocks, G. C. (discussion), *STP 414*

Cold rolling, effects of residual elements on cold rolling and finishing of austenitic stainless steels (Pruger, Blake, and Valley), *STP 418*

Cold welding, a cold welding investigation of the ATS damper boom (Kaplan and Jones), *ASTM/IES/AIAA Space Simulation Conference*

Colorimetric analysis, colorimetric determination of morpholine in the presence of hydrazine (McClusky and Martucci), *MR&S*, February, 57

Columns
- structural metal column: a chronology (Johnston), *STP 419*
- testing of pinned-end steel columns (Estuar and Tall), *STP 419*

Compliance techniques, the effect of nonlinear Hertzian deformations and gage length on the measurement of elastic energy release rate (Bluhm), *JOM*, March, 227

Composites
- analysis of stress-rupture and creep properties of tungsten fiber reinforced copper composites (McDanels, Signorelli, and Weeton), *STP 427*
- effect of temperature on mechanical properties of boron electrodeposited nickel composites (Alexander and Stuhrke), *STP 427*
- electroforming to make composite materials (Adsit), *STP 427*
- fibering of oxides in refractory metals (Jech, Weeton, and Signorelli), *STP 427*
- fundamental study of metal matrix composites (Kaarlela, Margolis, and Thornton), *STP 427*
- how metal matrix composites are made (Davis), *STP 427*
- interior elastic stress field in a continuous, close-packed filamentary composite material under uniaxial tension (Piehler), *STP 427*
- metallurgical and geometrical factors affecting elevated temperature tensile properties of discontinuous tungsten fiber reinforced composites (Petrasek, Signorelli, and Weeton), *STP 427*
- modules and strength of reinforced matrices: critical values of inclusion concentration (Brown and Mostaghel), *JOM*, March, 120
- summary of ASM/ASTM composite symposium (Stuhrke), *STP 427*
- a tension test method for high modulus, high-strength filaments (Watts and Sabel), *MR&S*, August, 337

Composition, correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels (Grozier and Bucher), *JOM*, June, 393

Compression members
- determination of plastic buckling load for axially compressed plates from experimental data (Yoshiki and Fujita), *STP 419*
- effect of end conditions on buckling of cylindrical shells under axial compression impact (Coppa), *STP 419*
- experimental investigation of the buckling of plates with residual stresses (Nishino, Ueda, and Tall), *STP 419*
- influence of specimen design and test procedure on results of buckling tests of shell structures (Peterson), *STP 419*
- influence of test machine rigidity on the buckling load of shells (Horton and Bailey), *STP 419*
- photoelastic circular cylinders in axial compression (Tennyson), *STP 419*

reversed-axial-load testing of high-strength steels (Boblenz, Fisher, Rolfe, and Gross), *STP 419*
structural metal column: a chronology (Johnston), *STP 419*
test method for buckling of large transversely loaded beams (Hechtman), *STP 419*
testing of pinned-end steel columns (Estuar and Tall), *STP 419*
testing techniques to study the inelastic behavior of steel members (Adams and Galambos), *STP 419*

Concrete
analysis of drying shrinkage data for portland-cement mortar and concrete (Stockett, Schneider, and Mardulier), *JOM*, December, 829
a new approach for the prediction of true ultimate strength of concrete (Iyengar, Desayi, and Viswanatha), *MR&S*, November, 486
basic chemistry of reactions of aggregates in portland-cement concrete (Hansen), *JOM*, June, 408
comparison of ring-tensile strength of concrete with compressive, flexural, and splitting-tensile strengths (Malhotra and Zoldners), *JOM*, March, 160
direct tensile strength of concrete (Kadlecek and Spetla), *JOM*, December, 749
effects of high-temperature exposure on concrete (Davis), *MR&S*, October, 452
false set of cement as influenced by hydroxylated carboxylic-acid-type admixture (Goetz), *MR&S*, June, 246
how aggregate particle shape influences concrete mixing water requirements and strength (Wills), *JOM*, December, 843
importance of petrographic analysis and special tests not usually required in judging quality of concrete sand (Davis, Mielenz, and Polivka), *JOM*, September, 461
protected paste volume concept using new air-void measurement and distribution techniques (Larson, Cady, and Malloy), *JOM*, March, 202
restraint in fire tests of concrete floors and roofs (Selvaggio and Carlson), *STP 422*
service behavior of concrete for radiation shielding (Lott and Kesler), *MR&S*, September, 375
workability of concrete: a comparison of existing tests (Hughes and Bahramiam), *JOM*, September 519

Construction, performance concept in building (Legget and Hutcheon), *STP 423*
Contamination, measurement of contamination in vacuum chambers (Bergquist), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Cooling water, industrial water for cooling and general purposes (von Frank and Fawcett), *STP 416*
Coppa, A. P.: Effect of end conditions on buckling of cylindrical shells under axial compression impact, *STP 419*

Copper
analysis of stress-rupture and creep properties of tungsten fiber reinforced copper composites (McDanels, Signorelli, and Weeton), *STP 427*
the effect of grain size on fatigue crack propagation in copper (Hoeppner), *STP 415*

Copper alloys
low-temperature (295 to 4 K) mechanical properties of selected copper alloys (Reed and Mikesell), *JOM*, June, 370
stress corrosion cracking rates of a nickel-brass alloy under applied potential (McKinney and Hermance), *STP 425*
a proposed mechanism for the stress corrosion fracture of a copper-beryllium alloy (Sylwestrowicz), *STP 425*

Corey, A. T.:
see Laliberte, G. E., and Corey, A. T. (discussion), *STP 417*

Corona, measurement of corona discharge behavior at low pressure and vacuum (Dakin and Works), *STP 420*

Corrosion
application of an accelerated stress corrosion test to alloy development (Denhard and Gaugh), *STP 425*
behavior of high-temperature coatings for gas turbine engines (Bartocci), *STP 421*
behavior of superalloy oxide films in molten salts (Wheatfall, Doerning, and Danek), *STP 421*
"black plague" corrosion of aircraft turbine blades (Belcher, Bird, and Wilson), *STP 421*
circulating autoclave system for stress corrosion cracking studies (Staehle), *STP 425*
comparison of three precracked specimens for evaluating the susceptibility of high-strength steel to stress corrosion cracking (Beachem and Brown), *STP 425*
critical species in stress corrosion phenomena (Pugh and Westwood), *STP 425*
development of hot-corrosion-resistant alloys for marine gas turbine service (Bergman, Sims, and Beltran), *STP 421*
effect of JP-5 sulfur content on hot corrosion of superalloys in marine environment (Schirmer and Quigg), *STP 421*
effect of salts on corrosion resistance of gas turbine alloys (Wall and Michael), *STP 421*
effects of residual elements on the general corrosion resistance of austenitic stainless steels (Scharfstein), *STP 418*
environmental factors affecting the stress corrosion cracking behavior of an aluminum-zinc-magnesium alloy (Romans and Craig), *STP 425*
evaluation of various techniques for stress corrosion testing welded aluminum alloys (Shumaker, Kelsey, Sprowls, and Williamson), *STP 425*
high temperature sulfur-oxygen corrosion of nickel and cobalt (Seybolt and Beltran), *STP 421*
hot corrosion behavior of coated and uncoated superalloys (Graham, Gadd, and Quigg), *STP 421*
hot corrosion of nickel-iron-chromium-cobalt alloys by sulfate-chloride and sulfate-vanadate simulated fuel ashes (Fontaine and Richards), *STP 421*
influence of environment on crack propagation characteristics of high-strength aluminum alloys (Mulherin), *STP 425*
influence of residual and minor elements on the pitting and atmospheric corrosion resistance of austenitic stainless steels (Moskowitz, Saltzman, Pinnow, and Redmerski), *STP 418*
influence of stress and temperature on short-transverse stress corrosion cracking of an Al-4.2Zn-2.5Mg alloy (Helfrich), *STP 425*
marine environment influence on gas turbine hot corrosion (Haryslak and Pollini), *STP 421*
marine hot corrosion mechanism studies (Hardt, Gambino, and Bergman), *STP 421*
nickel-base alloys and their relationship to hot corrosive environments (Hamilton, Ryan, and Nichols), *STP 421*
of nuclear materials (Enrico), *MR&S*, October, 464
a proposed mechanism for the stress corrosion fracture of a copper-beryllium alloy (Sylwestrowicz), *STP 425*
protection of nickel-base alloy against sulfur corrosion by pack aluminizing (Llewelyn), *STP 421*
a quantitative stress corrosion test for Al-Zn-Mg alloy plate (Rosenthal and Pritchard), *STP 425*
a rapid stress corrosion test for aluminum-magnesium alloys (Craig and Romans), *STP 425*
reactions contributing to the formation of susceptible paths for stress corrosion cracking (Vaughan and Phalen), *STP 425*
reporting and evaluating stress corrosion data (Sprowls), *STP 425*
resistance of ferritic stainless steels to stress corrosion cracking (Bond, Marshall, and Dundas), *STP 425*
some techniques used in the study of stress corrosion cracking (Logan), *STP 425*
stress corrosion cracking of high-strength bolting (Lin, Laurilliard, and Hood), *STP 425*
stress corrosion cracking rates of a nickel-brass alloy under applied potential (McKinney and Hermance), *STP 425*
stress corrosion of high-strength steel alloys—environmental factors (Gallaccio and Pelensky), *STP 425*
stress corrosion of magnesium alloys—environmental factors (Pelensky and Gallaccio), *STP 425*
stress corrosion test environments and test durations (Romans), *STP 425*
stress corrosion testing of 7079-T6 aluminum alloy in various environments (Lifka and Sprowls), *STP 425*
sulfidation of hot section alloys in gas turbine engines (Donachie, Sprague, Russell, Boll, and Bradley), *STP 421*
tests and service performance (LaQue), *STP 423*

Corrosion resistant alloys, application of an accelerated stress corrosion test to alloy development (Denhard and Gaugh), *STP 425*
Coston, R. M., and Zierman, C. A.: Cryogenic thermal-conductivity measurements of insulating materials, *STP 411*
Cotton, an X-ray diffraction approach to accessibility of crosslinked cotton cellulose (Mitcham, Piccolo, Rowland, and O'Connor), *JOM*, December, 817
Couchot, L. C.: *see* Ingram, A. R., Couchot, L. C., and Cobbs, R. R.
Cowan, A., Fearnehough, G. D., Gillies, J., and Lees, G. M.: Irradiation damage in mild steel: a comparison of crack arrest test and charpy criteria and influence of neutron spectrum, *STP 426*

Cracking
stress-corrosion cracking of cold-reduced austenitic stainless steels (Logan and McBee), *MR&S*, April, 137
(Fracturing) plane strain crack toughness testing of high strength metallic materials (Brown and Srawley), *STP 410*

Crack propagation
application of a double linear damage rule to cumulative fatigue (Manson, Freche, and Ensign), *STP 415*
crack propagation in clad 7079-T6 aluminum alloy sheet under constant and random amplitude fatigue loading (Swanson, Cicci, and Hoppe), *STP 415*
crack propagation and residual static strength of fatigue-cracked titanium and steel cylinders (Crichlow and Wells), *STP 415*
effect of environment on fatigue cracks (Achter), *STP 415*
the effect of grain size on fatigue crack propagation in copper (Hoeppner), *STP 415*
fatigue-crack propagation in some ultra-high-strength steels (Wei, Talda, and Li), *STP 415*
fatigue crack propagation in structures with simulated rivet forces (Figge and Newman), *STP 415*
fatigue crack propagation under program and random loads (McMillan and Pelloux), *STP 415*
fatigue fracture surface appearance (Hertzberg), *STP 415*
influence of environment on crack propagation characteristics of high-strength aluminum alloys (Mulherin), *STP 425*
the influence of metallurgical structure on the mechanisms of fatigue crack propagation (Laird), *STP 415*
investigation of cyclic crack growth transitional behavior (Wilhem), *STP 415*
limitations of fatigue-crack research in the design of flight vehicle structures (Christensen and Harmon), *STP 415*
low cycle fatigue crack propagation resistance of materials for large welded structures (Crooker and Lange), *STP 415*
mechanics of crack tip deformation and extension by fatigue (Rice), *STP 415*
microstructures at the tips of growing fatigue cracks in aluminum alloys (Grosskreutz and Shaw), *STP 415*
significance of fatigue cracks in micro-range and macro-range (Schijve), *STP 415*
use of crack-line-loaded specimens for measuring plane-strain fracture toughness (Mostovoy, Crosley, and Pipling), *JOM*, September, 661

Crack toughness, plane strain crack toughness testing of high strength metallic materials (Brown and Srawley), *STP 410*

Craig, H. L., Jr.:
Introduction, *STP 425*
and Romans, H. B.: A rapid stress corrosion test for aluminum-magnesium alloys, *STP 425*
see Romans, H. B., and Craig, H. L., Jr.

Crawford, C. B. (discussion), *STP 417*

Creep
analysis of stress-rupture and creep properties of tungsten fiber reinforced copper composites (McDanels, Signorelli, and Weeton), *STP 427*

creep in potassium as a function of temperature and pressure (Kohler and Ruoff), *JOM*, March, 20
creep properties of refractory metal alloys in ultrahigh vacuum (Sawyer and Steigerwald), *JOM*, June, 341
room-temperature creep and fatigue properties of titanium alloys (Hatch, Partridge, and Broadwell), *JOM*, March, 111
short-time tensile and long-time creep-rupture properties of the HF and HH alloys (VanEcho, Hoag, Roach, and Hall), *JOM*, December, 866
Crichlow, W. J., and Wells, R. H.: Crack propagation and residual static strength of fatigue-cracked titanium and steel cylinders, *STP 415*
Crooker, T. W., and Lange, E. A.: Low cycle fatigue crack propagation resistance of materials for large welded structures, *STP 415*
Cropper, W. V.: *see* May, W. R., Cropper, W. V., Hudson, R. B., and Albert, M. P.
Crosby, A. B.: *see* DePuy, G. W., Crosby, A. B., and Holland, W. Y.
Crosley, P. B.: *see* Mostovoy, S., Crosley, P. B., and Ripling, E. J.
Cryogenics
an apparatus for thermal conductivity at cryogenic temperatures using a heat flow meter (Hollingsworth), *STP 411*
a cryogenic heat-flow-meter apparatus (Kinzer and Pelanne), *STP 411*
cryogenic thermal-conductivity measurements of insulating materials (Coston and Zierman), *STP 411*
a double-guarded cold-plate thermal-conductivity apparatus (Black, Glaser, and Perkins), *STP 411*
a flat-plate thermal-conductivity apparatus for measuring low-conductivity materials at cryogenic temperatures (Haskins), *STP 411*
a guarded-hot-plate thermal-conductivity apparatus for multilayer cryogenic insulation (Karp and Lankton), *STP 411*
an improved guarded-cold-plate thermal-conductivity apparatus (Black, Wechsler, Glaser, and Fountain), *STP 411*
measurement of dielectric properties of materials under vacuum, reactor radiation, and cryogenic conditions (McMillan, Gause, Kerlin, and Warwick), *STP 420*
a nonsteady-state thermal-conductivity tester for cryogenic insulations (Gibbon, Matsch, and Wang), *STP 411*
problems with dielectric measurements at cryogenic temperatures (Mathes and McGowan), *STP 420*
a simple multilayer insulation calorimeter (DeHaan), *STP 411*
sorption of helium by 4.2°K cryodeposits (Haygood and Dawbarn), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
the spectral reflectance of water and carbon dioxide cryodeposits from 0.36 to 1.15 microns (Wood, Smith, McCullough, and Birkebak), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Cullen, W. C., and Boone, T. H.: Progress in the development of a thermal-shock-resistance factor for bituminous built-up roofing membranes, *STP 409*
Cumulative fatigue damage, application of a double linear damage rule to cumulative fatigue (Manson, Freche, and Ensign), *STP 415*
Curve fitting, a method for evaluating how well observed data fit the line Y = X (Popovics), *MR&S*, May, 195
Cutting tools, the effect of the titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), *JOM*, September, 625
Cylinders, crack propagation and residual static strength of fatigue-cracked titanium and steel cylinders (Crichlow and Wells), *STP 415*
Cylindrical shells, analysis of cylindrical plywood roofs (Shipley and Sherrer), *JOM*, March, 47

D

Dakin, T. W., and Works, C. N.: Measurement of corona discharge behavior at low pressure and vacuum, *STP 420*
Dale, J. M.: *see* Ludwig, A. C., and Dale, J. M.
Damping, simulation and scaling of low-gravity slosh frequencies and damping (Clark and Stephens), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Danek, G. J., Jr.: *see* Wheatfall, W. L., Danek, G. J., Jr., and Doerning, H.
Davies, L. G., and Watson, R. C.: Measuring the elastic moduli of inorganic filaments, *MR&S*, May, 207
Davis, H. S.:
Aggregates for radiation shielding concrete, *MR&S*, November, 494
Effects of high-temperature exposure on concrete, *MR&S*, October, 452
Davis, L. W.: How metal matrix composites are made, *STP 427*
Davis, R. E., Mielenz, R. C., and Polivka, M.: Importance of petrographic analysis and special tests not usually required in judging quality of concrete sand, *JOM*, September, 461
Dawbarn, R.: *see* Haygood, J. D., and Dawbarn, R.
Deep sea vehicles, relation between testing and performance of structures for deep sea vehicles (Allnutt), *STP 423*
Deering, J. R.: *see* Bremanis, E., Deering, J. R., Meade, C. F., and Keyworth, D. A.
Defects, the human factor in industrial testing (Lavender), *MR&S*, September, 397
Deformation
measurement and control of radial deformation in the triaxial test of soils (Khera and Krizek), *MR&S*, September, 392
a specimen for reversed shear deformations (Ju, Baker, and Yao), *MR&S*, December, 517
DeHaan, J. R.: A simple multilayer insulation calorimeter, *STP 411*
Denhard, E. E., Jr., and Gaugh, R. R.: Application of an accelerated stress corrosion test to alloy development, *STP 425*
Density, a calibration model for the air-gap method of compensating nuclear density gages for soil composition variations (Gardner, Roberts, Hughes, and Anday), *JOM*, March, 3
DePuy, G. W., Crosby, A. B., and Holland, W. Y. (discussion), *JOM*, September, 483
Desai, Prakash:
see Iyengar, K. T. Sundara Raja, Desayi, Prakash, and Viswanatha, C. S.
see Viswanatha, C. S., and Desayi, Prakash
Deterioration, of nonmetallic materials, origins and progress (Steckel), *MR&S*, September, 400
Detonation, theory and experimental results of a detonation tube technique for simulating rocket plumes in a space environment (Leng, Oman, and Hopkins), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Diamond pyramid hardness number, dependence on experimental variables (Campbell), *MR&S*, October, 443
Dielectric constant, in situ dielectric property measurements in simulated space environments (Escoffery), *STP 420*
Dielectric measurements, problems with dielectric measurements at cryogenic temperatures (Mathes and McGowan), *STP 420*
Dielectric strength
electrical testing of electrical apparatus at high temperatures in vacuum (Neff, Grant, and Snavely), *STP 420*
measurement of corona discharge behavior at low pressure and vacuum (Dakin and Works), *STP 420*
measurement of dielectric properties of materials under vacuum, reactor radiation, and cryogenic conditions (McMillan, Gause, Kerlin, and Warwick), *STP 420*
parameters affecting dielectric materials for space applications (Long), *STP 420*
Dienst, W.: *see* Bohm, H., Dienst, W., Hauck, H., and Laue, H. J.
Diesel engines
diesel power, economy, and API gravity (Lindeman, Lawerence, and Wagner), *STP 413*
the effect of evaporative cooling in saddle fuel tanks on diesel engine operation (Barnard and Fleming), *STP 413*
relationship between specific gravity and other fuel properties and diesel engine performance (Troth), *STP 413*
survey of roadside diesel fuel filterability (Bertolette and Marvel), *STP 413*
cleaner injectors and less smoke with hydrogen-treated diesel fuel (Irish and Wiseman), *STP 413*
the effect of pour-point depressants on diesel fuel performance in Winter (Mickel), *STP 413*
relationship between specific gravity and other fuel properties and diesel engine performance (Troth), *STP 413*
weather patterns and diesel fuel performance (Rescorla), *STP 413*
Diesner, R. W. (discussion), *STP 421*
Dilatometer, to measure length changes in stressed specimens (Eckel and Smith), *MR&S*, June, 251
Dixon, C. E.: *see* Lombardo, J. J., Dixon, C. E., and Begley, J. A.
Doerning, H.: *see* Wheatfall, W. L., Doerning, H., and Danek, G. J., Jr.
Dolby, G. W.: Apparatus and handling practices used in the testing of steam-turbine oils, *MR&S*, January, 23
Donachie, M. J., Jr., Sprague, R. A., Russell, R. N., Boll, K. G., and Bradley, E. F.: Sulfidation of hot section alloys in gas turbine engines, *STP 421*
Donegan, J. W.
and Butterfield, W. L.:
Wind-uplift resistance of built-up roofs, *STP 409*
(discussion), *STP 409*
Douglas, N. J., Breuch, R. A., McCargo, M., and Starkey, R. E.: Solar wind-plus-ultraviolet exposure studies on spacecraft thermal control coatings using in-situ optical property measurement techniques, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Droll, P. W.: *see* Iufer, E. J., and Droll, P. W.
Drying, an analysis of drying shrinkage data for portland-cement mortar and concrete (Stockett, Schneider, and Mardulier), *JOM*, December, 829
Ductility, torsion testing as a means of assessing ductility at high temperatures (Robbins, Wagenaar, Shepard, and Sherby), *JOM*, June, 271
Duncan, A. J.: Contributions of ASTM to the statistical aspects of the sampling of bulk materials, *MR&S*, November, 477
Duncan, J. M.: *see* Chan, C. K., and Duncan, J. M.
Dundas, H. J.: *see* Bond, A. P., Dundas, H. J., and Marshall, J. D.
Dunsby, J. A. (discussion), *STP 415*
Dust, simulated martian sand and dust storms and effects on spacecraft coatings (Dyhouse), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Dyhouse, G. R.: Simulated martian sand and dust storms and effects on spacecraft coatings, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*

E

Eckel, J. F., and Smith, R. E.: Dilatometer to measure length changes in stressed specimens, *MR&S*, June, 251
Eddy current testing, and ultrasonic techniques for inspection of large parts (Musil), *JOM*, March, 65
Edeskuty, F. J. (discussion), *STP 420*
Edinborgh, J. A.: Chord-length distribution indicator for cell size in plastic foams, *STP 414*
Education, a graduate program for engineers in building materials (Hansen), *MR&S*, July, 314
Eeles, E. G., and Thurston, R. C. A.: Surface bubble formation during fatigue of an aluminum alloy, *MR&S*, May, 193
Elastic energy, the effect of nonlinear Hertzian deformations and gage length on the measurement of elastic energy release rate (Bluhm), *JOM*, March, 227
Elastomers
cavitation erosion performance and related properties of cured sheet elastomeric coating systems (Lichtman), *JOM*, September, 638
cell structure and physical properties of elastomeric cellular plastics (Blair), *STP 414*
final report—subcommittee 27 on low temperature testing of elastomers and plastics (Gavan), *MR&S*, August, 354
Electrical properties
electrical testing of electrical apparatus at

high temperatures in vacuum (Neff, Grant, and Snavely), *STP 420*
in situ dielectric property measurements in simulated space environments (Escoffery), *STP 420*
measurement of dielectric properties of materials under vacuum, reactor radiation, and cryogenic conditions (McMillan, Gause, Kerlin, and Warwick), *STP 420*
parameters affecting dielectric materials for space applications (Long), *STP 420*
Electric power generation, residual elements and their effect on application of austenitic stainless steels in the power industry (Rohrig), *STP 418*
Electrodeposition, effect of temperature on mechanical properties of boron electrodeposited nickel composites (Alexander and Stuhrke), *STP 427*
Electroforming
electroforming to make composite materials (Adsit), *STP 427*
electroforming thin shells for experimental studies (Carlson, Schneider, and Berke), *MR&S*, May, 183
Embrittlement, the embrittling effect of small elastic stress waves on crack toughness of a structural steel (Shoemaker), *JOM*, September, 597
Engel, O. G. (discussions), *STP 408*
Enrico, R. J.: Corrosion of nuclear materials, *MR&S*, October, 464
Ensign, C. R.: *see* Manson, S. S., Ensign, C. R., and Freche, J. C.
Environment, effect of environment on fatigue cracks (Achter), *STP 415*
Environmental testing
environmental factors affecting the stress corrosion cracking behavior of an aluminum-zinc-magnesium alloy (Romans and Craig), *STP 425*
manned chamber testing of the lunar module environmental control subsystem (Frankel), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
stress corrosion of high-strength steel alloys—environmental factors (Gallaccio and Pelensky), *STP 425*
stress corrosion of magnesium alloys—environmental factors (Pelensky and Gallaccio), *STP 425*
stress corrosion test environments and test durations (Romans), *STP 425*
stress corrosion testing of 7079-T6 aluminum alloy in various environments (Lifka and Sprowls), *STP 425*
Erosion
cavitation erosion performance and related properties of cured sheet elastomeric coating systems (Lichtman), *JOM*, September, 638
correlation of cavitation damage with other material and fluid properties (Garcia, Hammitt, and Nystrom), *STP 408*
erosion of metals by solid particles (Finnie, Wolak, and Kabil), *JOM*, September, 682
erosion of steam turbine blade shield materials (Smith, Kent, and Armstrong), *STP 408*
experience with a 20-kc cavitation erosion test (Hobbs), *STP 408*
material destruction due to liquid impact (Hoff, Langbein, and Rieger), *STP 408*
on the time dependence of the rate of erosion due to impingement or cavitation (Heymann), *STP 408*
scale-effect investigation of cavitation erosion using the energy parameter (Shalnev, Varga, and Sebestyen), *STP 408*
a test rig for studying impingement and cavitation damage (Ripken), *STP 408*
the concept of erosion strength (Thiruvengadam), *STP 408*
water jet impact damage in a cobalt-chromium-tungsten alloy (Beckwith and Marriott), *STP 408*
Escoffery, C. A.: In situ dielectric property measurements in simulated space environments, *STP 420*
Estuar, F. R., and Tall, Lambert: Testing of pinned-end steel columns, *STP 419*
Estuaries
measurement of water quality with the pacific oyster embryo bioassay (Woelke), *STP 416*
water quality requirements of estuarine organisms (Katz and Woelke), *STP 416*
Evaporative cooling, the effect of evaporative cooling in saddle fuel tanks on diesel engine operation (Barnard and Fleming), *STP 413*
Exhaust gases, cleaner injectors and less smoke with hydrogen-treated diesel fuel (Irish and Wiseman), *STP 413*
Expansion joints, roof flashings and their problems (Gumpertz), *STP 409*
Explosive Forming
the effect of explosive forming on fatigue properties (Bennett), *MR&S*, July, 305
high energy-rate forming of fibrous composites (Robinson), *STP 427*
Eyring, Henry: The search for significant structures, *JOM*, June, 447

F

Fackler, J. B.: Fire and smoke invasion of apartments, *STP 422*
Fatigue
1964 references on fatigue, *STP 9-0*
application of a double linear damage rule to cumulative fatigue (Manson, Freche, and Ensign), *STP 415*
correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels (Grozier and Bucher), *JOM*, June, 393
correlation of fatigue limit with true stress—true strain behavior (Reemsnyder), *MR&S*, September, 390
crack propagation in clad 7079-T6 aluminum alloy sheet under constant and random amplitude fatigue loading (Swanson, Cicci, and Hoppe), *STP 415*
crack propagation and residual static strength of fatigue-cracked titanium and steel cylinders (Crichlow and Wells), *STP 415*
cumulative damage under biaxial fatigue stress (Blatherwick and Viste), *MR&S*, August, 331
effect of environment on fatigue cracks (Achter), *STP 415*
the effect of explosive forming on fatigue properties (Bennett), *MR&S*, July, 305
the effect of grain size on fatigue crack propagation in copper (Hoeppner), *STP 415*
effect of high vacuum on the fatigue properties of magnesium and two magnesium alloys (Sumsion), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
the embrittling effect of small elastic stress waves on crack toughness of a structural steel (Shoemaker), *JOM*, September, 597
fatigue-crack propagation in some ultra-high-strength steels (Wei, Talda, and Li), *STP 415*
fatigue crack propagation in structures with simulated rivet forces (Figge and Newman), *STP 415*
fatigue crack propagation under program and random loads (McMillan and Pelloux), *STP 415*
fatigue fracture surface appearance (Hertzberg), *STP 415*
the influence of the intermediate principal stress on fatigue under triaxial stresses (Blass and Findley), *MR&S*, June, 254
the influence of metallurgical structure on the mechanisms of fatigue crack propagation (Laird), *STP 415*
influence of temper on the fatigue strength of cartridge brass (alloy 260) sheet (Tyler), *MR&S*, February, 59
investigation of cyclic crack growth transitional behavior (Wilhem), *STP 415*
limitations of fatigue-crack research in the design of flight vehicle structures (Christensen and Harmon), *STP 415*
low cycle fatigue crack propagation resistance of materials for large welded structures (Crooker and Lange), *STP 415*
mechanics of crack tip deformation and extension by fatigue (Rice), *STP 415*
microstructures at the tips of growing fatigue cracks in aluminum alloys (Grosskreutz and Shaw), *STP 415*
multiple specimen fatigue testing (Little), *MR&S*, January, 1
reversed-axial-load testing of high-strength steels (Boblenz, Fisher, Rolfe, and Gross), *STP 419*
room-temperature creep and fatigue properties of titanium alloys (Hatch, Partridge, and Broadwell), *JOM*, March, 111
significance of fatigue cracks in micro-range and macro-range (Schijve), *STP 415*
stress intensity factors for crackline-loaded edge-crack specimens (Srawley and Gross), *MR&S*, April, 155
surface bubble formation during fatigue of an aluminum alloy (Eeles and Thurston), *MR&S*, May, 193
a test rig for studying impingement and cavitation damage (Ripken), *STP 408*
testing for satisfactory life (Nixon), *STP 423*
the concept of erosion strength (Thiruvengadam), *STP 408*
use of crack-line-loaded specimens for measuring plane-strain fracture toughness (Mostovoy, Crosley, and Ripling), *JOM*, September, 661
Fawcett, R. L.: *see* von Frank, A. J., and Fawcett, R. L.
Fearnehough, G. D.: *see* Cowan, A., Fearnehough, G. D., Gillies, J., and Lees, G. M.
Feingold, E.: *see* Mehan, R. L., and Feingold, E.
Felts, effects of temperature and humidity on linear dimensions of roofing felt laminates (Long), *STP 409*
Fentress, W. K. (discussion), *STP 408*
Ferrite, correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels (Grozier and Bucher), *JOM*, June, 393
Ferro, A.: *see* Castagna, M., Ferro, A., Rossi, F. S., and Sebille, J.
Feuchtbaum, R. B.: Introduction, *STP 420*
Fiber metallurgy
analysis of stress-rupture and creep properties of tungsten fiber reinforced copper composites (McDanels, Signorelli, and Weeton), *STP 427*
effect of temperature on mechanical properties of boron electrodeposited nickel composites (Alexander and Stuhrke), *STP 427*
electroforming to make composite materials (Adsit), *STP 427*
fibering of oxides in refractory metals (Jech, Weeton, and Signorelli), *STP 427*
fundamental study of metal matrix composites (Kaarlela, Margolis, and Thornton), *STP 427*
high energy-rate forming of fibrous composites (Robinson), *STP 427*
how metal matrix composites are made (Davis), *STP 427*
interior elastic stress field in a continuous, close-packed filamentary composite material under uniaxial tension (Piehler), *STP 427*
metallurgical and geometrical factors affecting elevated temperature tensile properties of discontinuous tungsten fiber reinforced composites (Petrasek, Signorelli, and Weeton), *STP 427*
summary of *ASM/ASTM* composite symposium (Stuhrke), *STP 427*
Fibers
mechanical testing of polymeric fibrous materials (Butterworth and Abbott), *JOM*, September, 487
room and elevated temperature strength of α-Al_2O_3 whiskers and their structural characteristics (Mehan and Feingold), *JOM*, June, 239
tension testing alumina whiskers (Kelsey and Krock), *JOM*, March, 146
Figge, I. E., and Newman, J. C., Jr.: Fatigue crack propagation in structures with simulated rivet forces, *STP 415*
Filaments
electroforming to make composite materials (Adsit), *STP 427*
fundamental study of metal matrix composites (Kaarlela, Margolis, and Thornton), *STP 427*
interior elastic stress field in a continuous, close-packed filamentary composite material under uniaxial tension (Piehler), *STP 427*
measuring the elastic moduli of inorganic filaments (Davies and Watson), *MR&S*, May, 207
mechanical testing of polymeric fibrous materials (Butterworth and Abbott), *JOM*, September, 487
Filament-wound construction, a tension test method for high modulus, high-strength filaments (Watts and Sabel), *MR&S*, August, 337

Films, strength-thickness relations of solid-asphalt-solid systems (Majidzadeh and Herrin), *STP 409*
Filterability, survey of roadside diesel fuel filterability (Bertolette and Marvel), *STP 413*
Findley, W. N.: *see* Blass, J. J., and Findley, W. N.
Finishing, effects of residual elements on cold rolling and finishing of austenitic stainless steels (Pruger, Blake, and Valley), *STP 418*
Finnie, Iain, Wolak, Jan, and Kabil, Yehia: Erosion of metals by solid particles, *JOM*, September, 682
Fireproof materials, fire-retarding elemental sulfur (Ludwig and Dale), *JOM*, March, 131
Fire protection, fire and smoke invasion of apartments (Fackler), *STP 422*
Fire resistance, fire resistance of protected steel beam floor and roof assemblies as affected by structural restraint (Bletzacker), *STP 422*
Fire Tests
- an analog simulator for evaluating materials subjected to the standard ASTM fire curve (Krokosky), *JOM*, December, 801
- deflection and failure of steel-supported floors and beams in fire (Harmathy), *STP 422*
- evaluation of the XP2 smoke density chamber (Rarig and Bartosic), *STP 422*
- fire resistance of protected steel beam floor and roof assemblies as affected by structural restraint (Bletzacker), *STP 422*
- fire and smoke invasion of apartments (Fackler), *STP 422*
- general discussion (Odeen), *STP 422*
- load and fire test data on steel-supported floor assemblies (Pearce and Stanzak), *STP 422*
- measurement and control of smoke in building fires (Silversides), *STP 422*
- method for measuring smoke from burning materials (Gross, Loftus, and Robertson), *STP 422*
- restraint in fire tests of concrete floors and roofs (Selvaggio and Carlson), *STP 422*
- smoke contribution factor in fire hazard classification of building materials (Shern), *STP 422*

Fish
- water use for aquatic life (Wurtz), *STP 416*
- water quality requirements of estuarine organisms (Katz and Woelke), *STP 416*

Fisher, J. M.: *see* Boblenz, T. L., Fisher, J. M., Rolfe, S. J., and Gross, J. H.
Fitzgerald, J. F. (discussion), *STP 422*
Flame propagation, theory and experimental results of a detonation tube technique for simulating rocket plumes in a space environment (Leng, Oman, and Hopkins), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Flashings, for roof and their problems (Gumpertz), *STP 409*
Fleming, R. H.: *see* Barnard, D. P., and Fleming, R. H.
Flentje, M. E.: Municipal water from eastern rivers, *STP 416*
Flight vehicles, limitations of fatigue-crack research in the design of flight vehicle structures (Christensen and Harmon), *STP 415*
Floors
- deflection and failure of steel-supported floors and beams in fire (Harmathy), *STP 422*
- fire resistance of protected steel beam floor and roof assemblies as affected by structural restraint (Bletzacker), *STP 422*
- restraint in fire tests of concrete floors and roofs (Selvaggio and Carlson), *STP 422*

Flow, the search for significant structures (Eyring), *JOM*, June, 447
Fontaine, P. I., and Richards, E. G.: Hot corrosion of nickel-iron-chromium-cobalt alloys by sulfate-chloride and sulfate-vanadate simulated fuel ashes, *STP 421*
Foundations, moisture flow and equilibria in unsaturated soils for shallow foundations (Richards), *STP 417*
Fountain, J. A.: *see* Black, I. A., Fountain, J. A., Wechsler, A. E., and Glaser, P. E.
Fox, A. (discussion), *MR&S*, February, 63
Fox, R. R. (discussion), *STP 417*
Fracture mechanics
- determination of plane strain fracture toughness (Srawley, Jones, and Brown), *MR&S*, June, 262
- effect of inclusions on the brittle fracture of hot-rolled steel (Bucher), *JOM*, June, 432
- effect of nonlinear Hertzian deformations and gage length on the measurement of elastic energy release rate (Bluhm), *JOM*, March, 227
- embrittling effect of small elastic stress waves on crack toughness of a structural steel (Shoemaker), *JOM*, September, 597
- mechanics of crack tip deformation and extension by fatigue (Rice), *STP 415*
- plane strain crack toughness testing of high strength metallic materials (Brown and Srawley), *STP 410*
- stress intensity factors for crackline-loaded edgecrack specimens (Srawley and Gross), *MR&S*, April, 155
- testing and ASTM (Brown), *MR&S*, March, 117

Fracture surface, fatigue fracture surface appearance (Hertzberg), *STP 415*
Fracture toughness
- of aluminum alloy plate from tension tests of large center-slotted panels (Kaufman), *JOM*, December, 889
- plane strain crack toughness testing of high strength metallic materials (Brown and Srawley), *STP 410*
- use of crack-line-loaded specimens for measuring plane-strain fracture toughness (Mostovoy, Crosley, and Ripling), *JOM*, September, 661

France, W. D. (discussion), *MR&S*, January, 63
Frankel, G. J.: Manned chamber testing of the lunar module environmental control subsystem, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Freche, J. C.: *see* Manson, S. S., Freche, J. C., and Ensign, C. R.
Free enterprise, ASTM—its importance to free enterprise (Rather), *MS&S*, September, 404
Frick, R. P., Gurtman, G. A., and Meriwether, H. D.: Experimental determination of residual stresses in an orthotropic material, *JOM*, December, 719
Friction, bushing friction in triaxial shear testing (Olson and Campbell), *MR&S*, February, 45
Frost resistance, the protected paste volume concept using new air-void measurement and distribution techniques (Larson, Cady, and Malloy), *JOM*, March, 202
Fuel oil
- the effect of evaporative cooling in saddle fuel tanks on diesel engine operation (Barnard and Fleming), *STP 413*
- the effect of pour-point depressants on diesel fuel performance in Winter (Mickel), *STP 413*
- cleaner injectors and less smoke with hydrogen-treated diesel fuel (Irish and Wiseman), *STP 413*
- relationship between specific gravity and other fuel properties and diesel engine performance (Troth), *STP 413*
- survey of roadside diesel fuel filterability (Bertolette and Marvel), *STP 413*
- weather patterns and diesel fuel performance (Rescorla), *STP 413*

Fujita, Y.: *see* Yoshiki, M., and Fujita, Y.

G

Gadd, J. D.: *see* Graham, L. D., Gadd, J. D., and Quigg, R. J.
Galambos, T. V.: *see* Adams, P. F., and Galambos, T. V.
Gallaccio, A.,
- and Pelensky, M. A.: Stress corrosion of high-strength steel alloys—environmental factors, *STP 425*
- *see* Pelensky, M. A., and Gallaccio, A. (discussion), *STP 425*

Gallaway, B. M.: *see* Gandhi, P. M. K., and Gallaway, B. M.
Galvin, J. L.: Accuracy of Brinell impact tests, *MR&S*, August, 346
Gambino, J. R.: *see* Hardt, R. W., Gambino, J. R., and Bergman, P. A.
Gandhi, P. M. K., and Gallaway, B. M.: Viscosity effects on stress-strain and volume change characteristics of asphaltic mixtures, *JOM*, March, 27
Garcia, R.:
- *see* Hammitt, F. G., and Garcia, R.
- Hammitt, F. G., and Nystrom, R. E.: Correlation of cavitation damage with other material and fluid properties, *STP 408*
- and Hammitt, F. G. (written discussion), *STP 408*

Gardner, R. P., Roberts, K. F., Hughes, C. S., and Anday, M. C.: A calibration model for the air-gap method of compensating nuclear density gages for soil composition variations, *JOM*, March, 3
Gas chromatography, determination of water in hydrocarbons by gas chromatography (Swensen and Keyworth), *MR&S*, December, 524
Gaskets, a new method of expressing and measuring the sealing ability of gasket materials (Roth and Inbar), *JOM*, September, 567
Gas Turbines
- behavior of high-temperature coatings for gas turbine engines (Bartocci), *STP 421*
- behavior of superalloy oxide films in molten salts (Wheatfall, Doerning, and Danek), *STP 421*
- "black plague" corrosion of aircraft turbine blades (Belcher, Bird, and Wilson), *STP 421*
- development of hot-corrosion-resistant alloys for marine gas turbine service (Bergman, Sims, and Beltran), *STP 421*
- effect of salts on corrosion resistance of gas turbine alloys (Wall and Michael), *STP 421*
- high temperature sulfur-oxygen corrosion of nickel and cobalt (Seybolt and Beltran), *STP 421*
- hot corrosion of nickel-iron-chromium-cobalt alloys by sulfate-chloride and sulfate-vanadate simulated fuel ashes (Fontaine and Richards), *STP 421*
- marine environment influence on gas turbine hot corrosion (Haryslak and Pollini), *STP 421*
- marine hot corrosion mechanism studies (Hardt, Gambino, and Bergman), *STP 421*
- nickel-base alloys and their relationship to hot corrosive environments (Hamilton, Ryan, and Nichols), *STP 421*
- protection of nickel-base alloy against sulfur corrosion by pack aluminizing (Llewelyn), *STP 421*
- sulfidation of hot section alloys in gas turbine engines (Donachie, Sprague, Russell, Boll, and Bradley), *STP 421*

Gaugh, R. R.: *see* Denhard, E. E., Jr., and Gaugh, R. R.
Gaugh, R. R. (discussion), *STP 418*
Gause, R. L.: *see* McMillan, W. D., Gause, R. L., Kerlin, E. E., and Warwick, J. E.
Gavan, F. M.: Final report—subcommittee 27 on low temperature testing of elastomers and plastics, *MR&S*, August, 354
Gayle, J. B., and Hopkins, C. L.: The amount of sensitivity test data required to verify nonnormality in a sample population, *JOM*, June, 362
Gedney, J. I., Botty, M. C., and Thomas, E. J.: The preparation of rigid foams for microscopical examination, *STP 414*
Gesund, H., and Pincus, G. (discussion), *JOM*, March, 184
Gesund, Hans: *see* Seefried, K. J., Gesund, Hans, and Pincus, George
Gibbon, N. C., Matsch, L. C., and Wang, D. I-J.: A nonsteady-state thermal-conductivity tester for cryogenic insulations, *STP 411*
Gibbons, W. D., Mikoleit, A. E., and O'Donnell, W. J.: Fatigue properties of irradiated pressure vessel steels, *STP 426*
Gibbons, W. G., and Snow, A. L. (discussion), *STP 426*
Gillies, J.: *see* Cowan, A., Gillies, J., Fearnehough, G. D., and Lees, G. M.
Gilligan, J. E.: New aspects of thermophysics in advanced planetary exploration, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Gimbals, a gimbal system for solar simulation testing (Hertzler and Burke), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Girifalco, L.: *see* Regester, R. F., Girifalco, L., and Gorsuch, P. D.

Glaser, P. E.:
see Black, I. A., Glaser, P. E., and Perkins, P.
see Black, I. A., Glaser, P. E., Wechsler, A. E., and Fountain, J. A.
Introduction, *STP 411*
Glass fibers, testing of fibers (Schmitz and Metcalfe), *MR&S*, April, 146
Goetz, H. W.: False set of cement as influenced by hydroxylated carboxylic-acid-type admixture, *MR&S*, June, 246
Gohn, G. R. (discussion), *MR&S*, February, 62
Goller, G. N.: Residual elements in austenitic stainless steels—the melt shop viewpoint, *STP 418*
Gordon, G. M., and Klepfer, H. H.: Engineering significance of ferrite grain size on the radiation sensitivity of pressure vessel steels, *STP 426*
Gorsuch, P. D.: *see* Regester, R. F., Gorsuch, P. D., and Girifalco, L.
Grading (classifying), critical appraisal of proposal to grade paving asphalts by viscosity at 140 F (McLeod), *STP 424*
Grading (evaluation)
laboratory methods for grading setting quaiities of paving asphalts (Santucci and Schmidt), *STP 424*
motivation for and implementation of grading asphalt cement by viscosity at 140 F (Hawthorne), *STP 424*
the philosophy of using viscosity for grading asphalt cements (Welborn), *STP 424*
texas highway department's experience with viscosity grading of paving asphalts (Chaffin), *STP 424*
Graham, L. D., Gadd, J. D., and Quigg, R. J.: Hot corrosion behavior of coated and uncoated super-alloys, *STP 421*
Grain size, the effect of grain size on fatigue crack propagation in copper (Hoeppner), *STP 415*
Grant, W. L.: *see* Neff, W. S., Grant, W. L., and Snavely, W. H.
Gray, R. A., Jr.: *see* Steele, L. E., Gray, R. A., Jr., and Hawthorne, J. R.
Gross, B.: *see* Srawley, J. E., and Gross, B.
Gross, D., Loftus, J. J., and Robertson, A. F.: Method for measuring smoke from burning materials, *STP 422*
Gross, J. H.: *see* Boblenz, T. L., Gross, J. H., Fisher, J. M., and Rolfe, S. J.
Grosskreutz, J. C.:
Introduction, *STP 415*
and Shaw, G. G.: Microstructures at the tips of growing fatigue cracks in aluminum alloys, *STP 415*
(discussion), *STP 415*
Grounes, M.:
Review of Swedish work on irradiation effects in canning and core support materials, *STP 426*
Review of Swedish work on irradiation effects in pressure vessel steels and on significance of data obtained, *STP 426*
(discussions), *STP 426*
Grozier, J. D., and Bucher, J. H:: Correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels, *JOM*, June, 393
Guarded hot plate
a flat-plate thermal-conductivity apparatus for measuring low-conductivity materials at cryogenic temperatures (Haskins), *STP 411*
a guarded-hot-plate thermal-conductivity apparatus for multilayer cryogenic insulation (Karp and Lankton), *STP 411*
Gumpertz, W. H.:
Roof flashings and their problems, *STP 409*
(written discussions), *STP 409*
Gurtman, G. A.: *see* Frick, R. P., Gurtman, G. A., and Meriwether, H. D.
Gypsum plaster, the aging of gypsum plaster (Kuntze), *MR&S*, August, 350

H

Hamilton, P. E., Ryan, K. H., and Nichols, E. S.: Nickel-base alloys and their relationship to hot corrosive environments, *STP 421*
Hall, A. M.: *see* VanEcho, J. A., Hall, A. M., Hoag, J. G., and Roach, D. B.
Hammitt, F. G.
(discussions), *STP 408*
(discussion), *JOM*, September, 659
and Garcia, R. (discussion), *STP 408*
see Garcia, R., and Hammitt, F. G.
see Garcia, R., Hammitt, F. G., and Nystrom, R. E.
Hansen, T. C.: A graduate program for engineers in building materials, *MR&S*, July, 314
Hansen, W. C.:
Basic chemistry of reactions of aggregates in portland-cement concrete, *JOM*, June, 408
(discussion), *MR&S*, June, 249
Hardening, asphalt hardening by gaseous oxidants: the relationship between softening point and chemical change as measured by infrared spectroscopy (Campbell and Wright), *JOM*, September, 581
Harding, R. H.: Morphologies of cellular materials, *STP 414*
Harding, W. C. (discussion), *STP 425*
Hardness
dependence of diamond pyramid hardness number on experimental variables (Campbell), *MR&S*, October, 443
modified hardness tester for wood (Bodig), *MR&S*, October, 450
Hardt, R. W., Gambino, J. R., and Bergman, P. A.: Marine hot corrosion mechanism studies, *STP 421*
Harmathy, T. Z.: Deflection and failure of steel-supported floors and beams in fire, *STP 422*
Harmon, M. B.: *see* Christensen, R. H., and Harmon, M. B.
Harries, D. R., and Roberts, A. C.: Effects of heat-treatment and irradiation on the high temperature tensile properties of austenitic stainless steels, *STP 426*
Harter, G. A.: *see* Vantine, A. D. Le, Harter, G. A., and Norris, J. E.
Harvey, R. D.: Nonlinear thermal expansion of coarse grain limestone, *MR&S*, November, 502
Haryslak, L. W., and Pollini, R. J.: Marine environment influence on gas turbine hot corrosion, *STP 421*
Haskins, J. F.: A flat-plate thermal-conductivity apparatus for measuring low-conductivity materials at cryogenic temperatures, *STP 411*
Haslund, R. L.: *see* Lunde, A. R., Haslund, R. L., and Yerkes, J. W.
Hatch, A. J., Partridge, J. M., and Broadwell, R. G.: Room-temperature creep and fatigue properties of titanium alloys, *JOM*, March, 111
Hauck, H.: *see* Bohm, H., Hauck, H., Dienst, W., and Laue, H. J.
Hawthorne, H. R.: Motivation for and implementation of grading asphalt cement by viscosity at 140 F, *STP 424*
Hawthorne, J. R.
and Steele, L. E.: Metallurgical variables as possible factors controlling irradiation response of structural steels, *STP 426*
see Steele, L. E., Hawthorne, J. R., and Gray, R. A., Jr.
Hayashi, T., and Izumi, T.: Analysis of the temperature variations of satellite with inner power dissipation, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Haygood, J. D., and Dawbarn, R.: Sorption of helium by 4.2 K cryodeposits, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Hazelton, W. S.: *see* Landerman, E., Hazelton, W. S., and Yanichko, S. E.
Heat flow meter, an apparatus for thermal conductivity at cryogenic temperatures using a heat flow meter (Hollingsworth), *STP 411*
Heat transfer
an apparatus for thermal conductivity at cryogenic temperatures using a heat flow meter (Hollingsworth), *STP 411*
a cryogenic heat-flow-meter apparatus (Kinzer and Pelanne), *STP 411*
cryogenic thermal-conductivity measurements of insulating materials (Coston and Zierman), *STP 411*
a double-guarded cold-plate thermal-conductivity apparatus (Black, Glaser, and Perkins), *STP 411*
a flat-plate thermal-conductivity apparatus for measuring low-conductivity materials at cryogenic temperatures (Haskins), *STP 411*
an improved guarded-cold-plate thermal-conductivity apparatus (Black, Wechsler, Glaser, and Fountain), *STP 411*
a nonsteady-state thermal-conductivity tester for cryogenic insulations (Gibbon, Matsch, and Wang), *STP 411*
a simple multilayer insulation calorimeter (DeHaan), *STP 411*
Heat treatment, effects of heat-treatment and irradiation on the high temperature tensile properties of austenitic stainless steels (Harris and Roberts), *STP 426*
Hechtman, R. A.: Test method for buckling of large transversely loaded beams, *STP 419*
Heger, J. J.: Residual elements in stainless steel—general characteristics, *STP 418*
Helfrich, W. J.: Influence of stress and temperature on short-transverse stress corrosion cracking of an Al-4.2Zn-2.5Mg alloy, *STP 425*
Helium, sorption of helium by 4.2 K cryodeposits (Haygood and Dawbarn), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Hermance, H. W.: *see* McKinney, N. E., and Hermance, H. W.
Herrin, M.: *see* Majidzadeh, K., and Herrin, M.
Hertzberg, R. W.: Fatigue fracture surface appearance, *STP 415*
Hertzler, R. G., and Burke, A. G., III:
A gimbal system for solar simulation testing, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
On the time dependence of the rate of erosion due to impingement or cavitation, *STP 408*
Heymann, F. J.:
Introduction, *STP 408*
(discussion), *STP 408*
High-strength steels, comparison of three precracked specimens for evaluating the susceptibility of high-strength steel to stress corrosion cracking (Beachem and Brown), *STP 425*
High temperature
behavior of high-temperature coatings for gas turbine engines (Bartocci), *STP 421*
effects of high-temperature exposure on concrete (Davis), *MR&S*, October, 452
effect of temperature on mechanical properties of boron electrodeposited nickel composites (Alexander and Stuhrke), *STP 427*
high energy-rate forming of fibrous composites (Robinson), *STP 427*
metallurgical and geometrical factors affecting elevated temperature tensile properties of discontinuous tungsten fiber reinforced composites (Petrasek, Signorelli, and Weeton), *STP 427*
residual elements and their effect on applications of austenitic stainless steels in the power industry (Rohrig), *STP 418*
room and elevated temperature strength of αAl_2O_3 whiskers and their structural characteristics (Mehan and Feingold), *JOM*, June, 239
torsion testing as a means of assessing ductility at high temperatures (Robbins, Wagenaar, Shepard, and Sherby), *JOM*, June, 271
Hinkle, N. E., Ohr, S. M., and Wechsler, M. S.: Dose rate, annealing, and stress relaxation studies of radiation hardening in iron, *STP 426*
Hoag, J. G.: *see* VanEcho, J. A., Hoag, J. G., Roach, D. B., and Hall, A. M.
Hoagland, R. G., Bement, A. L., and Rowe, R. G.: Applications of fracture mechanics in evaluating initiation and propagation of brittle fracture in reactor structural components, *STP 426*
Hobbs, J. M.:
Experience with a 20-kc cavitation erosion test, *STP 408*
(discussions), *STP 408*
Hoeppner, D. W.: The effect of grain size on fatigue crack propagation in copper, *STP 415*
Hoff, G., Langbein, G., and Rieger, H.: Material destruction due to liquid impact, *STP 408*
Holland, W. Y.: *see* DePuy, G. W., Holland, W. Y., and Crosby, A. B.
Hollingsworth, M., Jr.: An apparatus for thermal conductivity at cryogenic temperatures using a heat flow meter, *STP 411*
Holt, A. B. (discussion), *STP 426*
Hood, A. C.: *see* Lin, C. S., Hood, A. C.,

and Laurilliard, J. J.
Hopkins, C. L.: *see* Gayle, J. B., and Hopkins, C. L.
Hopkins, H. B.: *see* Leng, J., Hopkins, H. B., and Oman, R. A.
Hoppe, W.: *see* Swanson, S. R., Hoppe, W., and Cicci, F.
Hordon, M. J.: *see* Blum, P., Hordon, M. J., and Roehrig, J. R.
Horton, W. H., and Bailey, S. C.: Influence of test machine rigidity on the buckling load of shells, *STP 419*
Hot corrosion
behavior of high-temperature coatings for gas turbine engines (Bartocci), *STP 421*
behavior of superalloy oxide films in molten salts (Wheatfall, Doerning, and Danek), *STP 421*
development of hot-corrosion-resistant alloys for marine gas turbine service (Bergman, Sims, and Beltran), *STP 421*
effect of JP-5 sulfur content on hot corrosion of superalloys in marine environment (Schirmer and Quigg), *STP 421*
effect of salts on corrosion resistance of gas turbine alloys (Wall and Michael), *STP 421*
high temperature sulfur-oxygen corrosion of nickel and cobalt (Seybolt and Beltran), *STP 421*
hot corrosion behavior of coated and uncoated superalloys (Graham, Gadd, and Quigg), *STP 421*
hot corrosion of nickel-iron-chromium-cobalt alloys by sulfate-chloride and sulfate-vanadate simulated fuel ashes (Fontaine and Richards), *STP 421*
marine environment influence on gas turbine hot corrosion (Haryslak and Pollini), *STP 421*
marine hot corrosion mechanism studies (Hardt, Gambino, and Bergman), *STP 421*
nickel-base alloys and their relationship to hot corrosive environments (Hamilton, Ryan, and Nichols), *STP 421*
protection of nickel-base alloy against sulfur corrosion by pack aluminizing (Llewelyn), *STP 421*
sulfidation of hot section alloys in gas turbine engines (Donachie, Sprague, Russell, Boll, and Bradley), *STP 421*
Huang, E. Y.: An improved particle index test for the evaluation of geometric characteristics of aggregates, *JOM*, March, 81
Hubbell, D. S.: Porcelain enamel on aluminum, *MR&S*, July, 291
Hudson, R. B.: *see* May, W. R., Hudson, R. B., Albert, M. P., and Cropper, W. V.
Hughes, B. P., and Bahramian, B.:
An accurate laboratory test for determining the absorption of aggregates, *MR&S*, January, 18
Workability of concrete: a comparison of existing tests, *JOM*, September, 519
Hughes, C. S.: *see* Gardner, R. P., Hughes, C. S., Roberts, K. F., and Anday, M. C.
Human factors
the human factor in industrial testing (Lavender), *MR&S*, September, 397
manned chamber testing of the lunar module environmental control subsystem (Frankel), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
manned testing of extravehicular activity equipment in a simulated space environment (Pigg), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Humidity
effects of temperature and humidity on linear dimensions of roofing felt laminates (Long), *STP 409*
moisture-thermal effects produce erratic motions in built-up roofing (Shuman), *STP 409*
Hutcheon, N. B.: *see* Legget, R. F., and Hutcheon, N. B.
Hydraulic conductivity, apparatus for measuring hydraulic conductivity of undisturbed soil samples (Wit), *STP 417*
Hydraulic gradient, abnormalities in hydraulic flow through fine-grained soils (Mitchell and Younger), *STP 417*
Hydraulic jets, water jet impact damage in a colbalt-chromium-tungsten alloy (Beckwith and Marriott), *STP 408*
Hydraulic properties, hydraulic properties of disturbed and undisturbed soils (Laliberte and Corey), *STP 417*
Hydrazine, colorimetric determination of morpholine in the presence of hydrazine (McClusky and Martucci), *MR&S*, February, 57
Hydrocarbons, determination of water in hydrocarbons by gas chromatography (Swensen and Keyworth), *MR&S*, December, 524
Hydrofoils, evaluating adhesives for hydrofoils (Lehman and Trepel), *MR&S*, September, 383
Hydrogenation, cleaner injectors and less smoke with hydrogen-treated diesel fuel (Irish and Wiseman), *STP 413*
Hydrospace, metals for hydrospace (Williams), *JOM*, December, 768

I

Impact
accuracy of Brinell impact tests (Galvin), *MR&S*, August, 346
the concept of erosion strength (Thiruvengadam), *STP 408*
effect of end conditions on buckling of cylindrical shells under axial compression impact (Coppa), *STP 419*
erosion of steam turbine blade shield materials (Smith, Kent, and Armstrong), *STP 408*
material destruction due to liquid impact (Hoff, Langbein, and Rieger), *STP 408*
a test rig for studying impingement and cavitation damage (Ripken), *STP 408*
Impingement
erosion of steam turbine blade shield materials (Smith, Kent, and Armstrong), *STP 408*
on the time dependence of the rate of erosion due to impingement or cavitation (Heymann), *STP 408*
the concept of erosion strength (Thiruvengadam), *STP 408*
water jet impact damage in a colbalt-chromium-tungsten alloy (Beckwith and Marriott), *STP 408*
Inbar, A.: *see* Roth, A., and Inbar, A.
Inclusions, the effect of inclusions on the brittle fracture of hot-rolled steel (Bucher), *JOM*, June, 432
Industrial water
industrial water for cooling and general purposes (von Frank and Fawcett), *STP 416*
what do we really know about stream quality criteria and standards? (Clarke), *STP 416*
Infiltration test, field determination of permeability by the infiltration test (Schmid), *STP 417*
Infrared spectroscopy, asphalt hardening by gaseous oxidants: the relationship between softening point and chemical change as measured by infrared spectroscopy (Campbell and Wright), *JOM*, September, 581
Ingram, A. R., Cobbs, R. R., and Couchot, L. C.: The microscopical examination of molded and extruded polystyrene foams, *STP 414*
Injectors, cleaner injectors and less smoke with hydrogen-treated diesel fuel (Irish and Wiseman), *STP 413*
Inorganic coatings, engineering properties of inorganic coatings (Nelson), *MR&S*, July, 309
Inspection, eddy current and ultrasonic techniques for inspection of large parts (Musil), *JOM*, March, 65
Insulating materials
a simple multilayer insulation calorimeter (DeHaan), *STP 411*
taped joints for roof insulation (Richards), *STP 409*
Iodometric analysis, elimination of nitrogen and chloride interferences in the iodometric determination of sulfur as sulfur dioxide (Bremanis, Deering, Meade, and Keyworth), *MR&S*, October, 459
Ionization gages, results of an ionization gauge calibrated in three systems (Camarillo), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Iosipescu, Nicolae: New accurate procedure for single shear testing of metals, *JOM*, September, 537
Irish, G. E., and Wiseman, E. L.: Cleaner injectors and less smoke with hydrogen-treated diesel fuel, *STP 413*
Iron
dose rate, annealing, and stress relaxation studies of radiation hardening in iron (Hinkle, Ohr, and Wechsler), *STP 426*
effect of nitrogen on the mechanical properties of neutron-irradiated pure iron (Castagna, Ferro, Rossi, and Sebille), *STP 426*
Iron alloys, influence of boron on the creep rupture properties of a neutron irradiated precipitation hardening iron base alloy (Moteff, Lovell, Kingsbury, and Smith), *STP 426*
Irrigation water
quantitative assessment of irrigation water quality (Berstein), *STP 416*
water for supplemental irrigation (Lunin), *STP 416*
Irvin, J. E., and Bement, A. L.: Nature of radiation damage to engineering properties of various stainless steel alloys, *STP 426*
Irvine, C. H.: A new horizontal pull slipmeter for evaluating walkway slipperiness, *MR&S*, December, 535
Islinger, J. S., and Wolfe, L., Jr.: Application of mechanical loads to structures under radiant heating conditions, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Iufer, E. J., and Droll, P. W.: Space magnetic environment simulation for spacecraft testing, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Ivey, D. L.: *see* Ledbetter, W. B., and Ivey, D. L.
Iyengar, K. T. Sundara Raja, and Chandrasekhara, K. (discussion), *JOM*, March, 187
Iyengar, K. T. Sundara Raja, Desayi, Prakash, and Viswanatha, C. S.: A new approach for the prediction of true ultimate strength of concrete, *MR&S*, November, 486
Izatt, J. O. (discussion), *STP 424*
Izumi, T.: *see* Hayashi, T., and Izumi, T.

J

Jacoby, G. H. (discussions), *STP 415*
Jacoby, M. E.: Summary, *STP 409*
James, C. F., Jr.: *see* Stanislao, J., James, C. F., Jr., and Richman, M. H.
Jarrett, P. M.: Time-dependent consolidation of a sensitive clay, *MR&S*, July, 300
Jech, R. W., Weeton, J. W., and Signorelli, R. A.: Fibering of oxides in refractory metals, *STP 427*
Jet fuels, effect of JP-5 sulfur content on hot corrosion of superalloys in marine environment (Schirmer and Quigg), *STP 421*
Johnson, A. I.:
Introduction, *STP 417*
and Richter, R. C.: Selected bibliography on permeability and capillarity testing of rock and soil materials, *STP 417*
Johnson, R. E. (discussion), *STP 426*
Johnston, B. G.: Structural metal column: a chronology, *STP 419*
Johnston, J. R.: *see* Young, S. G., and Johnston, J. R.
Joints, taped for roof insulation (Richards), *STP 409*
Jones, J. H.: *see* Kaplan, H., and Jones, J. H.
Jones, M. H.: *see* Srawley, J. E., Jones, M. H., and Brown, W. F., Jr.
Jones, P. M.:
Introduction, *STP 409*
Load-strain properties and splitting of roof membranes, *STP 409*
(discussions), *STP 409*
(discussion), *STP 414*
Ju, F. D., Baker, J. G., and Yao, J. T. P.: A specimen for reversed shear deformations, *MR&S*, December, 517

K

Kaarlela, W. J., Margolis, W. S., and Thornton, H. R.: Fundamental study of metal matrix composites, *STP 427*
Kabil, Yehia: *see* Finnie, Iain, Kabil, Yehia, and Wolak, Jan
Kadlecek, Vladislav, and Spetla, Zdenek: Direct tensile strength of concrete, *JOM*, December, 749
Kangilaski, M., and Shober, F. R.: Effect of neutron irradiation on mechanical properties of AISI type 347 stainless steel, *STP 426*
Kaplan, H., and Jones, J. H.: A cold welding investigation of the ATS damper

boom, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Karp, G. S., and Lankton, C. S.: A guarded-hot-plate thermal-conductivity apparatus for multilayer cryogenic insulation, *STP 411*
Katz, M., and Woelke, C. E.: Water quality requirements of estuarine organisms, *STP 416*
Kaufman, J. G.: Fracture toughness of aluminum alloy plate from tension tests of large center-slotted panels, *JOM*, December, 889
Kaufman, J. G.:
Role of theoretical stress-concentration factor in evaluating notch toughness, *MR&S*, May, 189
(discussion), *STP 415*
Kelman, L. R. (discussion), *STP 426*
Kelsey, R. A.: *see* Shumaker, M. B., Kelsey, R. A., Sprowls, D. O., and Williamson, J. G.
Kelsey, R. H., and Krock, R. H.: Tension testing alumina whiskers, *JOM*, March, 146
Kent, R. P.: *see* Smith, A., Kent, R. P., and Armstrong, R. L.
Kerlin, E. E.: *see* McMillan, W. D., Kerlin, E. E., Gause, R. L., and Warwick, J. E.
Kesler, C. E.: *see* Lott, J. L., and Kesler, C. E.
Ketchum, S. J.: Report of task group 1 on stress corrosion testing methods of subcommittee X on stress corrosion of committee B-3 on corrosion of nonferrous metals and alloys, *STP 425*
Keyworth, D. A.:
see Bremanis, E., Keyworth, D. A., Deering, J. R., and Meade, C. F.
see Swensen, R. F., and Keyworth, D. A.
Khera, Raj P., and Krizek, Raymond J.: Measurement and control of radial deformation in the triaxial test of soils, *MR&S*, September, 392
Kingsbury, F. D.: *see* Moteff, J., Kingsbury, F. D., Lovell, A. J., and Smith, J. P.
Kingsbury, F. D., and Moteff, J.: Effects of neutron irradiation on creep-rupture properties of W-25Re alloy, *STP 426*
Kinzer, G. R., and Pelanne, C. M.: A cryogenic heat-flow-meter apparatus, *STP 411*
Kirkpatrick, J. P.: *see* Rolling, R. E., Kirkpatrick, J. P., and Marshall, K. N.
Klepfer, H. H.: *see* Gordon, G. M., and Klepfer, H. H.
Klieger, Paul (discussion), *JOM*, March, 225
Klimas, J. J. (discussion), *STP 409*
Kockaerts, R. F.: *see* Nuyens, J. G. E., and Kockaerts, R. F.
Kohler, C. R., and Ruoff, A. L.: Creep in potassium as a function of temperature and pressure, *JOM*, March, 20
Koike, Michio: Tear tests for fluid-applied roofing membranes at joint in roof deck, *STP 409*
Korin, U.: *see* Soroka, I., and Korin, U.
Krafft, J. M. (discussion), *STP 415*
Krizek, R. J.: *see* Khera, R. P., and Krizek, R. J.
Krock, R. H.: *see* Kelsey, R. H., and Krock, R. H.
Krokosky, E. M.: An analog simulator for evaluating materials subjected to the standard ASTM fire curve, *JOM*, December, 801
Krokosky, E. M. (discussion), *STP 409*
Kuntze, R. A.: The aging of gypsum plaster, *MR&S*, August, 350

L

Laird, C.: The influence of metallurgical structure on the mechanism of fatigue crack propagation, *STP 415*
Laird, Campbell (discussion), *MR&S*, August, 336
Laliberte, G. E., and Corey, A. T.: Hydraulic properties of disturbed and undisturbed soils, *STP 417*
Laminates
analysis of cylindrical plywood roofs (Shipley and Sherrer), *JOM*, March, 47
effects of temperature and humidity on linear dimensions of roofing felt laminates (Long), *STP 409*
strength-thickness relations of solid-asphalt-solid systems (Majidzadeh and Herrin), *STP 409*
Landerman, E., Yanichko, S. E., and Hazelton, W. S.: An evaluation of radiation damage to reactor vessel steels using both transition temperatures and fracture mechanics approaches, *STP 426*
Lang, S. M.: Pumping test methods for determining aquifer characteristics, *STP 417*
Langbein, G.:
see Hoff, G., Langbein, G., and Rieger, H. (discussion), *STP 408*
Lange, E. A.: *see* Crooker, T. W., and Lange, E. A.
Lankton, C. S.: *see* Karp, G. S., and Lankton, C. S.
LaQue, F. L.: Corrosion tests and service performance, *STP 423*
Larson, T. D., Cady, P. D., and Malloy, J. J.: The protected paste volume concept using new air-void measurement and distribution techniques, *JOM*, March, 202
Laue, H. J.: *see* Bohm, H., Laue, H. J., Dienst, W., and Hauck, H.
Laurilliard, J. J.: *see* Lin, C. S., Laurilliard, J. J., and Hood, A. C.
Lavender, H. J., Jr.: The human factor in industrial testing, *MR&S*, September, 397
Lawerence, D. K.: *see* Lindeman, R. P., Lawerence, D. K., and Wagner, T. O.
Lead-bismuth, correlation of cavitation damage with other material and fluid properties (Garcia, Hammitt, and Nystrom), *STP 408*
Leak rate, a new method of expressing and measuring the sealing ability of gasket materials (Roth and Inbar), *JOM*, September, 567
Ledbetter, W. B., and Ivey, D. L. (discussion), *JOM*, March, 185
Legget, R. F., and Hutcheon, N. B.: Performance concept in building, *STP 423*
Lees, G. M.: *see* Cowan, A., Lees, G. M., Fearnehough, G. D., and Gillies, J.
Lehman, A. F. (discussion), *JOM*, September, 659
Lehman, A. F., and Trepel, W. B.: Evaluating adhesives for hydrofoils, *MR&S*, September, 383
Leith, W. C. (discussions), *STP 408*
Leng, J., Oman, R. A., and Hopkins, H. B.: Theory and experimental results of a detonation tube technique for simulating rocket plumes in a space environment, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Levy, I. S., and Wheeler, K. R.: Improved postirradiation tensile and stress-rupture properties of hastelloy X-280, *STP 426*
Li, Che-Yu: *see* Wei, R. P., Li, Che-Yu, and Talda, P. M.
Limestone, nonlinear thermal expansion of coarse grain limestone (Harvey), *MR&S*, November, 502
Lichtman, J. Z.: Cavitation erosion performance and related properties of cured sheet elastomeric coating systems, *JOM*, September, 638
Lichtman, J. Z. (discussion), *STP 408*
Life testing, testing for satisfactory life (Nixon), *STP 423*
Lifka, B. W., and Sprowls, D. O.: Stress corrosion testing of 7079-T6 aluminum alloy in various environments, *STP 425*
Lifka, B. W. (discussion), *STP 425*
Lin, C. S., Laurilliard, J. J., and Hood, A. C.: Stress corrosion cracking of high-strength bolting, *STP 425*
Lindeman, R. P., Lawerence, D. K., and Wagner, T. O.: Diesel power, economy, and API gravity, *STP 413*
Linnert, G. E.: Weldability of austenitic stainless steels as affected by residual elements, *STP 418*
Little, R. E.: Multiple specimen fatigue testing. *MR&S*, January, 1
Liquid impact
erosion of steam turbine blade shield materials (Smith, Kent, and Armstrong), *STP 408*
material destruction due to liquid impact (Hoff, Langbein, and Rieger), *STP 408*
water jet impact damage in a colbalt-chromium-tungsten alloy (Beckwith and Marriott), *STP 408*
Liquid metals
accelerated cavitation damage of steels and super-alloys in sodium and mercury (Young and Johnston), *STP 408*
correlation of cavitation damage with other material and fluid properties (Garcia, Hammitt, and Nystrom), *STP 408*
Liquid phase, the search for significant structures (Eyring), *JOM*, June, 447
Llewelyn, G.: Protection of nickel-base alloy against sulfur corrosion by pack aluminizing, *STP 421*
Loads (forces), application of mechanical loads to structures under radiant heating conditions (Islinger and Wolfe), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Loftus, J. J.: *see* Gross, D., Loftus, J. J., and Robertson, A. F.
Logan, H. L.:
Some techniques used in the study of stress corrosion cracking, *STP 425*
and McBee, M. J.: Stress-corrosion cracking of cold-reduced austenitic stainless steels, *MR&S*, April, 137
Lombardo, J. J., Dixon, C. E., and Begley, J. A.: Cryogenic radiation effects on NERVA structural materials, *STP 426*
Long, E. G.: Effects of temperature and humidity on linear dimensions of roofing felt laminates, *STP 409*
Long, W. G.: Parameters affecting dielectric materials for space applications, *STP 420*
Lott, J. L., and Kesler, C. E.: Service behavior of concrete for radiation shielding, *MR&S*, September, 375
Lovell, A. J.: *see* Moteff, J., Lovell, A. J., Kingsbury, F. D., and Smith, J. P.
Low-cycle fatigue crack propagation resistance of materials for large welded structures (Crooker and Lange), *STP 415*
Low pressure, measurement of corona discharge behavior at low pressure and vacuum (Dakin and Works), *STP 420*
Low temperature
an apparatus for thermal conductivity at cryogenic temperatures using a heat flow meter (Hollingsworth), *STP 411*
a cryogenic heat-flow-meter apparatus (Kinzer and Pelanne), *STP 411*
cryogenic thermal-conductivity measurements of insulating materials (Coston and Zierman), *STP 411*
a double-guarded cold-plate thermal-conductivity apparatus (Black, Glaser, and Perkins), *STP 411*
the effect of pour-point depressants on diesel fuel performance in Winter (Mickel), *STP 413*
final report—subcommittee 27 on low temperature testing of elastomers and plastics (Gavan), *MR&S*, August, 354
a flat-plate thermal-conductivity apparatus for measuring low-conductivity materials at cryogenic temperatures (Haskins), *STP 411*
a guarded-hot-plate thermal-conductivity apparatus for multilayer cryogenic insulation (Karp and Lankton), *STP 411*
an improved guarded-cold-plate thermal-conductivity apparatus (Black, Wechsler, Glaser, and Fountain), *STP 411*
mechanical properties of selected copper alloys (295 to 4 K) (Reed and Mikesell), *JOM*, June 370
a nonsteady-state thermal-conductivity tester for cryogenic insulations (Gibbon, Matsch, and Wang), *STP 411*
a simple multilayer insulation calorimeter (DeHaan), *STP 411*
Ludwig, A. C., and Dale, J. M.: Fire-retarding elemental sulfur, *JOM*, March, 131
Lunar module, manned chamber testing of the lunar module environmental control subsystem (Frankel), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Lunar soil, adhesion of lunar soil simulated by rock comminuted in vacuum (Blum, Roehrig, and Hordon), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Lunde, A. R., Yerkes, J. W., and Haslund, R. L.: The boeing 20-foot solar simulator-progress report, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Lunin, J.: Water for supplemental irrigation, *STP 416*

M

McBee, M. J.: *see* Logan, H. L., and McBee, M. J.
McCargo, M.: *see* Douglas, N. J., McCargo, M., Breuch, R. A., and Starkley, R. E.
McClintock, F. A. (discussion), *STP 415*
McClusky, J. K., and Martucci, J. A.: Colorimetric determination of morpholine in the presence of hydrazine, *MR&S*, February, 57
McCullough, B. A.: *see* Wood, B. E., McCullough, B. A., Smith, A. M., and Birkebak, R. C.
McDanels, D. L., Signorelli, R. A., and Weeton, J. W.: Analysis of stress-rupture

and creep properties of tungsten fiber reinforced copper composites, *STP 427*
McEvily, A. J. (discussion), *STP 415*
McGowan, E. J.: *see* Mathes, K. N., and McGowan, E. J.
McGuire, J. H. (discussion), *STP 422*
McKinney, N. E., and Hermance, H. W.: Stress corrosion cracking rates of a nickel-brass alloy under applied potential, *STP 425*
McLaughlin, D. W.:
Properties of irradiated materials needed for the design of reactor vessels. Part I, water cooled reactors (McLaughlin), *STP 426*
and Weissert, L. R.: Role of pressure vessel surveillance programs in power reactors: summary and analysis of ASME panel discussion, *STP 426*
(discussion), *STP 426*
McLeod, N. W.: Critical appraisal of proposal to grade paving asphalts by viscosity at 140 F, *STP 424*
McMillan, J. C., and Pelloux, R. M. N.: Fatigue crack propagation under program and random loads, *STP 415*
McMillan, W. D., Gause, R. L., Kerlin, E. E., and Warwick, J. E.: Measurement of dielectric properties of materials under vacuum, reactor radiation, and cryogenic conditions, *STP 420*
McRickard, S. B. (discussions), *STP 426*
Machining, the effect of the titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), *JOM*, September, 625
Magnesium alloys
effect of high vacuum on the fatigue properties of magnesium and two magnesium alloys (Sumsion), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
environmental factors affecting the stress corrosion cracking behavior of an aluminum-zinc-magnesium alloy (Romans and Craig), *STP 425*
stress corrosion of magnesium alloys—environmental factors (Pelensky and Gallaccio), *STP 425*
Magnetic fields, space magnetic environment simulation for spacecraft testing (Iufer and Droll), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Majidzadeh, K., and Herrin, M.: Strength-thickness relations of solid-asphalt-solid systems, *STP 409*
Malhotra, V. M., and Zoldners, N. G.: Comparison of ring-tensile strength of concrete with compressive, flexural, and splitting-tensile strengths, *JOM*, March, 160
Malloy, J. J.: *see* Larson, T. D., Malloy, J. J., and Cady, P. D.
Manson, S. S., Freche, J. C., and Ensign, C. R.: Application of a double linear damage rule to cumulative fatigue, *STP 415*
Mardulier, F. J.: *see* Stockett, A. L., Mardulier, F. J., and Schneider, A. M.
Margolis, W. S.: *see* Kaarlela, W. J., Margolis, W. S., and Thornton, H. R.
Marine environment
development of hot-corrosion-resistant alloys for marine gas turbine service (Bergman, Sims, and Beltran), *STP 421*
marine environment influence on gas turbine hot corrosion (Haryslak and Pollini), *STP 421*
marine hot corrosion mechanism studies (Hardt, Gambino, and Bergman), *STP 421*
Marriott, J. B.:
see Beckwith, D. J., and Marriott, J. B. (discussions), *STP 408*
Marshall, J. D.: *see* Bond, A. P., Marshall, J. D., and Dundas, H. J.
Marshall, K. N.: *see* Rolling, R. E., Marshall, K. N., and Kirkpatrick, J. P.
Mars, simulated martian sand and dust storms and effects on spacecraft coatings (Dyhouse), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Martin, K. G.: Rupture of built-up roofing components, *STP 409*
Martin, W. R., and Weir, J. R.: Solutions to the problems of high-temperature irradiation embrittlement, *STP 426*
Martucci, J. A.: *see* McClusky, J. K., and Martucci, J. A.
Marvel, H. D.: *see* Bertolette, W. D., and Marvel, H. D.
Mathes, K. N., and McGowan, E. J.: Problems with dielectric measurements at cryogenic temperatures, *STP 420*
Matsch, L. C.: *see* Gibbon, N. C., Matsch, L. C., and Wang, D. I-J.
Matyas, E. L.: Air and water permeability of compacted soils, *STP 417*
May, W. R., Hudson, R. B., Albert, M. P., and Cropper, W. V.: An automatic temperature-rise machine for measuring the form-I content in sodium tripolyphosphate, *MR&S*, February, 53
Meade, C. F.: *see* Bremanis, E., Meade, C. F., Deering, J. R., and Keyworth, D. A.
Mechanical properties
low-temperature (295 to 4 K) mechanical properties of selected copper alloys (Reed and Mikesell), *JOM*, June, 370
mechanical testing of polymeric fibrous materials (Butterworth and Abbott), *JOM*, September, 487
Mehan, R. L., and Feingold, E.: Room and elevated temperature strength of α-Al_2O_3 whiskers and their structural characteristics, *JOM*, June, 239
Melting, residual elements in austenitic stainless steels—the melt shop viewpoint (Goller), *STP 418*
Mercury, accelerated cavitation damage of steels and super-alloys in sodium and mercury (Young and Johnston), *STP 408*
Meriwether, H. D.: *see* Frick, R. P., Meriwether, H. D., and Gurtman, G. A.
Merrick, H. F.: *see* Rowcliffe, A. F., Merrick, H. F., Carpenter, G. J. C., and Nicholson, R. B.
Metals
erosion of metals by solid particles (Finnie, Wolak, and Kabil), *JOM*, September, 682
for hydrospace (Williams), *JOM*, December, 768
plane strain crack toughness testing of high strength metallic materials (Brown and Srawley), *STP 410*
Metcalfe, A. G.: *see* Schmitz, G. K., and Metcalfe, A. G.
Metric system
Britain goes metric (Thurber), *MR&S*, February, 72
going metric—Britain's first steps (Butcher), *MR&S*, August, 357
Michael, S. J.: *see* Wall, F. J., and Michael, S. J.
Mickel, B. L.: The effect of pour-point depressants on diesel fuel performance in Winter, *STP 413*
Microscopy
the microscopical examination of molded and extruded polystyrene foams (Ingram, Cobbs, and Couchot), *STP 414*
the preparation of rigid foams for microscopical examination (Gedney, Botty, and Thomas), *STP 414*
Microstructure
correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels (Grozier and Bucher), *JOM*, June, 393
the effects of quench aging, strain aging, and substructure on the tensile properties of 1020 steel (Smith and Behun), *JOM*, June, 325
the influence of metallurgical structure on the mechanisms of fatigue crack propagation (Laird), *STP 415*
microstructures at the tips of growing fatigue cracks in aluminum alloys (Grosskreutz and Shaw), *STP 415*
the search for significant structures (Eyring), *JOM*, June, 447
Mielenz, R. C.: *see* Davis, R. E., Mielenz, R. C., and Polivka, M.
Mikesell, R. P.: *see* Reed, R. P., and Mikesell, R. P.
Mikoleit, A. E.: *see* Gibbons, W. D., Mikoleit, A. E., and O'Donnell, W. J.
Miller, G. A. (discussion), *STP 415*
Mineral aggregates, an improved particle index test for the evaluation of geometric characteristics of aggregates (Huang), *JOM*, March, 81
Mitcham, D., Piccolo, B., Rowland, S. P., and O'Connor, R. T.: An X-ray diffraction approach to accessibility of cross-linked cotton cellulose, *JOM*, December, 817
Mitchell, J. K., and Younger, J. S.: Abnormalities in hydraulic flow through fine-grained soils, *STP 417*
Modulus of elasticity
measuring the elastic moduli of inorganic filaments (Davies and Watson), *MR&S*, May, 207
and strength of reinforced matrices: critical values of inclusion concentration (Brown and Mostaghel), *JOM*, March, 120
Moisture, moisture-thermal effects produce erratic motions in built-up roofing (Shuman), *STP 409*
Moisture content, the effects of moisture on built-up roofing membranes (Tator and Alexander), *STP 409*
Molten salts, behavior of superalloy oxide films in molten salts (Wheatfall, Doerning, and Danek), *STP 421*
Morpholine, colorimetric determination of morpholine in the presence of hydrazine (McClusky and Martucci), *MR&S*, February, 57
Morphology, morphologies of cellular materials (Harding), *STP 414*
Morral, F. R. (discussion), *STP 421*
Mortar, the effect of mechanical activation on properties of mortars (Soroka and Korin), *MR&S*, January, 11
Moskowitz, Arthur, Saltzman, G. A., Pinnow, K. E., and Redmerski, L. S.: Influence of residual and minor elements on the pitting and atmospheric corrosion resistance of austenitic stainless steels, *STP 418*
Mostaghel, N.: *see* Brown, C. B., and Mostaghel, N.
Mostovoy, Sheldon, Crosley, P. B., and Ripling, E. J.: Use of crack-line-loaded specimens for measuring plane-strain fracture toughness, *JOM*, September, 661
Moteff, J.:
see Kingsbury, F. D., and Moteff, J.
Lovell, A. J., Kingsbury, F. D., and Smith, J. P.: Influence of boron on the creep rupture properties of a neutron irradiated precipitation hardening iron base alloys, *STP 426*
Motion-picture photography, investigation of urethane foam formation by (Baumann, Aulabaugh, and Steingiser), *STP 414*
Mulherin, J. H.: Influence of environment on crack propagation characteristics of high-strength aluminum alloys, *STP 425*
Municipal water, what do we really know about stream quality criteria and standards? (Clarke), *STP 416*
Musil, F. J.: Eddy current and ultrasonic techniques for inspection of large parts, *JOM*, March, 65

N

Nails, wind-uplift resistance of built-up roofs (Donegan and Butterfield), *STP 409*
Nash, C. D., Jr. (discussion), *MR&S*, August, 336
Neff, W. S., Grant, W. L., and Snavely, W. H.: Electrical testing of electrical apparatus at high temperatures in vacuum, *STP 420*
Nelson, F. W.: Engineering properties of inorganic coatings, *MR&S*, July, 309
Newman, J. C., Jr.
(discussion), *STP 415*
see Figge, I. E., and Newman, J. C.
Nichols, E. S.: *see* Hamilton, P. E., Nichols, E. S., and Ryan, K. H.
Nichols, R. W.,
and Watkins, B.: Implications of embrittlement during the life of a zirconium pressure tube reactor, *STP 426*
(discussion), *STP 426*
Nicholson, R. B.: *see* Rowcliffe, A. F., Nicholson, R. B., Carpenter, G. J. C., and Merrick, H. F.
Nickel
effect of temperature on mechanical properties of boron electrodeposited nickel composites (Alexander and Stuhrke), *STP 427*
electroforming to make composite materials (Adsit), *STP 427*
marine hot corrosion mechanism studies (Hardt, Gambino, and Bergman), *STP 421*
Nickel alloys
development of hot-corrosion-resistant alloys for marine gas turbine service (Bergman, Sims, and Beltran), *STP 421*
high temperature sulfur-oxygen corrosion of nickel and cobalt (Seybolt and Beltran), *STP 421*
improved postirradiation tensile and stress-rupture properties of hastelloy X-280

(Levy and Wheeler), *STP 426*
protection of nickel-base alloy against sulfur corrosion by pack aluminizing (Llewelyn), *STP 421*
stress corrosion cracking rates of a nickel-brass alloy under applied potential (McKinney and Hermance), *STP 425*
sulfidation of hot section alloys in gas turbine engines (Donachie, Sprague, Russell, Boll, and Bradley), *STP 421*
Nickel-base alloys
effects of neutron irradiation on the elevated temperature mechanical properties of nickel-base and refractory metal alloys (Claudson), *STP 426*
their relationship to hot corrosive environments (Hamilton, Ryan, and Nichols), *STP 421*
Nickel-iron-chromium-cobalt alloys, hot corrosion of, by sulfate-chloride and sulfate-vanadate simulated fuel ashes (Fountaine and Richards), *STP 421*
Nishino, F., Ueda, Y., and Tall, L.: Experimental investigation of the buckling of plates with residual stresses, *STP 419*
Nixon, Frank: Testing for satisfactory life, *STP 423*
Nondestructive testing, eddy current and ultrasonic techniques for inspection of large parts (Musil), *JOM*, March, 65
Nonlinear deformations, the effect of nonlinear Hertzian deformations and gage length on the measurement of elastic energy release rate (Bluhm), *JOM*, March, 227
Normal distribution, the amount of sensitivity test data required to verify nonnormality in a sample population (Gayle and Hopkins), *JOM*, June, 362
Norris, J. E.: *see* Vantine, A. D. Le, Norris, J. E., and Harter, G. A.
Notch toughness, the embrittling effect of small elastic stress waves on crack toughness of a structural steel (Shoemaker), *JOM*, September, 597
Nuclear fuels, plastic stability of Zr-2 fuel cladding (Weber), *STP 426*
Nuclear gages, a calibration model for the air-gap method of compensating nuclear density gages for soil composition variations (Gardner, Roberts, Hughes, and Anday), *JOM*, March, 3
Nuclear materials, corrosion of nuclear materials (Enrico), *MR&S*, October, 464
Nuclear propulsion, cryogenic radiation effects on NERVA structural materials (Lombardo, Dixon, and Begley), *STP 426*
Nuclear reactors
an evaluation of radiation damage to reactor vessel steels using both transition temperatures and fracture mechanics approaches (Landerman, Yanichko, and Hazelton), *STP 426*
applications of fracture mechanics in evaluating initiation and propagation of brittle fracture in reactor structural components (Hoagland, Bement, and Rowe), *STP 426*
implications of embrittlement during the life of a zirconium pressure tube reactor (Nichols and Watkins), *STP 426*
properties of irradiated materials needed for the design of reactor vessels. Part I. water cooled reactors (McLaughlin), *STP 426*
review of Swedish work on irradiation effects in canning and core support materials (Grounes), *STP 426*
Nuyens, J. G. E., and Kockaerts, R. F.: Reliable technique for determining plastic limit, *MR&S*, July, 295
Nystrom, R. E.: *see* Garcia, R., Nystrom, R. E., and Hammitt, F. G.

O

Obert, Leonard: Determination of stress in rock—a state-of-the-art report, *STP 429*
O'Connor, R. T.: *see* Mitcham, D., O'Connor, R. T., Piccolo, B., and Rowland, S. P.
Odeen, Kai: General discussion, *STP 422*
O'Donnell. W. J.: *see* Gibbons, W. D., O'Donnell, W. J., and Mikoleit, A. E.
Ohr, S. M.: *see* Hinkle, N. E., Ohr, S. M., and Wechsler, M. S.
Oldrieve, R. E. (discussion), *STP 421*
Oliensis. G. L. (discussion), *STP 424*
Olson, R. E., and Campbell, L. M.: Bushing friction in triaxial shear testing, *MR&S*, February, 45
Oman, R. A.: *see* Leng, J., Oman, R. A., and Hopkins, H. B.
Optical properties, solar wind-plus-ultraviolet exposure studies on spacecraft thermal control coatings using in-situ optical property measurement techniques (Douglas, Breuch, McCargo, and Starkey), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Orthotropy, experimental determination of residual stresses in an orthotropic material (Frick, Gurtman, and Meriwether), *JOM*, December, 719
Owen, W. S. (discussion), *STP 408*
Oxidation
asphalt hardening by gaseous oxidants: the relationship between softening point and chemical change as measured by infrared spectroscopy (Campbell and Wright), *JOM*, September, 581
high temperature sulfur-oxygen corrosion of nickel and cobalt (Seybolt and Beltran), *STP 421*
Oxidation tests, apparatus and handling practices used in the testing of steam-turbine oils (Dolby), *MR&S*, January, 23
Oxides, fibering of oxides in refractory metals (Jech, Weeton, and Signorelli), *STP 427*
Oysters, measurement of water quality with the pacific oyster embryo bioassay (Woelke), *STP 416*

P

Paints, use of ultraviolet spectroscopy to detect adulteration of traffic paint vehicles (Bean and Chaiken), *MR&S*, February, 65
Parker, J. A. (discussion), *STP 414*
Particle index test, an improved particle index test for the evaluation of geometric characteristics of aggregates (Huang), *JOM*, March, 81
Particle shape, how aggregate particle shape influences concrete mixing water requirements and strength (Wills), *JOM*, December, 843
Partridge, E. P.: Water for industrial processes, *STP 416*
Partridge, J. M.: *see* Hatch, A. J., Partridge, J. M., and Broadwell, R. G.
Pavements
critical appraisal of proposal to grade paving asphalts by viscosity at 140 F (McLeod), *STP 424*
laboratory methods for grading setting qualities of paving asphalts (Santucci and Schmidt), *STP 424*
motivation for and implementation of grading asphalt cement by viscosity at 140 F (Hawthorne), *STP 424*
the philosophy of using viscosity for grading asphalt cements (Welborn), *STP 424*
texas highway department's experience with viscosity grading of paving asphalts (Chaffin), *STP 424*
Pearce, N. S., and Stanzak, W. W.: Load and fire test data on steel-supported floor assemblies, *STP 422*
Pearce, N. S. (discussion), *STP 422*
Pearlite, correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels (Grozier and Bucher), *JOM*, June, 393
Pearson, D. (discussion), *STP 408*
Pelanne, C. M.: *see* Kinzer, G. R., and Pelanne. C. M.
Pelensky, M. A.:
see Gallaccio, A., and Pelensky, M. A.
and Gallaccio, A.: Stress Corrosion of magnesium alloys—environmental factors, *STP 425*
Pelloux, R. M. N.: *see* McMillan, J. C., and Pelloux, R. M. N.
Performance
corrosion tests and service performance (LaQue), *STP 423*
performance concept in building (Legget and Hutcheon), *STP 423*
relation between testing and performance of structures for deep sea vehicles (Allnutt), *STP 423*
testing for satisfactory life (Nixon), *STP 423*
Perkins, P.: *see* Black, I. A., Perkins, P., and Glaser, P. E.
Permeability
abnormalities in hydraulic flow through fine-grained soils (Mitchell and Younger), *STP 417*
air and water permeability of compacted soils (Matyas), *STP 417*
apparatus for measuring hydraulic conductivity of undisturbed soil samples (Wit), *STP 417*
field determination of permeability by the infiltration test (Schmid), *STP 417*
hydraulic properties of disturbed and undisturbed soils (Laliberte and Corey), *STP 417*
moisture flow and equilibria in unsaturated soils for shallow foundations (Richards), *STP 417*
permeability and capillarity in petroleum reservoir engineering (Baptist), *STP 417*
pumping test methods for determining aquifer characteristics (Lang), *STP 417*
selected bibliography on permeability and capillarity testing of rock and soil materials (Johnson and Richter), *STP 417*
Peterson, J. P.: Influence of specimen design and test procedure on results of buckling tests of shell structures, *STP 419*
Peterson, R. E.: Introduction, *STP 423*
Petrasek, D. W., Signorelli, R. A., and Weeton, J. W.: Metallurgical and geometrical factors affecting elevated temperature tensile properties of discontinuous tungsten fiber reinforced composites, *STP 427*
Petrographic analysis, importance of petrographic analysis and special tests not usually required in judging quality of concrete sand (Davis, Mielenz, and Polivka), *JOM*, September, 461
Petroleum geology, permeability and capillarity in petroleum reservoir engineering (Baptist), *STP 417*
Phalen, D. I.: *see* Vaughan, D. A., and Phalen, D. I.
Philleo, R. E. (discussion), *JOM*, March, 224
Philleo's spacing factor, the protected paste volume concept using new air-void measurement and distribution techniques (Larson, Cady, and Malloy), *JOM*, March, 202
Photoelasticity
new accurate procedure for single shear testing of metals (Iosipescu), *JOM*, September, 537
photoelastic circular cylinders in axial compression (Tennyson), *STP 419*
Piccolo, B.: *see* Mitcham, D., Piccolo, B., Rowland, S. P., and O'Connor, R. T.
Piehler, H. R.: Interior elastic stress field in a continuous close-packed filamentary composite material under uniaxial tension, *STP 427*
Pigg, O. E.: Manned testing of extravehicular activity equipment in a simulated space environment, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Pincus, George: *see* Seefried, K. J., Pincus, George, and Gesund, Hans. *See also* Gesund, H., and Pincus, G.
Pinnow, K. E.: *see* Moskowitz, Arthur, Pinnow, K. E., Saltzman, G. A., and Redmerski, L. S.
Pitting, influence of residual and minor elements on the pitting and atmospheric corrosion resistance of austenitic stainless steels (Moskowitz, Saltzman, Pinnow, and Redmerski), *STP 418*
Plane strain, determination of plane strain fracture toughness (Srawley, Jones, and Brown), *MR&S*, June, 262
Plastic analysis, testing techniques to study the inelastic behavior of steel members (Adams and Galambos), *STP 419*
Plastic deformation, determination of plastic buckling load for axially compressed plates from experimental data (Yoshiki and Fujita), *STP 419*
Plastic flow, the search for significant structures (Eyring), *JOM*, June, 447
Plastic limit, reliable technique for determining plastic limit (Nuyens and Kockaerts), *MR&S*, July, 295
Plastics
cell structure and physical properties of elastomeric cellular plastics (Blair), *STP 414*
chord-length distribution indicator for cell size in plastic foams (Edinborgh), *STP 414*
final report—subcommittee 27 on low temperature testing of elastomers and plastics (Gavan), *MR&S*, August, 354
investigation of urethane foam formation by motion-picture photography (Baumann, Aulabaugh, and Steingiser), *STP 414*
the microscopical examination of molded

and extruded polystyrene foams (Ingram, Cobbs, and Couchot), *STP 414*
morphologies of cellular materials (Harding), *STP 414*
the preparation of rigid foams for microscopical examination (Gedney, Botty, and Thomas), *STP 414*
a resinographic study of a rigid, thermosetting foam (Wright), *STP 414*
Plates (structural members)
determination of plastic buckling load for axially compressed plates from experimental data (Yoshiki and Fujita), *STP 419*
experimental investigation of the buckling of plates with residual stresses (Nishino, Ueda, and Tall), *STP 419*
Plywood, analysis of cylindrical plywood roofs (Shipley and Sherrer), *JOM*, March, 47
Polarization, the search for significant structures (Eyring), *JOM*, June, 447
Polivka, M.: *see* Davis, R. E., Polivka, M., and Mielenz, R. C.
Pollini, R. J.: *see* Haryslak, L. W., and Pollini, R. J.
Pollution
municipal water from western rivers (Cecil), *STP 416*
municipal water from eastern rivers (Flentje), *STP 416*
Polymers
mechanical testing of polymeric fibrous materials (Butterworth and Abbott), *JOM*, September, 487
the search for significant structures (Eyring), *JOM*, June, 447
Polystyrene, the microscopical examination of molded and extruded polystyrene foams (Ingram, Cobbs, and Couchot), *STP 414*
Popovics, Sandor:
Factors affecting the relationship between strength and water-cement ratio, *MR&S*, December, 527
A method for evaluating how well observed data fit the line Y = X, *MR&S*, May, 195
(discussion), *JOM*, March, 200
Porcelain enamel, porcelain enamel on aluminum (Hubbell), *MR&S*, July, 291
Porter, L. F. (discussion), *STP 426*
Portland cements, apparatus for preparing portland cement paste of high water-cement ratio (Sereda and Swenson), *MR&S*, April, 152
Potassium, creep in potassium as a function of temperature and pressure (Kohler and Ruoff), *JOM*, March, 20
Pour point
the effect of pour-point depressants on diesel fuel performance in Winter (Mickel), *STP 413*
weather patterns and diesel fuel performance (Rescorla), *STP 413*
Powder metallurgy
fibering of oxides in refractory metals (Jech, Weeton, and Signorelli), *STP 427*
fundamental study of metal matrix composites (Kaarlela, Margolis, and Thornton), *STP 427*
high energy-rate forming of fibrous composites (Robinson), *STP 427*
how metal matrix composites are made (Davis), *STP 427*
Power, diesel power, economy, and API gravity (Lindeman, Lawerence, and Wagner), *STP 413*
Pratt, J. E. (discussion), *MR&S*, August, 336
Preiser, H. S. (discussion), *STP 408*
Pressure suits, manned testing of extravehicular activity equipment in a simulated space environment (Pigg), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Pressure vessels
damaging neutron exposure criteria for evaluating the embrittlement of reactor pressure vessel steels in different neutron spectra (Serpan and Steele), *STP 426*
fatigue properties of irradiated pressure vessel steels (Gibbons, Mikoleit, and O'Donnell), *STP 426*
review of Swedish work on irradiation effects in pressure vessel steels and on significance of data obtained (Grounes), *STP 426*
role of pressure vessel surveillance programs in power reactors: summary and analysis of ASME panel discussion (McLaughlin and Weissert), *STP 426*
Pritchard, H. R.: *see* Rosenthal, H., and Pritchard, H. R.
Proportional limit, room-temperature creep and fatigue properties of titanium alloys (Hatch, Partridge, and Broadwell), *JOM*, March, 111
Pruger, T. A., Blake, F., and Valley, J. A.: Effects of residual elements on cold rolling and finishing of austenitic stainless steels, *STP 418*
Pugh, E. N.,
and Westwood, A. R. C.: Critical species in stress corrosion phenomena, *STP 425*
(discussion), *STP 425*
Pumping test, pumping test methods for determining aquifer characteristics (Lang), *STP 417*

Q

Quench aging, the effects of quench aging, strain aging, and substructure on the tensile properties of 1020 steel (Smith and Behun), *JOM*, June, 325
Quality control
eddy current and ultrasonic techniques for inspection of large parts (Musil), *JOM*, March, 65
inter-industry transference of test technology (Bleich), *STP 423*
Quigg, H. T.: *see* Schirmer, R. M., and Quigg, H. T.
Quigg, R. J.:
see Graham, L. D., Quigg, R. J., and Gadd, J. D.
(discussion), *STP 421*

R

Radiant heating, application of mechanical loads to structures under radiant heating conditions (Islinger and Wolfe), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Radiation effects
applications of fracture mechanics in evaluating initiation and propagation of brittle fracture in reactor structural components (Hoagland, Bement, and Rowe), *STP 426*
creep of annealed type 304 stainless steel during irradiation and its engineering significance (Williams and Carter), *STP 426*
cryogenic radiation effects on NERVA structural materials (Lombardo, Dixon, and Begley), *STP 426*
damaging neutron exposure criteria for evaluating the embrittlement of reactor pressure vessel steels in different neutron spectra (Serpan and Steele), *STP 426*
dose rate, annealing, and stress relaxation studies of radiation hardening in iron (Hinkle, Ohr, and Wechsler), *STP 426*
an electron microscope investigation of high-temperature embrittlement of irradiated stainless steels (Rowcliffe, Carpenter, Merrick, and Nicholson), *STP 426*
of heat-treatment and irradiation on the high temperature tensile properties of austenitic stainless steels (Harries and Roberts), *STP 426*
effects of minor constituents on irradiation damage to austenitic stainless steels (Bement), *STP 418*
engineering significance of ferrite grain size on the radiation sensitivity of pressure vessel steels (Gordon and Klepfer), *STP 426*
an evaluation of radiation damage to reactor vessel steels using both transition temperatures and fracture mechanics approaches (Landerman, Yanichko, and Hazelton), *STP 426*
fatigue properties of irradiated pressure vessel steels (Gibbons, Mikoleit, and O'Donnell), *STP 426*
gas release and compression properties in beryllium irradiated at 600 and 750 C (Beeston), *STP 426*
implications of embrittlement during the life of a zirconium pressure tube reactor (Nichols and Watkins), *STP 426*
improved postirradiation tensile and stress-rupture properties of hastelloy X-280 (Levy and Wheeler), *STP 426*
influence of boron on the creep rupture properties of a neutron irradiated precipitation hardening iron base alloy (Moteff, Lovell, Kingsbury, and Smith), *STP 426*
irradiation effects on the mechanical properties of vanadium-base alloys (Bohm, Dienst, Hauck, and Laue), *STP 426*
irradiation damage in mild steel: a comparison of crack arrest test and charpy criteria and influence of neutron spectrum (Cowan, Fearnehough, Gillies, and Lees), *STP 426*
metallurgical variables as possible factors controlling irradiation response of structural steels (Hawthorne and Steele), *STP 426*
nature of radiation damage to engineering properties of various stainless steel alloys (Irvin and Bement), *STP 426*
neutron irradiation embrittlement of several higher strength steels (Steele, Hawthorne, and Gray), *STP 426*
of neutron irradiation on creep-rupture properties of W-25Re alloy (Kingsbury and Moteff), *STP 426*
of neutron irradiation on mechanical properties of AISI type 347 stainless steel (Kangilaski and Shober), *STP 426*
of neutron irradiation on the elevated temperature mechanical properties of nickel-base and refractory metal alloys (Claudson), *STP 426*
of nitrogen on the mechanical properties of neutron-irradiated pure iron (Castagna, Ferro, Rossi, and Sebille), *STP 426*
plastic stability of Zr-2 fuel cladding (Weber), *STP 426*
properties of irradiated materials needed for the design of reactor vessels. Part I, water cooled reactors (McLaughlin), *STP 426*
review of Swedish work on irradiation effects in canning and core support materials (Grounes), *STP 426*
review of Swedish work on irradiation effects in pressure vessel steels and on significance of data obtained (Grounes), *STP 426*
role of pressure vessel surveillance programs in power reactors: summary and analysis of ASME panel discussion (McLaughlin and Weissert), *STP 426*
service behavior of concrete for radiation shielding (Lott and Kesler), *MR&S*, September, 375
solutions to the problems of high-temperature irradiation embrittlement (Martin and Weir), *STP 426*
Radiation shielding, aggregates for radiation shielding concrete (Davis), *MR&S*, November, 494
Rain erosion, material destruction due to liquid impact (Hoff, Langbein, and Rieger), *STP 408*
Rarig, F. J., and Bartosic, A. J.: Evaluation of the XP2 smoke density chamber, *STP 422*
Rather, J. B., Jr.:
ASTM—its importance to free enterprise, *MR&S*, September, 404
ASTM and the USA standards institute, *MR&S*, April, 163
Reaction kinetics, the search for significant structures (Eyring), *JOM*, June, 447
Redmerski, L. S.: *see* Moskowitz, Arthur, Redmerski, L. S., Saltzman, G. A., and Pinnow, K. E.
Reed, R. P., and Mikesell, R. P. Low-temperature (295 to 4 K) mechanical properties of selected copper alloys, *JOM*, June, 370
Reemsnyder, Harold S.: Correlation of fatigue limit with true stress—true strain behavior, *MR&S*, September, 390
Refractory metals
creep properties for refractory metal alloys in ultrahigh vacuum (Sawyer and Steigerwald), *JOM*, June, 341
fibering of oxides in refractory metals (Jech, Weeton, and Signorelli), *STP 427*
Regester, R. F., Gorsuch, P. D., and Girifalco, L.: Structure and properties of aluminum oxide whiskers, *MR&S*, May, 203
Reinforced concrete, load and fire test data on steel-supported floor assemblies (Pearce and Stanzak), *STP 422*
Reinforced matrices, modulus and strength of reinforced matrices: critical values of inclusion concentration (Brown and Mostaghel), *JOM*, March, 120
Reliability, testing for satisfactory life (Nix-

on), *STP 423*
Remson, Irwin (discussion), *STP 417*
Rescorla, A. R.: Weather patterns and diesel fuel performance, *STP 413*
Residual elements
effects of minor constituents on irradiation damage to austenitic stainless steels (Bement), *STP 418*
effects of residual elements on cold rolling and finishing of austenitic stainless steels (Pruger, Blake, and Valley), *STP 418*
effects of residual elements on the general corrosion resistance of austenitic stainless steels (Scharfstein), *STP 418*
influence of residual and minor elements on the pitting and atmospheric corrosion resistance of austenitic stainless steels (Moskowitz, Saltzman, Pinnow, and Redmerski), *STP 418*
residual elements in austenitic stainless steels—the melt shop viewpoint (Goller), *STP 418*
residual elements and their effect on applications of austenitic stainless steels in the power industry (Rohrig), *STP 418*
residual elements in stainless steel—general characteristics (Heger), *STP 418*
weldability of austenitic stainless steels as affected by residual elements (Linnert), *STP 418*
Residual stresses
experimental determination of residual stresses in an orthotropic material (Frick, Gurtman, and Meriwether), *JOM*, December, 719
experimental investigation of the buckling of plates with residual stresses (Nishino, Ueda, and Tall), *STP 419*
Resinography
cell structure and physical properties of elastomeric cellular plastics (Blair), *STP 414*
chord-length distribution indicator for cell size in plastic foams (Edinborgh), *STP 414*
investigation of urethane foam formation by motion-picture photography (Baumann, Aulabaugh, and Steingiser), *STP 414*
the microscopical examination of molded and extruded polystyrene foams (Ingram, Cobbs, and Couchot), *STP 414*
morphologies of cellular materials (Harding), *STP 414*
the preparation of rigid foams for microscopical examination (Gedney, Botty, and Thomas), *STP 414*
a resinographic study of a rigid, thermosetting foam (Wright), *STP 414*
Resins, correlation and analysis of ultrasonic test results in evaluating reinforced resin laminates (Schultz), *MR&S*, August, 341
Rhenium alloys, effects of neutron irradiation on creep-rupture properties of W-25Re alloy (Kingsbury and Moteff), *STP 426*
Rheology, viscosity effects on stress-strain and volume change characteristics of asphaltic mixtures (Gandhi and Gallaway), *JOM*, March, 27
Rice, J. R.: Mechanics of crack tip deformation and extension by fatigue, *STP 415*
Rice, W. L. R.: Introduction, *STP 426*
Richards, B. G.: Moisture flow and equilibria in unsaturated soils for shallow foundations, *STP 417*
Richards, D. E.: Taped joints for roof insulation, *STP 409*
Richards, E. G.: *see* Fontaine, P. I., and Richards, E. G.
Richman, M. H.: *see* Stanislao, J., Richman, M. H., and James, C. F., Jr.
Richter, R. C.: *see* Johnson, A. I., and Richter. R. C.
Rieger, H.: *see* Hoff, G., Rieger, H., and Langbein, G.
Ring-tension test, comparison of ring-tensile strength of concrete with compressive, flexural, and splitting-tensile strength (Malhotra and Zoldners), *JOM*, March, 160
Ripken, J. F.: A test rig for studying impingement and cavitation damage, *STP 408*
Ripling, E. J.: *see* Mostovoy, S., Ripling, E. J., and Crosley, P. B.
Rivers
municipal water from eastern rivers (Flentje), *STP 416*
municipal water from western rivers (Cecil), *STP 416*
Riveted joints, fatigue crack propagation in structures with simulated rivet forces (Figge and Newman), *STP 415*
Roach, D. B.: *see* VanEcho, J. A., Roach, D. B., Hoag, J. G., and Hall, A. M.
Robbins, J. L., Wagenaar, H., Shepard, O. C., and Sherby, O. D.: Torsion testing as a means of assessing ductility at high temperatures, *JOM*, June, 271
Roberts, A. C. (discussion), *STP 426*
Roberts, A. C.: *see* Harries, D. R., and Roberts, A. C.
Roberts, K. F.: *see* Gardner, R. P., Roberts, K. F., Hughes, C. S., and Anday, M. C.
Robertson, A. F.: *see* Gross, D., Robertson, A. F., and Loftus, J. J.
Robinson, R. K.: High energy-rate forming of fibrous composites, *STP 427*
Rock, adhesion of lunar soil simulated by rock comminuted in vacuum (Blum, Roehrig, and Hordon), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Rock mechanics, determination of stress in rock—a state-of-the-art report (Obert), *STP 429*
Rocket engines, capabilities of engine testing at WSTF (Shockey), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Rockets
limitations of fatigue-crack research in the design of flight vehicle structures (Christensen and Harmon), *STP 415*
theory and experimental results of a detonation tube technique for simulating rocket plumes in a space environment (Leng, Oman, and Hopkins), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Roehrig, J. R.: *see* Blum, P., Roehrig, J. R., and Hordon, M. J.
Rogers, T. H. (discussion), *STP 414*
Rohrig, I. A.: Residual elements and their effect on applications of austenitic stainless steels in the power industry, *STP 418*
Rolfe, S. J.: *see* Boblenz, T. L., Rolfe, S. J., Fisher, J. M., and Gross, J. H.
Rolling, R. E., Marshall, K. N., and Kirkpatrick, J. P.: Thermal testing techniques at high solar intensities, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Romans, H. B., and Craig, H. L., Jr.: Environmental factors affecting the stress corrosion cracking behavior of an aluminum-zinc-magnesium alloy, *STP 425*
Romans, H. B.:
Stress corrosion test environments and test durations, *STP 425*
see Craig, H. L., Jr., and Romans, H. B.
Roofing
effects of temperature and humidity on linear dimensions of roofing felt laminates (Long), *STP 409*
the effects of moisture on built-up roofing membranes (Tator and Alexander), *STP 409*
moisture-thermal effects produce erratic motions in built-up roofing (Shuman), *STP 409*
progress in the development of a thermal-shock-resistance factor for bituminous built-up roofing membranes (Cullen and Boone), *STP 409*
roof flashings and their problems (Gumpertz), *STP 409*
rupture of built-up roofing components (Martin), *STP 409*
taped joints for roof insulation (Richards), *STP 409*
tear tests for fluid-applied roofing membranes at joint in roof deck (Koike), *STP 409*
wind-resistance tests of roof shingles and roof assemblies (Benjamin and Bono), *STP 409*
wind-uplift resistance of built-up roofs (Donegan and Butterfield), *STP 409*
load-strain properties and splitting of roof membranes (Jones), *STP 409*
analysis of cylindrical plywood roofs (Shipley and Sherrer), *JOM*, March, 47
fire resistance of protected steel beam floor and roof assemblies as affected by structural restraint (Bletzacker), *STP 422*
restraint in fire tests of concrete floors and roofs (Selvaggio and Carlson), *STP 422*
Rosenthal, H., and Pritchard, H. R.: A quantitative stress corrosion test for Al-Zn-Mg alloy plate, *STP 425*
Rossi, F. S.: *see* Castagna, M., Rossi, F. S., Ferro, A., and Sebille, J.
Rossin, A. D. (discussion), *STP 426*
Roth, A., and Inbar, A.: A new method of expressing and measuring the sealing ability of gasket materials, *JOM*, September, 567
Rowcliffe, A. F., Carpenter, G. J. C., Merrick, H. F., and Nicholson, R. B.: An electron microscope investigation of high-temperature embrittlement of irradiated stainless steels, *STP 426*
Rowland, S. P.: *see* Mitcham, D., Rowland, S. P., Piccolo, B., and O'Connor, R. T.
Rowe, R. G.: *see* Hoagland, R. G., Rowe, R. G., and Bement, A. L.
Ruoff, A. L.: *see* Kohler, C. R., and Ruoff, A. L.
Rusch, K. C. (discussion), *STP 414*
Russell, R. N.: *see* Donachie, M. J., Jr., Russell, R. N., Sprague, R. A., Boll, K. G., and Bradley, E. F.
Ryan, K. H.: *see* Hamilton, P. E., Ryan, K. H., and Nichols, E. S.

S

Sabel, A. H.: *see* Watts, C. R., and Sabel, A. H.
Saltzman, G. A.: *see* Moskowitz, Arthur, Saltzman, G. A., Pinnow, K. E., and Redmerski, L. S.
Sampling
of bulk materials (Bicking), *MR&S*, March, 95
the amount of sensitivity test data required to verify nonnormality in a sample population (Gayle and Hopkins), *JOM*, June, 362
Sand
importance of petrographic analysis and special tests not usually required in judging quality of concrete sand (Davis, Mielenz, and Polivka), *JOM*, September, 461
simulated martian sand and dust storms and effects on spacecraft coatings (Dyhouse), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Santucci, L. E., and Schmidt, R. J.: Laboratory methods for grading setting qualities of paving asphalts, *STP 424*
Satellites (artificial) analysis of the temperature variations of satellite with inner power dissipation (Hayashi and Izumi), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Saunders, J. H. (discussion), *STP 414*
Sawyer, J. C., and Steigerwald, E. A.: Creep properties of refractory metal alloys in ultrahigh vacuum, *JOM*, June, 341
Scale (ratio), scale-effect investigation of cavitation erosion using the energy parameter (Shalnev, Varga, and Sebestyen), *STP 408*
Scharfstein, L. R.: Effects of residual elements on the general corrosion resistance of austenitic stainless steels, *STP 418*
Schijve, J.:
Significance of fatigue cracks in micro-range and macro-range, *STP 415*
Summary, *STP 415*
(discussions), *STP 415*
Schirmer, R. M.,
and Quigg, H. T.: Effect of JP-5 sulfur content on hot corrosion of superalloys in marine environment, *STP 421*
(discussion), *STP 421*
Schmid, W. E.: Field determination of permeability by the infiltration test, *STP 417*
Schmidt, R. J.: *see* Santucci, L. E., and Schmidt, R. J.
Schmitz, G. K., and Metcalfe, A. G.: Testing of fibers, *MR&S*, April, 146
Schneider, A. M.: *see* Stockett, A. L., Schneider, A. M., and Mardulier, F. J.
Schneider, B. R.: *see* Carlson, R. L., Schneider, B. R., and Berke, L.
Schultz, A. W.: Correlation and analysis of ultrasonic test results in evaluating reinforced resin laminates, *MR&S*, August, 341
Sealing, a new method of expressing and measuring the sealing ability of gasket materials (Roth and Inbar), *JOM*, September. 567
Sebestyen, G.: *see* Shalnev, K. K., Sebestyen, G., and Varga, J. J.
Sebille, J.: *see* Castagna, M., Sebille, J., Ferro, A., and Rossi, F. S.
Seefried, K. J., Gesund, Hans, and Pincus, George: An experimental investigation of the strain distribution in the split cylinder test, *JOM*, December, 703
Selvaggio, S. L., and Carlson, C. C.: Restraint in fire tests of concrete floors and

roofs, *STP 422*
Sensitivity test data, the amount of sensitivity test data required to verify nonnormality in a sample population (Gayle and Hopkins), *JOM*, June, 362
Sereda, P. J., and Swenson, E. G.: Apparatus for preparing portland cement paste of high water-cement ratio, *MR&S*, April, 152
Serpan, C. Z., Jr. (discussion), *STP 426*
Serpan, C. Z., Jr., and Steele, L. E.: Damaging neutron exposure criteria for evaluating the embrittlement of reactor pressure vessel steels in different neutron spectra, *STP 426*
Service performance and corrosion tests (LaQue), *STP 423*
Service station survey of roadside diesel fuel filterability (Bertolette and Marvel), *STP 413*
Setting time, laboratory methods for grading setting qualities of paving asphalts (Santucci and Schmidt), *STP 424*
Sewage, water use for aquatic life (Wurtz), *STP 416*
Seybolt, Alan (discussion), *STP 421*
Seybolt, A. U., and Beltran, A. N.: High temperature sulfur-oxygen corrosion of nickel and cobalt, *STP 421*
Shalnev, K. K., Varga, J. J., and Sebestyen, G.: Scale-effect investigation of cavitation erosion using the energy parameter, *STP 408*
Shaw, G. G.: *see* Grosskreutz, J. C., and Shaw, G. G.
Shear stress, a specimen for reversed shear deformations (Ju, Baker, and Yao), *MR&S*, December, 517
Shear testing
  load-strain properties and splitting of roof membranes (Jones), *STP 409*
  new accurate procedure for single shear testing of metals (Iosipescu), *JOM*, September, 537
Sheet (metal), crack propagation in clad 7079-T6 aluminum alloy sheet under constant and random amplitude fatigue loading (Swanson, Cicci, and Hoppe), *STP 415*
Shells (structural forms)
  electroforming thin shells for experimental studies (Carlson, Schneider, and Berke), *MR&S*, May, 183
  influence of specimen design and test procedure on results of buckling tests of shell structures (Peterson), *STP 419*
  photoelastic circular cylinders in axial compression (Tennyson), *STP 419*
  effect of end conditions on buckling of cylindrical shells under axial compression impact (Coppa), *STP 419*
  influence of test machine rigidity on the buckling load of shells (Horton and Bailey), *STP 419*
Shepard, O. C.: *see* Robbins, J. L., Shepard, O. C., Wagenaar, H., and Sherby, O. D.
Sherby, O. D.: *see* Robbins, J. L., Sherby, O. D., Wagenaar, H., and Shepard, O. C.
Shern, J. H.: Smoke contribution factor in fire hazard classification of building materials, *STP 422*
Sherrer, R. E.: *see* Shipley, S. A., and Sherrer, R. E.
Shingles, wind-resistance tests of roof shingles and roof assemblies (Benjamin and Bono), *STP 409*
Shipley, S. A., and Sherrer, R. E.: Analysis of cylindrical plywood roofs, *JOM*, March, 47
Shober, F. R.: *see* Kangilaski, M., and Shober, F. R.
Shockey, J. S.: Capabilities of engine testing at WSTF, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Shock waves, theory and experimental results of a detonation tube technique for simulating rocket plumes in a space environment (Leng, Oman, and Hopkins), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Shoemaker, A. K.: The embrittling effect of small elastic stress waves on crack toughness of a structural steel, *JOM*, September, 597
Shrinkage, an analysis of drying shrinkage data for portland-cement mortar and concrete (Stockett, Schneider, and Mardulier), *JOM*, December, 829
Shumaker, M. B., Kelsey, R. A., Sprowls, D. O., and Williamson, J. G.: Evaluation of various techniques for stress corrosion testing welded aluminum alloys, *STP 425*
Shumaker, M. B. (discussion), *STP 425*
Shuman, E. C.:
  Moisture-thermal effects produce erratic motions in built-up roofing, *STP 409*
  (discussion), *STP 409*
Signorelli, R. A.:
  see Jech, R. W., Signorelli, R. A., and Weeton, J. W.
  see McDanels, D. L., Signorelli, R. A., and Weeton, J. W.
  see Petrasek, D. W., Signorelli, R. A., and Weeton, J. W.
Silversides, R. G.: Measurement and control of smoke in building fires, *STP 422*
Sims, C. T.: *see* Bergman, P. A., Sims, C. T., and Beltran, A. N.
Simulation
  adhesion of lunar soil simulated by rock comminuted in vacuum (Blum, Roehrig, and Hordon), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  application of mechanical loads to structures under radiant heating conditions (Islinger and Wolfe), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  the boeing 20-foot solar simulator—progress report (Lunde, Yerkes, and Haslund), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  effect of high vacuum on the fatigue properties of magnesium and two magnesium alloys (Sumsion), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  a gimbal system for solar simulation testing (Hertzler and Burke), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  manned chamber testing of the lunar module environmental control subsystem (Frankel), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  manned testing of extravehicular activity equipment in a simulated space environment (Pigg), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  measurement of contamination in vacuum chambers (Bergquist), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  simulated martian sand and dust storms and effects on spacecraft coatings (Dyhouse), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  simulation and scaling of low-gravity slosh frequencies and damping (Clark and Stephens), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  solar wind-plus-ultraviolet exposure studies on spacecraft thermal control coatings using in-situ optical property measurement techniques (Douglas, Breuch, McCargo, and Starkey), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  space environment simulator with conceptually new solar simulator (Vantine, Harter, and Norris), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  space magnetic environment simulation for spacecraft testing (Iufer and Droll), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  theory and experimental results of a detonation tube technique for simulating rocket plumes in a space environment (Leng, Oman, and Hopkins), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  thermal testing techniques at high solar intensities (Rolling, Marshall, and Kirkpatrick), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Slipmeter, a new horizontal pull slipmeter for evaluating walkway slipperiness (Irvine), *MR&S*, December, 535
Sloshing, simulation and scaling of low-gravity slosh frequencies and damping (Clark and Stephens), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Smith, A., Kent, R. P., and Armstrong, R. L.: Erosion of steam turbine blade shield materials, *STP 408*
Smith, A. (discussion), *STP 408*
Smith, A. M.: *see* Wood, B. E., Smith, A. M., McCullough, B. A., and Birkebak, R. C.
Smith, C. R. (discussion), *STP 415*
Smith, F. A. (discussion), *STP 415*
Smith, G. V., and Behun, M. F.: The effects of quench aging, strain aging, and substructure on the tensile properties of 1020 steel, *JOM*, June, 325
Smith, J. P.: *see* Moteff, J., Smith, J. P., Lovell, A. J., and Kingsbury, F. D.
Smith, R. E.: *see* Eckel, J. F., and Smith, R. E.
Smoke
  cleaner injectors and less smoke with hydrogen-treated diesel fuel (Irish and Wiseman), *STP 413*
  evaluation of the XP2 smoke density chamber (Rarig and Bartosic), *STP 422*
  fire and smoke invasion of apartments (Fackler), *STP 422*
  general discussion (Odeen), *STP 422*
  measurement and control of smoke in building fires (Silversides), *STP 422*
  method for measuring smoke from burning materials (Gross, Loftus, and Robertson), *STP 422*
  smoke contribution factor in fire hazard classification of building materials (Shern), *STP 422*
Snavely, W. H.: *see* Neff, W. S., Snavely, W. H., and Grant, W. L.
Snow, A. L.: *see* Gibbons, W. G., and Snow, A. L.
Sodium, accelerated cavitation damage of steels and superalloys in sodium and mercury (Young and Johnston), *STP 408*
Sodium tripolyphosphate, an automatic temperature-rise machine for measuring the form-1 content in sodium tripolyphosphate (May, Hudson, Albert, and Cropper), *MR&S*, February, 53
Softening point, asphalt hardening by gaseous oxidants: the relationship between softening point and chemical change as measured by infrared spectroscopy (Campbell and Wright), *JOM*, September, 581
Soil-aggregate mixtures, factors influencing the field stability of soil-aggregate mixtures (Thompson), *MR&S*, January, 6
Soil (material)
  abnormalities in hydraulic flow through fine-grained soils (Mitchell and Younger), *STP 417*
  air and water permeability of compacted soils (Matyas), *STP 417*
  apparatus for measuring hydraulic conductivity of undisturbed soil samples (Wit), *STP 417*
  a calibration model for the air-gap method of compensating nuclear density gages for soil composition variations (Gardner, Roberts, Hughes, and Anday), *JOM*, March, 3
  factors influencing the field stability of soil-aggregate mixtures (Thompson), *MR&S*, January, 6
  field determination of permeability by the infiltration test (Schmid), *STP 417*
  hydraulic properties of disturbed and undisturbed soils (Laliberte and Corey), *STP 417*
  measurement and control of radial deformation in the triaxial test of soils (Khera and Krizek), *MR&S*, September, 392
  moisture flow and equilibria in unsaturated soils for shallow foundations (Richards), *STP 417*
  a new device for measuring volume changes and pressures in triaxial tests on soils (Chan and Duncan), *MR&S*, July, 312
  permeability and capillarity in petroleum reservoir engineering (Baptist), *STP 417*
  pumping test methods for determining aquifer characteristics (Lang), *STP 417*
  reliable technique for determining plastic limit (Nuyens and Kockaerts), *MR&S*, July, 295
  selected bibliography on permeability and capillarity testing of rock and soil materials (Johnson and Richter), *STP 417*
  time-dependent consolidation of a sensitive clay (Jarrett), *MR&S*, July, 300
Soil water, moisture flow and equilibria in unsaturated soils for shallow foundations (Richards), *STP 417*
Solar radiation
  the boeing 20-foot solar simulator—progress report (Lunde, Yerkes, and Haslund), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  a gimbal system for solar simulation testing (Hertzler and Burke), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  space environment simulator with conceptually new solar simulator (Vantine, Harter, and Norris), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
  thermal testing techniques at high solar

intensities (Rolling, Marshall, and Kirkpatrick), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Solar wind, solar wind-plus-ultraviolet exposure studies on spacecraft thermal control coatings using in-situ optical property measurement techniques (Douglas, Breuch, McCargo, and Starkey), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Solid state, science and materials development (Baker), *JOM*, December, 915
Soltis, P. J.: A new method and techniques for tension testing whiskers, *JOM*, June, 300
Sonic boom, effect of sonic boom on structural behavior (Wiggins), *MR&S*, June, 235
Soroka, I., and Korin, U.: The effect of mechanical activation on properties of mortars, *MR&S*, January, 11
Sorption of helium by 4.2°K cryodeposits (Haygood and Dawbarn), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Spacecraft
simulated martian sand and dust storms and effects on spacecraft coatings (Dyhouse), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
solar wind-plus-ultraviolet exposure studies on spacecraft thermal control coatings using in-situ optical property measurement techniques (Douglas, Breuch, McCargo, and Starkey), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
space magnetic environment simulation for spacecraft testing (Iufer and Droll), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Space environment
adhesion of lunar soil simulated by rock comminuted in vacuum (Blum, Roehrig, and Hordon), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
analysis of the temperature variations of satellite with inner power dissipation (Hayashi and Izumi), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
application of mechanical loads to structures under radiant heating conditions (Islinger and Wolfe), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
the boeing 20-foot solar simulator—progress report (Lunde, Yerkes, and Haslund), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
capabilities of engine testing at WSTF (Shockey), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
a cold welding investigation of the ATS damper boom (Kaplan and Jones), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
effect of high vacuum on the fatigue properties of magnesium and two magnesium alloys (Sumsion), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
electrical testing of electrical apparatus at high temperatures in vacuum (Neff, Grant, and Snavely), *STP 420*
a gimbal system for solar simulation testing (Hertzler and Burke), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
in situ dielectric property measurements in simulated space environments (Escoffery), *STP 420*
manned chamber testing of the lunar module environmental control subsystem (Frankel), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
manned testing of extravehicular activity equipment in a simulated space environment (Pigg), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
measurement of contamination in vacuum chambers (Bergquist), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
measurement of corona discharge behavior at low pressure and vacuum (Dakin and Works), *STP 420*
measurement of dielectric properties of materials under vacuum, reactor radiation, and cryogenic conditions (McMillan, Gause, Kerlin, and Warwick), *STP 420*
new aspects of thermophysics in advanced planetary exploration (Gilligan), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
parameters affecting dielectric materials for space applications (Long), *STP 420*
results of an ionization gauge calibrated in three systems (Camarillo), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
simulated martian sand and dust storms and effects on spacecraft coatings (Dyhouse), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
simulation and scaling of low-gravity slosh frequencies and damping (Clark and Stephens), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
solar wind-plus-ultraviolet exposure studies on spacecraft thermal control coatings using in-situ optical property measurement techniques (Douglas, Breuch, McCargo, and Starkey), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
sorption of helium by 4.2°K cryodeposits (Haygood and Dawbarn), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
space environment simulator with conceptually new solar simulator (Vantine, Harter, and Norris), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
space magnetic environment simulation for spacecraft testing (Iufer and Droll), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
the spectral reflectance of water and carbon dioxide cryodeposits from 0.36 to 1.15 microns (Wood, Smith, McCullough, and Birkebak), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
theory and experimental results of a detonation tube technique for simulating rocket plumes in a space environment (Leng, Oman, and Hopkins), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
thermal testing techniques at high solar intensities (Rolling, Marshall, and Kirkpatrick), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Space exploration, new aspects of thermophysics in advanced planetary exploration (Gilligan), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Specific gravity
diesel power, economy, and API gravity (Lindeman, Lawerence, and Wagner), *STP 413*
relationship between specific gravity and other fuel properties and diesel engine performance (Troth), *STP 413*
Specific heat, the search for significant structures (Eyring), *JOM*, June, 447
Spectral reflectance, the spectral reflectance of water and carbon dioxide cryodeposits from 0.36 and 1.15 microns (Wood, Smith, McCullough, and Birkebak), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Spencer, H. B. (discussion), *STP 426*
Spetla, Zdenek: *see* Kadlecek, Vladislav, and Spetla, Zdenek
Split cylinder test, an experimental investigation of the strain distribution in the split cylinder test (Seefried, Gesund, and Pincus), *JOM*, December, 703
Sponseller, D. L. (discussion), *STP 421*
Sprague, R. A.: *see* Donachie, M. J., Jr., Sprague, R. A., Russell, R. N., Boll, K. G., and Bradley, E. F.
Sprowls, D. O.:
see Lifka, B. W., and Sprowls, D. O.
Reporting and evaluating stress corrosion data, *STP 425*
see Shumaker, M. B., Sprowls, D. O., Kelsey, R. A., and Williamson, J. G. (discussion), *STP 425*
Srawley, J. E.:
see Brown, W. F., Jr., and Srawley, J. E.
and Gross, B.: Stress intensity factors for crackline-loaded edgecrack specimens, *MR&S*, April, 155
Jones, M. H., and Brown, W. F., Jr.: Determination of plane strain fracture toughness, *MR&S*, June, 262
Staehle, R. W.:
Circulating autoclave system for stress corrosion cracking studies, *STP 425* (discussion), *STP 425*
Stainless steels
creep of annealed type 304 stainless steel during irradiation and its engineering significance (Williams and Carter), *STP 426*
effect of neutron irradiation on mechanical properties of AISI type 347 stainless steel (Kangilaski and Shober), *STP 426*
effects of heat-treatment and irradiation on the high temperature tensile properties of austenitic stainless steels (Harries and Roberts), *STP 426*
effects of minor constituents on irradiation damage to austenitic stainless steels (Bement), *STP 418*
effects of residual elements on cold rolling and finishing of austenitic stainless steels (Pruger, Blake, and Valley), *STP 418*
effects of residual elements on the general corrosion resistance of austenitic stainless steels (Scharfstein), *STP 418*
an electron microscope investigation of high-temperature embrittlement of irradiated stainless steels (Rowcliffe, Carpenter, Merrick, and Nicholson), *STP 426*
influence of residual and minor elements on the pitting and atmospheric corrosion resistance of austenitic stainless steels (Moskowitz, Saltzman, Pinnow, and Redmerski), *STP 418*
nature of radiation damage to engineering properties of various stainless steel alloys (Irvin and Bement), *STP 426*
residual elements in austenitic stainless steels—the melt shop viewpoint (Goller), *STP 418*
residual elements and their effect on applications of austenitic stainless steels in the power industry (Rohrig), *STP 418*
residual elements in stainless steel—general characteristics (Heger), *STP 418*
resistance of ferritic stainless steels to stress corrosion cracking (Bond, Marshall, and Dundas), *STP 425*
solutions to the problems of high-temperature irradiation embrittlement (Martin and Weir), *STP 426*
stress-corrosion cracking of cold-reduced austenitic stainless steels (Logan and McBee), *MR&S*, April, 137
weldability of austenitic stainless steels as affected by residual elements (Linnert), *STP 418*
Standards
ASTM and the USA standards institute (Rather), *MR&S*, April, 163
what do we really know about stream quality criteria and standards? (Clarke), *STP 416*
Stanislao, J., Richman, M. H., and James, C. F., Jr.: The effect of the titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons, *JOM*, September, 625
Stanzak, W. W.: *see* Pearce, N. S., and Stanzak, W. W.
Starkey, R. E.: *see* Douglas, N. J., Starkey, R. E., Breuch, R. A., and McCargo, M.
State government, the impact of science and technology (Volpe), *MR&S*, October, 461
Statistical analysis
the amount of sensitivity test data required to verify nonnormality in a sample population (Gayle and Hopkins), *JOM*, June, 362
the sampling of bulk materials (Bicking), *MR&S*, March, 95
Statistics, a method for evaluating how well observed data fit the line Y = X (Popovics), *MR&S*, May, 195
Steam-turbine oils, apparatus and handling practices used in the testing of steam-turbine oils (Dolby), *MR&S*, January, 23
Steam turbines, erosion of steam turbine blade shield materials (Smith, Kent, and Armstrong), *STP 408*
Steckel, T. J.: Deterioration of nonmetallic materials—origins and progress, *MR&S*, September, 400
Steel construction
deflection and failure of steel-supported floors and beams in fire (Harmathy), *STP 422*
fire resistance of protected steel beam floor and roof assemblies as affected by structural restraint (Bletzacker), *STP 422*
load and fire test data on steel-supported floor assemblies (Pearce and Stanzak), *STP 422*
Steele, L. E.,
Hawthorne, J. R., and Gray, R. A., Jr.: Neutron irradiation embrittlement of

several higher strength steels, *STP 426*
see Hawthorne, J. R., and Steele, L. E.
see Serpan, C. Z., Jr., and Steele, L. E. (discussion), *STP 426*
Steels
Correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels (Grozier and Bucher), *JOM*, June, 393
crack propagation and residual static strength of fatigue-cracked titanium and steel cylinders (Crichlow and Wells), *STP 415*
embrittling effect of small elastic stress waves on crack toughness of a structural steel (Shoemaker), *JOM*, September, 597
engineering significance of ferrite grain size on the radiation sensitivity of pressure vessel steels (Gordon and Klepfer), *STP 426*
fatigue-crack propagation in some ultra-high-strength steels (Wei, Talda, and Li), *STP 415*
irradiation damage in mild steel: a comparison of crack arrest test and charpy criteria and influence of neutron spectrum (Cowan, Fearnehough, Gillies, and Lees), *STP 426*
metallurgical variables as possible factors controlling irradiation response of structural steels (Hawthorne and Steele), *STP 426*
neutron irradiation embrittlement of several higher strength steels (Steele, Hawthorne, and Gray), *STP 426*
resistance of ferritic stainless steels to stress corrosion cracking (Bond, Marshall, and Dundas), *STP 425*
reversed-axial-load testing of high-strength steels (Boblenz, Fisher, Rolfe, and Gross), *STP 419*
stress corrosion of high-strength steel alloys—environmental factors (Gallaccio and Pelensky), *STP 425*
inclusions, effect of, on the brittle fracture of hot-rolled steel (Bucher), *JOM*, June, 432
quench aging, strain aging, and substructure, effects of, on the tensile properties of 1020 steel (Smith and Behun), *JOM*, June, 325
testing of pinned-end steel columns (Estuar and Tall), *STP 419*
titanium carbide content, effect of, on cemented WC-TiC cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), *JOM*, September, 625
Steigerwald, E. A.: *see* Sawyer, J. C., and Steigerwald, E. A.
Steingiser, Samuel: *see* Baumann, G. F., Steingiser, Samuel, and Aulabaugh, S. J.
Stephens, D. G.: *see* Clark, L. V., and Stephens, D. G.
Stern, E. G. (discussion), *JOM*, March, 63
Stockett, A. I., Schneider, A. M., and Mardulier, F. J.: An analysis of drying shrinkage data for portland-cement mortar and concrete, *JOM*, December, 829
Storm damage
wind-resistance tests of roof shingles and roof assemblies (Benjamin and Bono), *STP 409*
wind-uplift resistance of built-up roofs (Donegan and Butterfield), *STP 409*
Strain aging, the effects of quench aging, strain aging, and substructure on the tensile properties of 1020 steel (Smith and Behun), *JOM*, June, 325
Strain distribution, an experimental investigation of the strain distribution in the split cylinder test (Seefried, Gesund, and Pincus), *JOM*, December, 703
Strain measurement, determination of stress in rock—a state-of-the-art report (Obert), *STP 429*
Strength, factors affecting the relationship between strength and water–cement ratio (Popvics), *MR&S*, December, 527
Strength, modulus and strength of reinforced matrices: critical values of inclusion concentration (Brown and Mostaghel), *JOM*, March, 120
Stress analysis
of cylindrical plywood roofs (Shipley and Sherrer), *JOM*, March, 47
determination of stress in rock—a state-of-the-art report (Obert), *STP 429*
interior elastic stress field in a continuous, close-packed filamentary composite material under uniaxial tension (Piehler), *STP 427*
new accurate procedure for single shear testing of metals (Iosipescu), *JOM*, September, 537
stress intensity factors for crackline-loaded edge-crack specimens (Srawley and Gross), *MR&S*, April, 155
Stress concentration, role of theoretical stress-concentration factor in evaluating notch toughness (Kaufman), *MR&S*, May, 189
Stress corrosion
application of an accelerated stress corrosion test to alloy development (Denhard and Gaugh), *STP 425*
circulating autoclave system for stress corrosion cracking studies (Staehle), *STP 425*
comparison of three precracked specimens for evaluating the susceptibility of high-strength steel to stress corrosion cracking (Beachem and Brown), *STP 425*
critical species in stress corrosion phenomena (Pugh and Westwood), *STP 425*
environmental factors affecting the stress corrosion cracking behavior of an aluminum-zinc-magnesium alloy (Romans and Craig), *STP 425*
evaluation of various techniques for stress corrosion testing welded aluminum alloys (Shumaker, Kelsey, Sprowls, and Williamson), *STP 425*
influence of environment on crack propagation characteristics of high-strength aluminum alloys (Mulherin), *STP 425*
influence of stress and temperature on short-transverse stress corrosion cracking of an Al-4.2Zn-2.5Mg alloy (Helfrich), *STP 425*
a proposed mechanism for the stress corrosion fracture of a copper-beryllium alloy (Sylwestrowicz), *STP 425*
a quantitative stress corrosion test for Al-Zn-Mg alloy plate (Rosenthal and Pritchard), *STP 425*
a rapid stress corrosion test for aluminum-magnesium alloys (Craig and Romans), *STP 425*
reactions contributing to the formation of susceptible paths for stress corrosion cracking (Vaughan and Phalen), *STP 425*
report of task group 1 on stress corrosion testing methods of subcommittee X on stress corrosion of committee B-3 on corrosion of nonferrous metals and alloys (Ketchum), *STP 425*
reporting and evaluating stress corrosion data (Sprowls), *STP 425*
resistance of ferritic stainless steels to stress corrosion cracking (Bond, Marshall, and Dundas), *STP 425*
some techniques used in the study of stress corrosion cracking (Logan), *STP 425*
stress-corrosion cracking of cold-reduced austenitic stainless steels (Logan and McBee), *MR&S*, April, 137
stress corrosion cracking of high-strength bolting (Lin, Laurilliard, and Hood), *STP 425*
stress corrosion cracking rates of a nickel-brass alloy under applied potential (McKinney and Hermance), *STP 425*
stress corrosion of high-strength steel alloys—environmental factors (Gallaccio and Pelensky), *STP 425*
stress corrosion of magnesium alloys—environmental factors (Pelensky and Gallaccio), *STP 425*
stress corrosion test environments and test durations (Romans), *STP 425*
stress corrosion testing of 7079-T6 aluminum alloys in various environments (Lifka and Sprowls), *STP 425*
Stress rupture, analysis of stress-rupture and creep properties of tungsten fiber reinforced copper composites (McDanels, Signorelli, and Weeton), *STP 427*
Stress waves, the embrittling effect of small elastic stress waves on crack toughness of a structural steel (Shoemaker), *JOM*, September, 597
Structural engineering, effect of sonic boom on structural behavior (Wiggins), *MR&S*, June, 235
Stuhrke, W. E.:
see Alexander, J. A., and Stuhrke, W. E.
Summary of ASM/ASTM composite symposium, *STP 427*
Submarines, relation between testing and performance of structures for deep sea vehicles (Allnutt), *STP 423*
Sulfates, hot corrosion of nickel-iron-chromium-cobalt alloys by sulfate-chloride and sulfate-vanadate simulated fuel ashes (Fontaine and Richards), *STP 421*
Sulfidation
high temperature sulfur-oxygen corrosion of nickel and cobalt (Seybolt and Beltran), *STP 421*
sulfidation of hot section alloys in gas turbine engines (Donachie, Sprague, Russell, Boll, and Bradley), *STP 421*
Sulfur
effect of JP-5 sulfur content on hot corrosion of superalloys in marine environment (Schirmer and Quigg), *STP 421*
elimination of nitrogen and chloride interferences in the iodometric determination of sulfur as sulfur dioxide (Bremanis, Deering, Meade, and Keyworth), *MR&S*, October, 459
fire-retarding elemental sulfur (Ludwig and Dale), *JOM*, March, 131
hot corrosion of nickel-iron-chromium-cobalt alloys by sulfate-chloride and sulfate-vanadate simulated fuel ashes (Fontaine and Richards), *STP 421*
protection of nickel-base alloy against sulfur corrosion by pack aluminizing (Llewelyn), *STP 421*
Sumsion, H. T.: Effect of high vacuum on the fatigue properties of magnesium and two magnesium alloys, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Superalloys
behavior of superalloy oxide films in molten salts (Wheatfall, Doerning, and Danek), *STP 421*
effect of JP-5 sulfur content on hot corrosion of superalloys in marine environment (Schirmer and Quigg), *STP 421*
hot corrosion behavior of coated and uncoated superalloys (Graham, Gadd, and Quigg), *STP 421*
Supersonic aircraft, effect of sonic boom on structural behavior (Wiggins), *MR&S*, June, 235
Supnik, R. H. (discussion), *STP 419*
Swanson, S. R.,
Cicci, F., and Hoppe, W.: Crack propagation in clad 7079-T6 aluminum alloy sheet under constant and random amplitude fatigue loading, *STP 415*
(discussion), *STP 415*
Swenson, E. G.: *see* Sereda, P. J., and Swenson, E. G.
Swensen, R. F., and Keyworth, D. A.: Determination of water in hydrocarbons by gas chromatography, *MR&S*, December, 524
Sylwestrowicz, W. D.: A proposed mechanism for the stress corrosion fracture of a copper-beryllium alloy, *STP 425*

T

Talda, P. M.: *see* Wei, R. P., Talda, P. M., and Li, Che-Yu
Tall, L.: *see* Nishino, F., Tall, L., and Ueda, Y.
Tall, Lambert: *see* Estuar, F. R., and Tall, Lambert
Tapes, for roof joint insulation (Richards), *STP 409*
Tator, K., and Alexander, S. H.: The effects of moisture on built-up roofing membranes, *STP 409*
Tear tests for fluid-applied roofing membranes at joint in roof deck (Koike), *STP 409*
Temperature distribution analysis of the temperature variations of satellite with inner power dissipation (Hayashi and Izumi), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Temperature-rise test, an automatic temperature-rise machine for measuring the form-I content in sodium tripolyphosphate (May, Hudson, Albert, and Cropper), *MR&S*, February, 53
Temper (metallurgical), influence of temper on the fatigue strength of cartridge brass (alloy 260) sheet (Tyler), *MR&S*, February, 59
Tennyson, R. C. (discussions), *STP 419*
Tennyson, R. C.: Photoelastic circular cylinders in axial compression, *STP 419*
Tensile strength
comparison of ring-tensile strength of con-

crete with compressive, flexural, and splitting-tensile strengths (Malhotra and Zoldners), *JOM*, March, 160
direct tensile strength of concrete (Kadlecek and Spetla), *JOM*, December, 749
Tension testing
testing of fibers (Schmitz and Metcalfe), *MR&S*, April, 146
alumina whiskers (Kelsey and Krock), *JOM*, March, 146
dilatometer to measure length changes in stressed specimens (Eckel and Smith), *MR&S*, June, 251
effects of quench aging, strain aging, and substructure on the tensile properties of 1020 steel (Smith and Behun), *JOM*, June, 325
metallurgical and geometrical factors affecting elevated temperature tensile properties of discontinuous tungsten fiber reinforced composites (Petrasek, Signorelli, and Weeton), *STP 427*
new method and techniques for tension testing whiskers (Soltis), *JOM*, June, 300
Testing
inter-industry transference of test technology (Bleich), *STP 423*
performance concept in building (Legget and Hutcheon), *STP 423*
relation between testing and performance of structures for deep sea vehicles (Allnutt), *STP 423*
Testing machines, influence of test machine rigidity on the buckling load of shells (Horton and Bailey), *STP 419*
Thermal conductivity
an apparatus for thermal conductivity at cryogenic temperatures using a heat flow meter (Hollingsworth), *STP 411*
a cryogenic heat-flow-meter apparatus (Kinzer and Pelanne), *STP 411*
cryogenic thermal-conductivity measurements of insulating materials (Coston and Zierman), *STP 411*
a double-guarded cold-plate thermal-conductivity apparatus (Black, Glaser, and Perkins), *STP 411*
a flat-plate thermal-conductivity apparatus for measuring low-conductivity materials at cryogenic temperatures (Haskins), *STP 411*
a guarded-hot-plate thermal-conductivity apparatus for multilayer cryogenic insulation (Karp and Lankton), *STP 411*
an improved guarded-cold-plate thermal-conductivity apparatus (Black, Wechsler, Glaser, and Fountain), *STP 411*
a nonsteady-state thermal-conductivity tester for cryogenic insulations (Gibbon, Matsch, and Wang), *STP 411*
a simple multilayer insulation calorimeter (DeHaan), *STP 411*
the search for significant structures (Eyring), *JOM*, June, 447
Thermodynamics, the search for significant structures (Eyring), *JOM*, June, 447
Thermal expansion, nonlinear thermal expansion of coarse grain limestone (Harvey), *MR&S*, November, 502
Thermal insulation
an apparatus for thermal conductivity at cryogenic temperatures using a heat flow meter (Hollingsworth), *STP 411*
a cryogenic heat-flow-meter apparatus (Kinzer and Pelanne), *STP 411*
cryogenic thermal-conductivity measurements of insulating materials (Coston and Zierman), *STP 411*
a double-guarded cold-plate thermal-conductivity apparatus (Black, Glaser, and Perkins), *STP 411*
a flat-plate thermal-conductivity apparatus for measuring low-conductivity materials at cryogenic temperatures (Haskins), *STP 411*
a guarded-hot-plate thermal-conductivity apparatus for multilayer cryogenic insulation (Karp and Lankton), *STP 411*
an improved guarded-cold-plate thermal-conductivity apparatus (Black, Wechsler, Glaser, and Fountain), *STP 411*
a nonsteady-state thermal-conductivity tester for cryogenic insulations (Gibbon, Matsch, and Wang), *STP 411*
Thermal properties, thermal testing techniques at high solar intensities (Rolling, Marshall, and Kirkpatrick), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Thermal shock, progress in the development of a thermal-shock-resistance factor for bituminous build-up roofing membranes (Cullen and Boone), *STP 409*
Thermal stability, effects of temperature and humidity on linear dimensions of roofing felt laminates (Long), *STP 409*
Thermal stresses, progress in the development of a thermal-shock-resistance factor for bituminous built-up roofing membranes (Cullen and Boone), *STP 409*
Thermophysics, new aspects of thermophysics in advanced planetary exploration (Gilligan), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Thermosetting resins, a resinographic study of a rigid, thermosetting foam (Wright), *STP 414*
Thiruvengadam, A.: The concept of erosion strength, *STP 408*
Thomas, E. J.: *see* Gedney, J. I., Thomas, E. J., and Botty, M. C.
Thompson, M. R.: Factors influencing the field stability of soil-aggregate mixtures, *MR&S*, January, 6
Thornton, H. R.: *see* Kaarlela, W. J., Thornton, H. R., and Margolis, W. S.
Throop, J. F. (discussion), *STP 415*
Thurber, E. A.: Britain goes metric, *MR&S*, February, 72
Thurston, R. C. A.: *see* Eeles, E. G., and Thurston, R. C. A.
Titanium alloys
crack propagation and residual static strength of fatigue-cracked titanium and steel cylinders (Crichlow and Wells), *STP 415*
room-temperature creep and fatigue properties of titanium alloys (Hatch, Partridge, and Broadwell), *JOM*, March, 111
Titanium carbide, the effect of the titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), *JOM*, September, 625
Torsion tests, as a means of assessing ductility at high temperatures (Robbins, Wagenaar, Shepard, and Sherby), *JOM*, June, 271
Toughness, the effect of inclusions on the brittle fracture of hot-rolled steel (Bucher), *JOM*, June, 432
Trepel, W. B.: *see* Lehman, A. F., and Trepel, W. B.
Triaxial shear test, bushing friction in triaxial shear testing (Olson and Campbell), *MR&S*, February, 45
Triaxial stress, the influence of the intermediate principal stress on fatigue under triaxial stresses (Blass and Findley), *MR&S*, June, 254
Triaxial test
measurement and control of radial deformation in the triaxial test of soils (Khera and Krizek), *MR&S*, September, 392
a new device for measuring volume changes and pressures in triaxial tests on soils (Chan and Duncan), *MR&S*, July, 312
Troth, K. A.: Relationship between specific gravity and other fuel properties and diesel engine performance, *STP 413*
Tungsten
analysis of stress-rupture and creep properties of tungsten fiber reinforced copper composites (McDanels, Signorelli, and Weeton), *STP 427*
metallurgical and geometrical factors affecting elevated temperature tensile properties of discontinuous tungsten fiber reinforced composites (Petrasek, Signorelli, and Weeton), *STP 427*
Tungsten carbide, water jet impact damage in a colbalt-chromium-tungsten alloy (Beckwith and Marriott), *STP 408*
Tunnel test, smoke contribution factor in fire hazard classification of building materials (Shern), *STP 422*
Tuthill, L. H., and Adams, R. F. (discussion), *JOM*, September, 480
Tyler, C. M., Jr.: Influence of temper on the fatigue strength of cartridge brass (alloy 260) sheet, *MR&S*, February, 59

U

Ueda, Y.: *see* Nishino, F., Ueda, Y., and Tall, L.
Ultimate strength, a new approach for the prediction of true ultimate strength of concrete (Iyengar, Desayi, and Viswanatha), *MR&S*, November, 486
Ultrasonics
accelerated cavitation damage of steels and superalloys in sodium and mercury (Young and Johnston), *STP 408*
correlation of cavitation damage with other material and fluid properties (Garcia, Hammitt, and Nystrom), *STP 408*
Ultrasonic testing
correlation and analysis of ultrasonic test results in evaluating reinforced resin laminates (Schultz), *MR&S*, August, 341
eddy current and ultrasonic techniques for inspection of large parts (Musil), *JOM*, March, 65
Ultraviolet radiation, solar wind-plus-ultraviolet exposure studies on spacecraft thermal control coatings using in-situ optical property measurement techniques (Douglas, Breuch, McCargo, and Starkey), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Ultraviolet spectroscopy, use of ultraviolet spectroscopy to detect adulteration of traffic paint vehicles (Bean and Chaiken), *MR&S*, February, 65
Urethane foam, investigation of urethane foam formation by motion-picture photography (Baumann, Aulabaugh, and Steingiser), *STP 414*

V

Vacuum
adhesion of lunar soil simulated by rock comminuted in vacuum (Blum, Roehrig, and Hordon), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
a cold welding investigation of the ATS damper boom (Kaplan and Jones), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
creep properties of refractory metal alloys in ultrahigh vacuum (Sawyer and Steigerwald), *JOM*, June, 341
effect of high vacuum on the fatigue properties of magnesium and two magnesium alloys (Sumsion), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
measurement of corona discharge behavior at low pressure and vacuum (Dakin and Works), *STP 420*
Vacuum chamber, measurement of contamination in vacuum chambers (Bergquist), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Vallerga, B. A.: Introduction, *STP 424*
Valley, J. A.: *see* Pruger, T. A., Valley, J. A., and Blake, F.
Vanadium alloys, irradiation effects on the mechanical properties of vanadium-base alloys (Bohm, Dienst, Hauck, and Laue), *STP 426*
VanEcho, J. A., Hoag, J. G., Roach, D. B., and Hall, A. M.: The short-time tensile and long-time creep-rupture properties of the HF and HH alloys, *JOM*, December, 866
VanRooyen, D. (discussion), *STP 425*
Vantine, A. D. Le, Harter, G. A., and Norris, J. E.: Space environment simulator with conceptually new solar simulator, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Varga, J. J.: *see* Shalnev, K. K., Varga, J. J., and Sebestyen, G.
Vaughan, D. A., and Phalen, D. I.: Reactions contributing to the formation of susceptible paths for stress corrosion cracking, *STP 425*
Viscosity
critical appraisal of proposal to grade paving asphalts by viscosity at 140 F (McLeod), *STP 424*
effects on stress-strain and volume change characteristics of asphaltic mixtures (Gandhi and Gallaway), *JOM*, March, 27
the effect of pour-point depressants on diesel fuel performance in winter (Mickel), *STP 413*
motivation for and implementation of grading asphalt cement by viscosity at 140 F (Hawthorne), *STP 424*
the philosophy of using viscosity for grading asphalt cements (Welborn), *STP 424*
search for significant structures (Eyring), *JOM*, June, 447
Texas highway department's experience with viscosity grading of paving asphalts (Chaffin), *STP 424*

Viste, N. D.: *see* Blatherwick, A. A., and Viste, N. D.
Viswanatha, C. S.:
see Iyengar, K. T. Sundara Raja, Viswanatha, C. S., and Desayi, Prakash
and Desayi, Prakash (discussion), *JOM*, March, 188
Volpe, J. A.: The impact of science and technology, *MR&S*, October, 461
von Frank, A. J., and Fawcett, R. L.: Industrial water for cooling and general purposes, *STP 416*

W

Wagenaar, H.: *see* Robbins, J. L., Wagenaar, H., Shepard, O. C., and Sherby, O. D.
Wagner, T. O.: *see* Lindeman, R. P., Wagner, T. O., and Lawerence, D. K.
Walkways, a new horizontal pull slipmeter for evaluating walkway slipperiness (Irvine), *MR&S*, December, 535
Wall, F. J., and Michael, S. J.: Effect of salts on corrosion resistance of gas turbine alloys, *STP 421*
Wall, F. J. (discussion), *STP 421*
Wang, D. I-J.: *see* Gibbon, N. C., Wang, D. I-J., and Matsch, L. C.
Ward, M. A. (discussion), *JOM*, March, 191
Warwick, J. E.: *see* McMillan, W. D., Warwick, J. E., Gause, R. L., and Kerlin, E. E.
Water-cement ratio, factors affecting the relationship between strength and water-cement ratio (Popovics), *MR&S*, December, 527
Watkins, B.: *see* Nichols, R. W., and Watkins, B.
Waste disposal, water quality requirements of estuarine organisms (Katz and Woelke), *STP 416*
Water
industrial water for cooling and general purposes (von Frank and Fawcett), *STP 416*
measurement of water quality with the pacific oyster embryo bioassay (Woelke), *STP 416*
the spectral reflectance of water and carbon dioxide cryodeposits from 0.36 to 1.15 microns (Wood, Smith, McCullough, and Birkebak), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
water for supplemental irrigation (Lunin), *STP 416*
Water pollution
measurement of water quality with the pacific oyster embryo bioassay (Woelke), *STP 416*
water for industrial processes (Partridge), *STP 416*
water quality requirements of estuarine organisms (Katz and Woelke), *STP 416*
water use for aquatic life (Wurtz), *STP 416*
what do we really know about stream quality criteria and standards? (Clarke), *STP 416*
Water supply, municipal water from eastern rivers (Flentje), *STP 416*
Water quality
measurement of water quality with the pacific oyster embryo bioassay (Woelke), *STP 416*
municipal water from eastern rivers (Flentje), *STP 416*
municipal water from western rivers (Cecil), *STP 416*
quantitative assessment of irrigation water quality (Bernstein), *STP 416*
water for industrial processes (Partridge), *STP 416*
what do we really know about stream quality criteria and standards? (Clarke), *STP 416*
Water quality criteria
what do we really know about stream quality criteria and standards? (Clarke), *STP 416*
water quality requirements of estuarine organisms (Katz and Woelke), *STP 416*
Watson, R. C.: *see* Davies, L. G., and Watson, R. C.
Watts, C. R., and Sabel, A. H.: A tension test method for high modulus, high-strength filaments, *MR&S*, August, 337
Wear
erosion of metals by solid particles (Finnie, Wolak, and Kabil), *JOM*, September, 682
experience with a 20-kc cavitation erosion test (Hobbs), *STP 408*
Weather patterns, weather patterns and diesel fuel performance (Rescorla), *STP 413*
Weber, J. W.: Plastic stability of Zr-2 fuel cladding, *STP 426*
Wechsler, A. E.: *see* Black, I. A., Wechsler, A. E., Glaser, P. E., and Fountain, J. A.
Wechsler, M. S.: *see* Hinkle, N. E., Wechsler, M. S., and Ohr, S. M.
Weertman, J. (discussion), *STP 415*
Weeton, J. W.:
see Jech, R. W., Weeton, J. W., and Signorelli, R. A.
see McDanels, D. L., Weeton, J. W., and Signorelli, R. A.
see Petrasek, D. W., Weeton, J. W., and Signorelli, R. A.
Wei, R. P.
Talda, P. M., and Li, Che-Yu: Fatigue-crack propagation in some ultrahigh-strength steels, *STP 415*
(discussion), *STP 415*
Weightlessness, simulation and scaling of low-gravity slosh frequencies and damping (Clark and Stephens), *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Weir, J. R.: *see* Martin, W. R., and Weir, J. R.
Weissert, L. R.: *see* McLaughlin, D. W., and Weissert, L. R.
Welborn, J. Y.: The philosophy of using viscosity for grading asphalt cements, *STP 424*
Welding, weldability of austenitic stainless steels as affected by residual elements (Linnert), *STP 418*
Weldments
evaluation of various techniques for stress corrosion testing welded aluminum alloys (Shumaker, Kelsey, Sprowls, and Williamson), *STP 425*
low cycle fatigue crack propagation resistance of materials for large welded structures (Crooker and Lange), *STP 415*
Wells, R. H.: *see* Crichlow, W. J., and Wells, R. H.
Westwood, A. R. C.:
see Pugh, E. N., and Westwood, A. R. C. (discussion), *STP 425*
Wheatfall, W. L., Doerning, H., and Danek, G. J., Jr.: Behavior of superalloy oxide films in molten salts, *STP 421*
Wheeler, K. R.: *see* Levy, I. S., and Wheeler, K. R.
Whiskers, high energy-rate forming of fibrous composites (Robinson), *STP 427*
Whiskers (metal)
how metal matrix composites are made (Davis), *STP 427*
new method and techniques for tension testing whiskers (Soltis), *JOM*, June, 300
room and elevated temperature strength of α-Al_2O_3 whiskers and their structural characteristics (Mehan and Feingold), *JOM*, June, 239
structure and properties of aluminum oxide whiskers (Regester, Gorsuch, and Girifalco), *MR&S*, May, 203
summary of ASM/ASTM composite symposium (Stuhrke), *STP 427*
tension testing alumina whiskers (Kelsey and Krock), *JOM*, March, 146
Wiggins, J. H., Jr.: Effect of sonic boom on structural behavior, *MR&S*, June, 235
Wilhem, D. P.: Investigation of cyclic crack growth transitional behavior, *STP 415*
Williams, J. A., and Carter, J. W.: Creep of annealed type 304 stainless steel during irradiation and its engineering significance, *STP 426*
Williams, W. Lee: Metals for hydrospace, *JOM*, December, 768
Williamson, J. G.: *see* Shumaker, M. B., Williamson, J. G., Kelsey, R. A., and Sprowls, D. O.
Wills, M. H., Jr.: How aggregate particle shape influences concrete mixing water requirements and strength, *JOM*, December, 843
Wilson, R. W.:
see Belcher, P. R., Wilson, R. W., and Bird, R. J.
(discussion), *STP 408*
Wind resistance, wind-uplift resistance of built-up roofs (Donegan and Butterfield), *STP 409*
Wind-resistance tests of roof shingles and roof assemblies (Benjamin and Bono), *STP 409*
Wiseman, E. L.: *see* Irish, G. E., and Wiseman, E. L.
Wit, K. E.: Apparatus for measuring hydraulic conductivity of undisturbed soil samples, *STP 417*
Woelke, C. E.:
Measurement of water quality with the pacific oyster embryo bioassay, *STP 416*
see Katz, M., and Woelke, C. E.
Wolak, Jan.: *see* Finnie, Iain, Wolak, Jan, and Kabil, Yehia
Wolfe, L., Jr.: *see* Islinger, J. S., and Wolfe, L., Jr.
Wood, B. E., Smith, A. M., McCullough, B. A., and Birkebak, R. C.: The spectral reflectance of water and carbon dioxide cryodeposits from 0.36 to 1.15 microns, *ASTM/IES/AIAA Space Simulation Conference, SSC-2*
Wood, modified hardness tester for wood (Bodig), *MR&S*, October, 450
Workabilities of concrete: a comparison of existing tests (Hughes and Bahramiam), *JOM*, September, 519
Works, C. N.: *see* Dakin, T. W., and Works, C. N.
Wright, J. R.: *see* Campbell, P. G., and Wright, J. R.
Wright, R. E.:
A resinographic study of a rigid, thermosetting foam, *STP 414*
Introduction, *STP 414*
Wurtz, C. B.: Water use for aquatic life, *STP 416*

X

X-ray diffraction, approach to accessibility of crosslinked cotton cellulose (Mitcham, Piccolo, Rowland, and O'Connor), *JOM*, December, 817

Y

Yanichko, S. E.: *see* Landerman, E., Yanichko, S. E., and Hazelton, W. S.
Yao, J. T. P.: *see* Ju, F. D., Yao, J. T. P., and Baker, J. G.
Yeniscavich, William (discussion), *STP 418*
Yerkes, J. W.: *see* Lunde, A. R., Yerkes, J. W., and Haslund, R. L.
Yoshiki, M., and Fujita, Y.: Determination of plastic buckling load for axially compressed plates from experimental data, *STP 419*
Young, S. G., and Johnston, J. R.: Accelerated cavitation damage of steels and superalloys in sodium and mercury, *STP 408*
Younger, J. S.: *see* Mitchell, J. K., and Younger, J. S.

Z

Zamrik, S. Y. (discussion), *STP 426*
Zierman, C. A.: *see* Coston, R. M., and Zierman, C. A.
Zinc alloys
environmental factors affecting the stress corrosion cracking behavior of an aluminum-zinc-magnesium alloy (Romans and Craig), *STP 425*
stress corrosion cracking rates of a nickel-brass alloy under applied potential (McKinney and Hermance), *STP 425*
Zoldners, N. G.: *see* Malhotra, V. M., and Zoldners, N. G.